



HUBER ENGINEERED MATERIALS

# Safety Data Sheet

## Hubercarb® G2PT

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03  
Canadian Workplace Hazardous Material Information System (WHMIS) 2015  
Mexico NOM-018-STPS-2000; NOM-018-STPS-2015  
Globally Harmonized System (GHS)

Issue Date: 24/Apr/2019  
Print Date: 24/Apr/2019

Revision Number: 1.3  
Page 1 of 12

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product Name:** Hubercarb® G2PT

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Filler. Functional additive.

**Uses advised against** None known.

### 1.3. Details of the supplier of the safety data sheet

**Company:** Huber Carbonates, LLC  
3100 Cumberland Boulevard, Suite 600  
Atlanta, GA 30339 USA

Tel: +1 678 247-7300

**Internet** [www.hubermaterials.com](http://www.hubermaterials.com)

**E-mail** [hubermaterials@huber.com](mailto:hubermaterials@huber.com)

**1.4. Emergency telephone number** CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

**OSHA Regulatory Status** Specific target organ toxicity (STOT) - repeated exposure, category 2  
Carcinogenic category 1

**Physical Hazards** Not classified

**Health Hazards** Carcinogenicity category 1A Specific target organ toxicity (STOT) - repeated exposure, category 2 Lungs

HUBER

# Safety Data Sheet

Hubercarb® G2PT

Issue Date: 24/Apr/2019  
Print Date: 24/Apr/2019

Revision Number: 1.3  
Page 2 of 12

**Environmental Hazard** Not classified

## 2.2. Label elements

### Symbols/Pictograms



**Signal Word** Danger

**Hazard Statements** H350 - May cause cancer  
H373 - May cause damage to organs through prolonged or repeated exposure

### Precautionary Statements

**Prevention** Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Do not breathe dust  
Wear protective gloves/protective clothing/eye protection/face protection

**Response** IF exposed or concerned: Get medical advice/attention

**Storage** Store locked up

**Disposal** Dispose of contents/containers in accordance with local regulations

**Additional Information:** Not applicable.

**Hazards not otherwise classified (HNOC)** None known.

## SECTION 3: Composition/information on ingredients

Chemical Name	CAS Number	TSCA: United States	Canada (DSL)	Mexico	REACH registration number	OSHA Regulatory Status	WHMIS	Weight-%
Limestone	1317-65-3	Y	Y	Y	Exempt	Not classified	H350; H372	95.5 - 98.5
Stearic Acid	57-11-4	Y	Y	Y	Exempt	Not classified	Combustible Dust	0.5 - 1.5
Calcium Stearate	1592-23-0	Y	Y	Y	Exempt	Not classified	Combustible Dust	0.2 - 0.4
Crystalline Silica, quartz (impurity)	14808-60-7	Y	Y	Y	Exempt	Carcinogenicity category 1A Specific target organ toxicity (STOT) - repeated exposure, category 2	H350; H372	0.1 - 0.2

**Legend**

X / Y: Complies , - / N: Not Listed , Exempt

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>General Advice</b>	When in doubt or if symptoms are observed, get medical advice.
<b>Eye Contact</b>	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
<b>Skin Contact</b>	Wash with plenty of soap and water.
<b>Ingestion</b>	Rinse mouth thoroughly with water.
<b>Inhalation</b>	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
<b>Aspiration hazard</b>	Not an expected route of exposure.

**4.2. Most important symptoms and effects, both acute and delayed** Signs and symptoms may include coughing, gasping, choking and difficulty breathing.

**4.3. Indication of any immediate medical attention and special treatment needed** IF exposed or concerned: Get medical advice/attention. Treatment should be symptomatic and supportive. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

## SECTION 5: Firefighting measures

**5.1. Extinguishing media****Suitable Extinguishing Media**

Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO<sub>2</sub>).

**Unsuitable Extinguishing Media**

None known.

**5.2. Special hazards arising from the substance or mixture**

Do not breathe dust.

**5.3. Advice for firefighters****Special protective equipment for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing.

**Fire-fighting measures**

In case of fire and/or explosion do not breathe fumes.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Keep unauthorized personnel away. Use personal protection recommended in Section 8. Avoid dust formation. Ensure adequate ventilation.

**For non-emergency personnel** Keep unauthorized personnel away.

**For emergency responders** Keep unauthorized personnel away. Use personal protection recommended in Section 8.

**6.2. Environmental precautions** Avoid runoff to waterways and sewers.

**6.3. Methods and material for containment and cleaning up** Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a disposal container

**6.4. Reference to other sections** Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

Avoid exposure - obtain special instructions before use. Ensure adequate ventilation. Do not breathe dust. Use personal protective equipment as required.

Issue Date: 24/Apr/2019  
Print Date: 24/Apr/2019

Revision Number: 1.3  
Page 5 of 12

Handle in accordance with good industrial hygiene and safety practice.

**7.2. Conditions for safe storage, including any incompatibilities** Keep container tightly closed and dry. Store away from incompatible materials.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

##### Limestone

OSHA	5 mg/m <sup>3</sup> TWA (respirable fraction) 15 mg/m <sup>3</sup> TWA (total dust)
ACGIH	10 mg/m <sup>3</sup> Total Dust, 3 mg/m <sup>3</sup> Respirable Dust
Canada	10 mg/m <sup>3</sup>
Canada - BC TWA	3 mg/m <sup>3</sup> (respirable fraction); 10 mg/m <sup>3</sup> (total dust)

##### Crystalline Silica, quartz (impurity)

OSHA	TWA: 0.05 mg/m <sup>3</sup> OSHA Action level: 0.025 mg/m <sup>3</sup>
ACGIH	TWA: 0.025 mg/m <sup>3</sup> respirable fraction
NIOSH	0.05 mg/m <sup>3</sup> TWA (respirable dust)
Canada	0.025 mg/m <sup>3</sup> TWA (respirable particulate)
Canada - BC TWA	0.025 mg/m <sup>3</sup> TWA (respirable fraction)
Canada - Manitoba - OEL - TWA	0.025 mg/m <sup>3</sup> TWA (respirable fraction)
Canada - Newfoundland & Labrador - OEL - TWA	0.025 mg/m <sup>3</sup> TWA (respirable fraction)
Canada - Nova Scotia - OEL - TWA	0.025 mg/m <sup>3</sup> TWA (respirable fraction)
Canada - Prince Edward Island - OEL - TWA	0.025 mg/m <sup>3</sup> TWA (respirable fraction)
Mexico	0.1 mg/m <sup>3</sup> TWA (respirable fraction)

**Biological Limit Values:** No information available

### 8.2. Exposure controls

**Engineering Measures** Provide a good standard of controlled ventilation (10 to 15 air changes per hour).

#### Personal protective equipment

<b>Eye/Face Protection</b>	Wear safety glasses with side shields (or goggles).
<b>Skin and Body Protection</b>	Wear suitable protective clothing.
<b>Hand protection</b>	For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.
<b>Hand Protection</b>	For operations where prolonged or repeated skin contact may occur, impervious

Issue Date: 24/Apr/2019  
 Print Date: 24/Apr/2019

Revision Number: 1.3  
 Page 6 of 12

<b>Respiratory Protection</b>	gloves should be worn.  When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
<b>Thermal hazards</b>	None known. Wear suitable protective clothing.
<b>Hygiene Measures</b>	Follow general hygiene considerations recognized as common good workplace practices. The worker should wash daily at the end of each work shift, and prior to eating, drinking, smoking, etc.
<b>Environmental Exposure Controls</b>	Dispose of in accordance with local regulations.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**Appearance:**

<b>Physical State</b>	Solid
<b>Color</b>	White
<b>Odor</b>	Odorless
<b>Odor Threshold</b>	No information available
<b>pH:</b>	8.4 - 10.2 5% Water suspension
<b>Melting point / Freezing point</b>	Not applicable
<b>Boiling Point</b>	Not applicable
<b>Flash Point:</b>	Not applicable.
<b>Evaporation Rate</b>	Not applicable.
<b>Flammability (solid, gas)</b>	Not applicable
<b>Upper flammability limit:</b>	
<b>Lower flammability limit:</b>	
<b>Vapor Pressure</b>	Not applicable
<b>Vapor Density</b>	Not applicable
<b>Relative Density</b>	2.7 g/cm <sup>3</sup> @ 20°C
<b>Water Solubility</b>	1.3 g/l, 20° C
<b>Solubility in other solvents</b>	No information available
<b>Partition coefficient</b>	Not applicable
<b>Autoignition Temperature</b>	Not applicable
<b>Decomposition Temperature</b>	1292 - 1652 °F (700 - 900 °C)
<b>Viscosity</b>	Not applicable.
<b>Explosive Properties</b>	Not applicable
<b>Oxidizing Properties</b>	Not applicable
 <b>VOC Content (%)</b>	 Not applicable

## SECTION 10: Stability and reactivity

**10.1. Reactivity**                      None

Issue Date: 24/Apr/2019  
 Print Date: 24/Apr/2019

Revision Number: 1.3  
 Page 7 of 12

<b>10.2. Chemical stability</b>	Stable
<b>10.3. Possibility of hazardous reactions</b>	No specific hazard known
<b>10.4. Conditions to avoid</b>	Incompatible materials
<b>10.5. Incompatible materials</b>	Strong acids
<b>10.6. Hazardous decomposition products</b>	None known

## SECTION 11: Toxicological information

**General Information** Users are advised to consider national Occupational Exposure Limits or other equivalent values.

### Information on Likely Routes of Exposure

<b>Inhalation</b>	Extended inhalation at levels above the workplace limit value can cause irreversible damage to the lungs (silicosis)
<b>Skin</b>	Contact with dust can cause mechanical irritation or drying of the skin
<b>Eyes</b>	Avoid contact with eyes Dust contact with the eyes can lead to mechanical irritation
<b>Ingestion</b>	Ingestion is not a likely route of exposure
<b>Aspiration hazard</b>	Not an expected route of exposure.
<b>Symptoms related to the physical, chemical and toxicological characteristics</b>	Contact with dust can cause mechanical irritation or drying of the skin. Dust may cause mechanical irritation to eyes. May cause irritation. Mucous Membrane. respiratory tract.

### 11.1. Information on toxicological effects

#### Limestone

Oral LD50 6450 mg/kg Rat

#### Stearic Acid

Oral LD50 4600 mg/kg (rat)

#### Crystalline Silica, quartz (impurity)

Oral LD50 500 mg/kg Rat Mouse

**ACGIH**  
**IARC**

Group 2A - Probably Carcinogenic to Humans  
 Group 1 - Carcinogenic to Humans

**Acute Toxicity** Users are advised to consider national Occupational Exposure Limits or other

Issue Date: 24/Apr/2019  
 Print Date: 24/Apr/2019

Revision Number: 1.3  
 Page 8 of 12

	equivalent values
<b>Chronic Toxicity</b>	Potential occupational carcinogen.
<b>Chronic Effects</b>	Extended inhalation at levels above the workplace limit value can cause irreversible damage to the lungs (silicosis).
<b>Respiratory Sensitization</b>	Causes respiratory tract irritation if inhaled.
<b>Serious eye damage/eye irritation</b>	Dust may cause mechanical irritation to eyes
<b>Skin Corrosion/Irritation</b>	Prolonged or repeated contact may dry skin and cause irritation
<b>Skin Sensitization</b>	Prolonged or repeated contact may dry skin and cause irritation
<b>Germ cell mutagenicity</b>	No information available.
<b>Reproductive Effects</b>	No information available.
<b>Reproductive Toxicity</b>	No information available.
<b>Carcinogenicity</b>	Crystalline silica (quartz) has been classified by the International Agency for Research on Cancer (IARC) as a known human carcinogen (Group 1).
<b>Specific target organ toxicity - Single exposure</b>	May cause respiratory irritation.
<b>Specific target organ toxicity - Repeated exposure</b>	May cause damage to organs through prolonged or repeated exposure if inhaled. Lungs.
<b>Mixture versus substance information</b>	No information available

## SECTION 12: Ecological information

**12.1. Ecotoxicity** Not considered to be harmful to aquatic life.

**Limestone**

WGK Classification (VwVwS) 317: WGK: nwg

**Stearic Acid**

WGK Classification (VwVwS) 661: WGK: nwg

**Crystalline Silica, quartz (impurity)**

WGK Classification (VwVwS) 849 WGK: nwg

**12.2. Persistence and degradability** Not readily biodegradable.

**12.3. Bioaccumulative potential** None.



Issue Date: 24/Apr/2019  
 Print Date: 24/Apr/2019

Revision Number: 1.3  
 Page 9 of 12

<b>Partition coefficient</b>	Not applicable
<b>Bioconcentration factor (BCF)</b>	Not available.
<b>12.4. Mobility in soil</b>	None.
<b>12.5. Results of PBT and vPvB assessment</b>	This substance does not meet the criteria for classification as PBT or vPvB.
<b>12.6. Other adverse effects</b>	None known

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

<b>Disposal Methods</b>	Disposal should be in accordance with applicable regional, national and local laws and regulations.
<b>Contaminated Packaging</b>	Empty containers should be taken to an approved waste handling site for recycling or disposal.
<b>Waste codes</b>	Waste codes should be assigned by the user based on the application for which the product was used

#### Limestone

European Waste Catalog 10130414  
 WGK Classification (VwVwS) 317: WGK: nwg

#### Stearic Acid

WGK Classification (VwVwS) 661: WGK: nwg

#### Crystalline Silica, quartz (impurity)

WGK Classification (VwVwS) 849 WGK: nwg

## SECTION 14: Transport information

### Mode of Transportation (Road, Water, Air, Rail)

<b>TDG -Canada</b>	Not regulated
<b>DOT</b>	Not regulated
<b>ADR</b>	Not regulated
<b>RID</b>	Not regulated
<b>ADN</b>	Not regulated
<b>IATA</b>	Not regulated
<b>IMDG/IMO</b>	Not regulated
<b>ICAO</b>	Not regulated

HUBER

# Safety Data Sheet

Hubercarb® G2PT

Issue Date: 24/Apr/2019  
 Print Date: 24/Apr/2019

Revision Number: 1.3  
 Page 10 of 12

- 14.1. UN number None
- 14.2. UN proper shipping name None
- 14.3. Transport hazard class(es) None
- 14.4. Packing group None
- 14.5. Environmental hazards No
- 14.6. Special precautions for user Not applicable
- 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code  
Not applicable

## SECTION 15: Regulatory information

### Global Inventories

Chemical Name	CAS Number	EC No	REACH registration number	Australia (AICS)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Limestone	1317-65-3	215-279-6	Exempt	Y	Y	Y	(1)-122(ENCS)(ISHL)	KE-21996	Y	Y	Y	Y	Y
Stearic Acid	57-11-4	-	Exempt	Y	Y	Y	(2)-609 (2)-608 (ENCS)(ISHL)	KE-26333	Y	Y	Y	Y	Y
Calcium Stearate	1592-23-0	216-472-8	Exempt	Y	Y	Y	(9)-1677 (2)-611 (ENCS)(ISHL)	KE-26347	Y	Y	Y	Y	Y
Crystalline Silica, quartz (impurity)	14808-60-7	238-878-4	Exempt	Y	Y	Y	(1)-548(ENCS)(ISHL)	KE-29983	Y	Y	Y	Y	Y

**Legend**  
 X / Y: Complies - / N: Not Listed Exempt

### US Federal Regulations

#### EPA

##### **CERCLA**

#### Limestone

CERCLA Not Listed

SARA 311/312 Hazardous Not Listed

#### **Categorization**

#### Crystalline Silica, quartz (impurity)

CERCLA Not Listed

SARA 304 Listed

SARA 313 Listed

#### **SARAH 302 RQ, lbs**

Not listed

HUBER

# Safety Data Sheet

Hubercarb® G2PT

Issue Date: 24/Apr/2019  
Print Date: 24/Apr/2019

Revision Number: 1.3  
Page 11 of 12

### SARA 304

Not listed

### SARA 311/312 Hazardous Categorization

Hazardous chemical Immediate health effects Delayed health effects

#### Crystalline Silica, quartz (impurity)

Acute Health Hazard Yes  
Chronic Health Hazard Yes

### CWA (Clean Water Act)

Not listed

### U.S. State Right-to-Know Regulations

Chemical Name	CAS Number	California Proposition 65	California CPR	Massachusetts	Minnesota	New Jersey	Pennsylvania
Limestone	1317-65-3			Y	Y		Y
Stearic Acid	57-11-4	No		No	No	No	No
Calcium Stearate	1592-23-0						
Crystalline Silica, quartz (impurity)	14808-60-7	Y		Y	Y	Y	Y

### California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65)

This product can expose you to crystalline silica, which is known to the State of California to cause cancer.

### CANADA

#### **WHMIS:**

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR

#### Limestone

H350; H372

#### Stearic Acid

Combustible Dust

#### Calcium Stearate

Combustible Dust

#### Crystalline Silica, quartz (impurity)

H350; H372

## SECTION 16: Other information

#### Prepared by

Huber Engineered Materials (HEM) Global Regulatory Affairs  
regulatory.affairs@huber.com

#### Issue Date:

24/Apr/2019

#### Print Date:

24/Apr/2019

#### Revision Number:

1.3

#### Reason for Version

OSHA (Occupational Safety and Health Administration of the US Department of Labor).

#### Training Advice

Do not handle until all safety precautions have been read and understood.

HUBER

# Safety Data Sheet

## Hubercarb® G2PT

Issue Date: 24/Apr/2019

Print Date: 24/Apr/2019

Revision Number: 1.3

Page 12 of 12

### Abbreviations and acronyms

International Agency for Research on Cancer (IARC)  
International Air Transport Association (IATA)  
International Maritime Dangerous Goods (IMDG)  
International Uniform Chemical Information Database (IUCLID)  
Workplace Hazardous Materials Information System (WHMIS) status and classification  
EPA SARA Title III Section 312 (40 CFR 370) Hazard Classification  
DOT (Department of Transportation)  
OSHA (Occupational Safety and Health Administration of the US Department of Labor)  
TWA - Time-Weighted Average  
Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA)  
The Classification, Labeling and Packaging of Substances and Mixtures (CLP) Regulation (EC 1272/2008)  
PPE - Personal Protection Equipment  
NIOSH - National Institute for Occupational Safety and Health  
TDG (Transport of Dangerous Goods) Canada  
CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)  
Reportable Quantity (RQ) (RQ/% in mixture)  
STEL - Short Term Exposure Limit  
TLV® - Threshold Limit Value  
Derived No Effect Level (DNEL)  
SVHC: Substances of Very High Concern for Authorization:  
Land transport (ADR/RID)  
Biochemical oxygen demand (BOD)  
Chemical oxygen demand (COD)  
ICAO (air)  
(IMDG) International Maritime Dangerous Goods  
Positive Pressure Self-Contained Breathing Apparatus (SCBA)  
Predicted No Effect Concentration (PNEC)  
Globally Harmonized System (GHS)

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**