



### Hubercarb® G2T

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03 Canadian Workplace Hazardous Material Information System (WHMIS) 2015 Mexico NOM-018-STPS-2000; NOM-018-STPS-2015 GHS (Globally Harmonized System)

Issue Date 24/Apr/2019 Print Date 01/Jul/2024 Revision Number 1.3 Page 1 of 12

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product Name: Hubercarb® G2T

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

- **Recommended Use** Filler. Functional additive.
- Uses advised against None known.
- 1.3. Details of the supplier of the safety data sheet

Company:	Huber Carbonates, LLC
	3100 Cumberland Boulevard, Suite 600
	Atlanta, GA 30339 USA

- Tel: +1 678 247-7300
- Internet www.hubermaterials.com
- Contact E-Mail hubermaterials@huber.com

1.4. Emergency telephone CHEMTREC: +1 800 424 9300 or International +1 703 527 3887 number

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

OSHA Regulatory Status	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)
Physical Hazards	Not classified
Health Hazards	Carcinogenicity category 1A Specific target organ toxicity (STOT) - repeated exposure, category 2 Lungs

# Safety Data Sheet

### Hubercarb® G2T

Issue Date 24/Apr/2019 Print Date 01/Jul/2024	Revision Number 1.3 Page 2 of 12
Environmental Hazard	Not classified
2.2. Label elements	
Symbols/Pictograms	
Signal Word	Danger
Hazard Statements	May cause cancer May cause damage to organs through prolonged or repeated exposure if inhaled
Precautionary Statements	
Prevention	Obtain special instructions before use Do not handle until all safety precautions have been read and understood Do not breathe dust Wear protective gloves/protective clothing/eye protection/face protection
Response	IF exposed or concerned: Get medical advice/attention
Storage	Store locked up
Disposal	Dispose of contents/containers in accordance with local regulations
Additional Information:	Not applicable.
Hazards not otherwise classifie (HNOC)	<b>d</b> None known.

# **SECTION 3: Composition/information on ingredients**

Chemical Name	CAS Number	Weight-%
Limestone	1317-65-3	96 - 99
Stearic Acid	57-11-4	0.5 - 1.5
Crystalline Silica, quartz (impurity)	14808-60-7	0.1 - 0.2

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### Safety Data Sheet

### Hubercarb® G2T

Issue Date	24/Apr/2019	
Print Date	01/Jul/2024	

Revision Number 1.3 Page 3 of 12

General Advice	When in doubt or if symptoms are observed, get medical advice.
Eye Contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Skin Contact	Wash with plenty of soap and water.
Ingestion	Rinse mouth thoroughly with water.
Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Aspiration hazard	Not an expected route of exposure.
4.2. Most important symptoms and effects, both acute and delayed	Signs and symptoms may include coughing, gasping, choking and difficulty breathing.
4.3. Indication of any immediate medical attention and special treatment needed	• IF exposed or concerned: Get medical advice/attention. Treatment should be symptomatic and supportive. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable Extinguishing Media

Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO2).

Unsuitable Extinguishing Media None known.

**5.2. Special hazards arising from the substance or mixture** Do not breathe dust.

#### 5.3. Advice for firefighters

#### Special protective

#### equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

#### **Fire-fighting measures**

In case of fire and/or explosion do not breathe fumes.

### **SECTION 6: Accidental release measures**

### Hubercarb® G2T

Issue Date24/Apr/2019Print Date01/Jul/2024

Revision Number 1.3 Page 4 of 12

6.1. Personal precautions, protective equipment and emergency procedures	Keep unauthorized personnel away. Use personal protection recommended in Section 8. Avoid dust formation. Ensure adequate ventilation.
For non-emergency personnel	Keep unauthorized personnel away.
For emergency responders	Keep unauthorized personnel away. Use personal protection recommended in Section 8.
6.2. Environmental precautions	Avoid runoff to waterways and sewers.
6.3. Methods and material for containment and cleaning up	Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a disposal container
6.4. Reference to other sections	Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

### **SECTION 7: Handling and storage**

7.1. Precautions for safe	Avoid exposure - obtain special instructions before use. Ensure adequate	
handling	ventilation. Do not breathe dust. Use personal protective equipment as required.	
-	Handle in accordance with good industrial hygiene and safety practice.	

**7.2. Conditions for safe storage,** Keep container tightly closed and dry. Store away from incompatible materials. **including any incompatibilities** 

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **Occupational exposure limits**

#### **Limestone**

OSHA	5 mg/m³ TWA (respirable fraction) 15 mg/m³ TWA (total dust)
OSHA - Final PELs -TWA ACGIH Canada Canada - British Columbia - OEL- STELs	15 mg/m³ TWA 10 mg/m³ Total Dust, 3 mg/m³ Respirable Dust 10 mg/m³ 20 mg/m³
<u>Stearic Acid</u> Canada	10 mg/m <sup>3</sup>

### Hubercarb® G2T

Issue Date24/Apr/2019Print Date01/Jul/2024

Revision Number 1.3 Page 5 of 12

Crystalline Silica, quartz (impuri	ty)
OSHA	TWA: 0.05 mg/m <sup>3</sup>
ACGIH	OSHA Action level: 0.025 mg/m <sup>3</sup> TWA: 0.025 mg/m <sup>3</sup> respirable fraction
Canada	0.025 mg/m <sup>3</sup> TWA (respirable particulate)
Canada - British Columbia - OEL -	ACGIH Category A2 - Suspected Human Carcinogen
Designated Substances	IARC Category 1 - Human Carcinogen
Canada - Ontario - OEL - TWA EVs	0.10 mg/m <sup>3</sup>
Canada - Manitoba - OEL - TWA	0.025 mg/m <sup>3</sup> TWA (respirable fraction)
Canada - Nova Scotia - OEL - TWA	0.025 mg/m <sup>3</sup> TWA (respirable fraction)
	- 0.025 mg/m <sup>3</sup> TWA (respirable fraction)
TWA	
Mexico	Mexican Carcinogen Category: A2 (Suspected Human Carcinogen)
	TWA (VLE-PPT): 0.025 mg/m <sup>3</sup> .
PNEC (Predicted No Effect	No information available
•	
Concentration)	
DNEL (Derived No Effect Level)	No information available
<b>Biological Limit Values</b>	No information available
8.2. Exposure controls	
Engineering Measures	Provide a good standard of controlled ventilation (10 to 15 air changes per hour).
g	
Personal protective equipment	
Eye/Face Protection	Wear safety glasses with side shields (or goggles).
Skin and Body Protection	Wear suitable protective clothing.
Hand Protection	For operations where prolonged or repeated skin contact may occur, impervious
hand i roteotion	gloves should be worn.
Despiratory Dratastian	When workers are facing concentrations above the exposure limit they must use
Respiratory Protection	
	appropriate certified respirators.
Thermal hazards	None known. Wear suitable protective clothing.
Hygiene Measures	Follow general hygiene considerations recognized as common good workplace
Tryglene measures	practices. The worker should wash daily at the end of each work shift, and prior to
	eating, drinking, smoking, etc.
	ealing, annang, smoang, elo.
Environmental Exposure	Dispose of in accordance with local regulations.
Controls	

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties Appearance:		
Physical State	Solid	
Color	White	
Odor	Odorless	
Odor Threshold	No information available	
pH:	8.4 - 10.2 5% Water suspension	

# Safety Data Sheet

### Hubercarb® G2T

Issue Date24/Apr/2019Print Date01/Jul/2024

Revision Number 1.3 Page 6 of 12

#### 9.2. Other information

**9.2.1. Information with regard to physical hazard classes** Not applicable

9.2.2. Other safety characteristics

Not applicable

## **SECTION 10: Stability and reactivity**

10.1. Reactivity	None
10.2. Chemical stability	Stable
10.3. Possibility of hazardous reactions	No specific hazard known
10.4. Conditions to avoid	Incompatible materials
10.5. Incompatible materials	Strong acids
10.6. Hazardous decomposition products	None known

# Safety Data Sheet

Hubercarb® G2T

Issue Date24/Apr/2019Print Date01/Jul/2024

Revision Number 1.3 Page 7 of 12

# **SECTION 11: Toxicological information**

General Information	Users are advised to consider national Occupational Exposure Limits or other equivalent values.				
11.1. Information on toxicological effects					
Limestone Oral LD50	6450 mg/kg Rat				
<u>Stearic Acid</u> Oral LD50 <u>Crystalline Silica, quartz (impur</u> LD50s and LC50s Oral LD50 ACGIH IARC	4600 mg/kg (rat) <b>rity)</b> 500 mg/kg Oral LD50 Rat 500 mg/kg Rat Mouse Group 2A - Probably Carcinogenic to Humans Group 1 - Carcinogenic to Humans				
Acute Toxicity	Users are advised to consider national Occupational Exposure Limits or other equivalent values				
Chronic Toxicity	Potential occupational carcinogen.				
Chronic Effects	Extended inhalation at levels above the workplace limit value can cause irreversible damage to the lungs (silicosis).				
<b>Respiratory Sensitization</b>	Causes respiratory tract irritation if inhaled.				
Serious eye damage/eye irritation	Dust may cause mechanical irritation to eyes				
Skin Corrosion/Irritation	Prolonged or repeated contact may dry skin and cause irritation				
Skin Sensitization	Prolonged or repeated contact may dry skin and cause irritation				
Germ cell mutagenicity	No information available.				
Reproductive Effects	No information available.				
Reproductive Toxicity	No information available.				
Carcinogenicity	Crystalline silica (quartz) has been classified by the International Agency for Research on Cancer (IARC) as a known human carcinogen (Group 1).				
Specific target organ toxicity - Single exposure	May cause respiratory irritation.				
Specific target organ toxicity - Repeated exposure	May cause damage to organs through prolonged or repeated exposure if inhaled. Lungs.				

### Hubercarb® G2T

Issue Date24/Apr/2019Print Date01/Jul/2024

Revision Number 1.3 Page 8 of 12

Mixture versus substance information Information on Likely Routes of	No information available Exposure
Inhalation	Extended inhalation at levels above the workplace limit value can cause irreversible damage to the lungs (silicosis)
Ingestion	Ingestion is not a likely route of exposure
Skin	Prolonged or repeated contact may dry skin and cause irritation
Eyes	Avoid contact with eyes Dust contact with the eyes can lead to mechanical irritation
Aspiration hazard	Not an expected route of exposure.
Symptoms related to the physical, chemical and toxicological characteristics	Contact with dust can cause mechanical irritation or drying of the skin. Dust may cause mechanical irritation to eyes. May cause irritation. Mucous Membrane. respiratory tract.

#### 11.2. Information on other hazards

**11.2.1. Endocrine disrupting** This product does not contain any known or suspected endocrine disruptors **properties** 

**11.2.2.** Other information Not applicable

### **SECTION 12: Ecological information**

12.1. Toxicity

Not considered to be harmful to aquatic life

Limestone WGK Classification (AwSV) 317 WGK: nwg Stearic Acid WGK Classification (AwSV) 661: WGK: nwg Crystalline Silica, quartz (impurity) WGK Classification (AwSV) 849 WGK: nwg

- **12.2. Persistence and** Not readily biodegradable. **degradability**
- 12.3. Bioaccumulative potential None.

Partition coefficient	Not applicable
Bioconcentration factor (BCF)	Not available.

# Safety Data Sheet

### Hubercarb® G2T

Issue Date 24/Apr/2019 Print Date 01/Jul/2024	Revision Number 1.3 Page 9 of 12
12.4. Mobility in soil	None.
12.5. Results of PBT and vPvB assessment	This substance does not meet the criteria for classification as PBT or vPvB.
12.6. Endocrine disrupting properties	This product does not contain any known or suspected endocrine disruptors

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Disposal Methods	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.
Waste codes	Waste codes should be assigned by the user based on the application for which the product was used
<u>Limestone</u> European Waste Catalog WGK Classification (AwSV) <u>Stearic Acid</u> WGK Classification (AwSV) <u>Crystalline Silica, quartz (impur</u> WGK Classification (AwSV)	10130414 317 WGK: nwg 661: WGK: nwg <u>ity)</u> 849 WGK: nwg

### **SECTION 14: Transport information**

#### Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada	Not regulated
DOT	Not regulated
ADR	Not regulated
RID	Not regulated
ADN	Not regulated
ΙΑΤΑ	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

### Safety Data Sheet

### Hubercarb® G2T

Issue Date24/Apr/2019Print Date01/Jul/2024

Revision Number 1.3 Page 10 of 12

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

**14.6. Special precautions for** Not applicable **user** 

**14.7. Maritime transport in bulk according to IMO instruments** Not applicable

### **SECTION 15: Regulatory information**

#### **Global Inventories**

Chemical Name	CAS Number	EC No	EU REACH registrati on number	Australia (AIIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico		Philippine s (PICCS)	Taiwan	TSCA: United States
Limestone	1317-65-3	215-279-6	Exempt	Y	Y (NDSL)	Y	(1)-122(EN CS)(ISHL)	KE-21996	Y	Y	Y	Y	A
Stearic Acid	57-11-4	-	Exempt	Y	Y		(2)-608 (ENCS)(ISH L)		Y	Y	Y	Y	A
Crystalline Silica, quartz (impurity)	14808-60- 7	238-878-4	Exempt	Y	Y	Y	(1)-548(EN CS)(ISHL)	KE-29983	Y	Y	Y	Y	A

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

#### **US Federal Regulations**

<u>EPA</u>

CERCLA

SARA 302 Not listed

SARA 304 Not listed

#### SARA 311/312 Hazardous Categorization

Hazardous chemical Immediate health effects Delayed health effects

CWA (Clean Water Act) Not listed

### Hubercarb® G2T

Issue Date24/Apr/2019Print Date01/Jul/2024

Revision Number 1.3 Page 11 of 12

#### U.S. State Right-to-Know Regulations

Chemical Name	CAS Number	California Proposition 65	Massachusetts	Minnesota	New Jersey	Pennsylvania
Limestone	1317-65-3	N	Y	Y	sn 4001	Y
Stearic Acid	57-11-4	No	No	No	No	No
Crystalline Silica, quartz (impurity)	14808-60-7	Y	Y	Y	sn 1660	Y

Y: Listed ; N: Not Listed

#### California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65)

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm

Respirable crystalline silica is known to the State of California to cause cancer.

### CANADA

WHMIS

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR

Limestone H350; H372 Stearic Acid Combustible Dust Crystalline Silica, quartz (impurity) H350; H372

**SECTION 16: Other information** Huber Engineered Materials (HEM) Global Regulatory Affairs Prepared by regulatory.affairs@huber.com 24/Apr/2019 **Issue Date Print Date** 01/Jul/2024 **Revision Number** 1.3 OSHA (Occupational Safety and Health Administration of the US Department of **Reason for Version** Labor). **Training Advice** Do not handle until all safety precautions have been read and understood. Abbreviations and acronyms IARC (International Agency for Research on Cancer) IATA (International Air Transport Association) IMDG (International Maritime Dangerous Goods) IUCLID (International Uniform Chemical Information Database) WHMIS (Workplace Hazardous Materials Information System) DOT (Department of Transportation) OSHA (Occupational Safety and Health Administration of the US Department of Labor) TWA (Time-Weighted Average) CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008)) PPE (Personal Protection Equipment) NIOSH (National Institute for Occupational Safety and Health) TDG (Transport of Dangerous Goods) Canada CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)

# Safety Data Sheet

### Hubercarb® G2T

Issue Date24/Apr/2019Print Date01/Jul/2024

Revision Number 1.3 Page 12 of 12

	RQ (Reportable Quantity) (RQ/% in mixture) STEL (Short Term Exposure Limit) TLV® (Threshold Limit Value) DNEL (Derived No Effect Level) SVHC (Substances of Very High Concern) BOD (Biochemical oxygen demand) COD (Chemical oxygen demand) ICAO (International Civil Aviation Organization) IMDG (International Maritime Dangerous Goods) ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Road) SCBA (Self-Contained Breathing Apparatus) Positive Pressure GHS (Globally Harmonized System) SARA (Superfund Amendments and Reauthorization Act of 1986) TSCA (Toxic Substances Control Act)
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet