

Hubercarb® G35

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 COMMISSION REGULATION (EU) No. 2020/878

Issue Date 01/Jul/2024 Revision Number 1.3.1

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Print Date 01/Jul/2024

Product Name: Hubercarb® G35

Pure substance/mixture Substance

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Filler Functional additive

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Manufacturer Huber Carbonates, LLC

3100 Cumberland Boulevard, Suite 600

Atlanta, GA 30339 USA

Tel: +1 678 247-7300

Internet www.hubermaterials.com

Contact E-Mail hubermaterials@huber.com

1.4. Emergency telephone

number

CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

Poison control center phone

number

National Anti-Poison Center UK: +44 844 892 0111 (National Poisons

Information Service)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

(CLP) Regulation (EC 1272/2008)

Hazards identification

Physical Hazard Not classified

Hubercarb® G35

Revision Number 1.3.1 Issue Date 01/Jul/2024 Print Date 01/Jul/2024

Page 2 of 12

Not classified **Health Hazards**

Not classified **Environmental Hazard**

2.2. Label elements

Symbols/Pictograms

Signal Word None

Hazard Statements None

Precautionary Statements

Prevention Employ good industrial hygiene practice

Wash hands thoroughly after handling

Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing IF ON SKIN: Wash with plenty of soap and water

Storage Keep in a dry place

Store away from incompatible materials

Disposal should be in accordance with applicable regional, national and local laws Disposal

and regulations.

Additional Information: Not applicable.

2.3. Other hazards No information available.

SECTION 3: Composition/information on ingredients

3.1. Substance Substance

Chemical Name	CAS Number	EC No	(CLP) Regulation (EC 1272/2008)	Weight-%
Limestone	1317-65-3	215-279-6	Not classified.	97 - 100
Crystalline Silica, quartz (impurity)	14808-60-7	238-878-4	Carcinogenicity category 1A. Specific target organ toxicity (STOT) - repeated exposure, category 2. Respiratory system.	0.1 - 0.3

SECTION 4: First aid measures

4.1. Description of first aid measures

Safety Data Sheet

Hubercarb® G35

Issue Date 01/Jul/2024 Revision Number 1.3.1 Print Date 01/Jul/2024

Page 3 of 12

General Advice When in doubt or if symptoms are observed, get medical advice.

Eye Contact In case of eye contact, remove contact lens and rinse immediately with plenty of

water, also under the eyelids, for at least 15 minutes.

Skin Contact Wash with plenty of soap and water.

Inhalation If breathing is difficult, remove victim to fresh air and keep at rest in a position

comfortable for breathing.

Ingestion Rinse mouth thoroughly with water.

Not an expected route of exposure. **Aspiration hazard**

Notes to Physician Treat symptomatically.

4.2. Most important symptoms

and effects, both acute and

delayed

Signs and symptoms may include coughing, gasping, choking and difficulty

breathing.

medical attention and special

treatment needed

4.3. Indication of any immediate IF exposed or concerned: Get medical advice/attention. Treatment should be symptomatic and supportive. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of

contamination.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing

Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO2).

Unsuitable Extinguishing Media

None known.

5.2. Special hazards arising from the substance or mixture

Do not breathe dust.

5.3. Advice for firefighters

Special protective

equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

In case of fire and/or explosion do not breathe fumes.

Hubercarb® G35

Issue Date 01/Jul/2024 Revision Number 1.3.1
Print Date 01/Jul/2024 Page 4 of 12

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep unauthorized personnel away. Use personal protection recommended in

Section 8. Avoid dust formation. Ensure adequate ventilation.

For non-emergency personnel Keep unauthorized personnel away.

For emergency responders Keep unauthorized personnel away. Use personal protection recommended in

Section 8.

6.2. Environmental precautions Avoid runoff to waterways and sewers.

6.3. Methods and material for containment and cleaning up

Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a

vacuum to collect dust Small Spill: Vacuum or sweep material and place in a

disposal container

6.4. Reference to other sections Section 8: Exposure controls and personal protection. See Section 13 for

additional waste treatment information.

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Avoid exposure - obtain special instructions before use

Ensure adequate ventilation

Do not breathe dust

Use personal protective equipment as required

Handle in accordance with good industrial hygiene and safety practice

7.2. Conditions for safe storage, Keep container tightly closed and dry **including any incompatibilities** Store away from incompatible materials

7.3. Specific end use(s) See Section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Limestone

OSHA

ACGIH 10 mg/m³ Total Dust, 3 mg/m³ Respirable Dust

5 mg/m³ TWA (respirable fraction)

15 mg/m³ TWA (total dust)

France 10 mg/m³ ltaly 10 mg/m³

United Kingdom 10 mg/m³ TWA (inhalable dust); 4 mg/m³ TWA (respirable dust)

Crystalline Silica, quartz (impurity)

Safety Data Sheet

Hubercarb® G35

 Issue Date
 01/Jul/2024
 Revision Number
 1.3.1

 Print Date
 01/Jul/2024
 Page
 5 of 12

ACGIH TWA: 0.025 mg/m³ respirable fraction

OSHA TWA: 0.05 mg/m³

NIOSH O.05 mg/m³
NIOSH 0.05 mg/m³ TWA (respirable dust)
Austria MAK: 0,15 mg/m³ (respirable dust)
Belgium TWA: 0,1 mg/m³ (respirable dust)
Bulgaria TWA: 0,07 mg/m³ (respirable fraction)

Croatia MAC: 0,1 mg/m³

Czech Republic TWA: 0,1 mg/m³ (respirable dust)

Denmark TLV 0,3 mg/m³ (total) 0,1 mg/m³ (respirable)

Estonia TWA: 0,1 mg/m³ (respirable dust)
Finland TWA: 0,05 mg/m³ (respirable)

France VME: 0,1 mg/m³ (restrictive limit, alveolar fraction)

Hungary
Iceland

TWA: 0,15 mg/m³ (respirable)
TWA: 0,3 mg/m³ (total dust)
0,1 mg/m³ (respirable dust)

IrelandTWA: 0,1 mg/m³ (respirable dust)ItalyTWA: 0,025 mg/m³ (respirable fraction)ItalyTWA: 0,025 mg/m³ (respirable fraction)LithuaniaTWA: 0,1 mg/m³ (respirable fraction)NetherlandsTWA: 0,075 mg/m³ (respirable dust)

Norway TLV: 0,3 mg/m³ (total dust) 0,1 mg/m³ (respirable dust)

Poland TWA: 2 mg/m³ (total dust)
0,3 mg/m³ (respirable dust)

Portugal TWA: 0,025 mg/m³ (respirable fraction)
Slovakia TWA: 0,1 mg/m³ (respirable fraction)
Slovenia TWA: 0,15 mg/m³ (respirable fraction)

Spain VLA-ED TWA: 0,1 mg/m³ (respirable fraction)

Sweden TWA: 0,1 mg/m³ (respirable dust)
Switzerland TWA: 1, 15 mg/m³ (respirable dust)
United Kingdom TWA: 0,1 mg/m³ (respirable)

Recommended monitoring

procedures

Refer also to national guidance documents for information on currently

recommended monitoring procedures

Biological Limit Values No information available

DNEL (Derived No Effect Level) No information available

PNEC (Predicted No Effect Concentration) No information available

8.2. Exposure controls

Engineering Measures Provide a good standard of controlled ventilation (10 to 15 air changes per hour)

Personal protective equipment

Eye/Face Protection Wear safety glasses with side shields (or goggles).

Skin and Body Protection Wear suitable protective clothing.

Safety Data Sheet

Hubercarb® G35

Issue Date 01/Jul/2024 Revision Number 1.3.1

Print Date 01/Jul/2024 Page 6 of 12

Hand Protection For operations where prolonged or repeated skin contact may occur, impervious

gloves should be worn.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

Thermal hazards None known.

Hygiene Measures Follow general hygiene considerations recognized as common good workplace

practices

The worker should wash daily at the end of each work shift, and prior to eating,

drinking, smoking, etc

Environmental Exposure

Controls

Dispose of in accordance with local regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:

Physical State Solid White Odor Odorless

Odor Threshold No information available

pH: 8.4 - 10.2 5% Water suspension

Melting point / Freezing pointNot applicableBoiling PointNot applicableFreezing PointNot applicableFlash PointNot applicableEvaporation RateNot applicableFlammability (solid, gas)Not applicable

Vapor PressureNot applicableVapor DensityNot applicableVapor DensityNot applicableDensityNo data availableRelative Density2.7 g/cm3 @ 20°C

Water Solubility 0.01 g/l (Practically insoluble) @ 20°C

Solubility in other solvents No information available

Partition coefficient Not applicable
Autoignition Temperature Not applicable

Decomposition Temperature 1292 - 1652 °F (700 - 900 °C)

ViscosityNot applicable.Kinematic viscosityNot applicableExplosive PropertiesNot applicableOxidizing PropertiesNot applicable

Particle Size No information available

VOC Content (%) Not applicable

Safety Data Sheet

Hubercarb® G35

Issue Date 01/Jul/2024 Revision Number 1.3.1 Print Date 01/Jul/2024

Page 7 of 12

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity None

10.2. Chemical stability Stable

10.3. Possibility of hazardous

reactions

No specific hazard known

10.4. Conditions to avoid Incompatible materials

10.5. Incompatible materials Strong acids

10.6. Hazardous decomposition None known

products

SECTION 11: Toxicological information

General Information Users are advised to consider national Occupational Exposure Limits or other

equivalent values.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Limestone

6450 mg/kg Rat Oral LD50

Crystalline Silica, quartz (impurity)

500 mg/kg Oral LD50 Rat LD50s and LC50s 500 mg/kg Rat Mouse Oral LD50

ACGIH Group 2A - Probably Carcinogenic to Humans

IARC Group 1 - Carcinogenic to Humans

Acute Toxicity Users are advised to consider national Occupational Exposure Limits or other

equivalent values

Safety Data Sheet

Hubercarb® G35

Issue Date 01/Jul/2024 Revision Number 1.3.1 Print Date 01/Jul/2024

Page 8 of 12

Potential occupational carcinogen. **Chronic Toxicity**

Extended inhalation at levels above the workplace limit value can cause **Chronic Effects**

irreversible damage to the lungs (silicosis).

Based on available data, the classification criteria are not met. **Respiratory Sensitization**

Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Skin Corrosion/Irritation

Skin Sensitization Based on available data, the classification criteria are not met.

Mutagenicity Based on available data, the classification criteria are not met.

Reproductive Effects Based on available data, the classification criteria are not met.

Crystalline silica (quartz) has been classified by the International Agency for Carcinogenicity

Research on Cancer (IARC) as a known human carcinogen (Group 1).

Target Organ Effects Respiratory system.

Specific target organ toxicity -

Single exposure

No information available.

Specific target organ toxicity -

Repeated exposure

May cause damage to organs through prolonged or repeated exposure if inhaled.

Information on Likely Routes of Exposure

Inhalation Extended inhalation at levels above the workplace limit value can cause

irreversible damage to the lungs (silicosis)

Ingestion Ingestion is not a likely route of exposure

Prolonged or repeated contact may dry skin and cause irritation Skin

Avoid contact with eyes Eyes

Dust contact with the eyes can lead to mechanical irritation

Aspiration hazard Not an expected route of exposure.

Symptoms related to the

physical, chemical and

Contact with dust can cause mechanical irritation or drying of the skin. Dust may cause mechanical irritation to eyes. May cause irritation. Mucous Membrane.

toxicological characteristics respiratory tract.

11.2. Information on other hazards

11.2.1. Endocrine disrupting

properties

This product does not contain any known or suspected endocrine disruptors

11.2.2. Other information

Not applicable

Safety Data Sheet

Hubercarb® G35

Issue Date 01/Jul/2024 Revision Number 1.3.1 Print Date 01/Jul/2024

Page 9 of 12

SECTION 12: Ecological information

Not considered to be harmful to aquatic life 12.1. Toxicity

Limestone

WGK Classification (AwSV) 317 WGK: nwg

Crystalline Silica, quartz (impurity)

WGK Classification (AwSV) 849 WGK: nwg

12.2. Persistence and

degradability

Not readily biodegradable.

12.3. Bioaccumulative potential None.

Partition coefficient Not applicable

Bioconcentration factor

(BCF)

Not available.

12.4. Mobility in soil None.

12.5. Results of PBT and vPvB

assessment

This substance does not meet the criteria for classification as PBT or vPvB.

12.6. Endocrine disrupting

properties

This product does not contain any known or suspected endocrine disruptors

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal Methods Disposal should be in accordance with applicable regional, national and local laws

and regulations.

Contaminated Packaging Empty containers should be taken to an approved waste handling site for recycling

or disposal.

Waste codes Waste codes should be assigned by the user based on the application for which

the product was used

Limestone

European Waste Catalog 10130414 WGK Classification (AwSV) 317 WGK: nwg

Crystalline Silica, quartz (impurity)

WGK Classification (AwSV) 849 WGK: nwg

Hubercarb® G35

 Issue Date
 01/Jul/2024
 Revision Number
 1.3.1

 Print Date
 01/Jul/2024
 Page 10 of 12

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada Not regulated DOT Not regulated IATA Not regulated IMDG/IMO Not regulated ICAO Not regulated

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for Not applicable

user

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global Inventories

Pure substance/mixture Substance

Chemical Name	CAS Number	EC No	Australia (AIIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	Thailand (TECI)		Philippine s (PICCS)	Taiwan	TSCA: United States
Limestone	1317-65-3	215-279-6	Υ	Y (NDSL)	Y	(1)-122(E NCS)(ISH L)	KE-21996	Y	55-1-0141 1	Υ	Y	Υ	Α
Crystalline Silica, quartz (impurity)		238-878-4	Y	Υ	Y	(1)-548(E NCS)(ISH L)	KE-29983	Y	55-1-0194 1	Υ	Y	Υ	А

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

REACH No.

Limestone

Safety Data Sheet

Hubercarb® G35

Issue Date 01/Jul/2024 Revision Number 1.3.1
Print Date 01/Jul/2024 Page 11 of 12

EU REACH registration number Exempt
Crystalline Silica, quartz (impurity)
EU REACH registration number Exempt

Germany

Not considered to be harmful to aquatic life

Limestone

WGK Classification (AwSV) 317 WGK: nwg

Crystalline Silica, quartz (impurity)

WGK Classification (AwSV) 849 WGK: nwg

15.2. Chemical safety assessment

Not required

SECTION 16: Other information

Reason for Revision This safety data sheet complies with the requirements of Regulation (EC) No.

1907/2006 & COMMISSION REGULATION (EU) No. 2020/878

 Issue Date
 01/Jul/2024

 Print Date
 01/Jul/2024

 Participan Number
 1.24

Revision Number 1.3.1

Prepared by Huber Engineered Materials Global Regulatory Affairs

email: regulatory.affairs@huber.com.

(CLP) Regulation (EC 1272/2008)

Labeling

Symbols/Pictograms

Signal Word None

Hazard Statements None.

Training Advice Do not handle until all safety precautions have been read and understood.

Abbreviations and acronyms IARC (International Agency for Research on Cancer)

IUCLID (International Uniform Chemical Information Database) WHMIS (Workplace Hazardous Materials Information System)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

TWA (Time-Weighted Average)

CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC

1272/2008))

PPE (Personal Protection Equipment)

NIOSH (National Institute for Occupational Safety and Health)

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)

RQ (Reportable Quantity) (RQ/% in mixture)

STEL (Short Term Exposure Limit)

Safety Data Sheet

Hubercarb® G35

Issue Date 01/Jul/2024 Print Date 01/Jul/2024 Revision Number 1.3.1 Page 12 of 12

TLV® (Threshold Limit Value)

DNEL (Derived No Effect Level)

SVHC (Substances of Very High Concern)

BOD (Biochemical oxygen demand)

COD (Chemical oxygen demand)

ICAO (International Civil Aviation Organization)

IMDG (International Maritime Dangerous Goods)

ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)

IATA (International Air Transport Association)

IMDG (International Maritime Dangerous Goods)

DOT (Department of Transportation)

TDG (Transport of Dangerous Goods) Canada

PNEC (Predicted No Effect Concentration)

SCBA (Self-Contained Breathing Apparatus) Positive Pressure

GHS (Globally Harmonized System)

TSCA (Toxic Substances Control Act)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet