



HUBER ENGINEERED MATERIALS

# Safety Data Sheet

## Hubercarb® Q6-40

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03  
Canadian Workplace Hazardous Material Information System (WHMIS) 2015  
Mexico NOM-018-STPS-2000; NOM-018-STPS-2015  
GHS (Globally Harmonized System)

Issue Date 01/May/2024  
Print Date 08/May/2024

Revision Number 1.3.1  
Page 1 of 12

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product Name:** Hubercarb® Q6-40  
**Pure substance/mixture** Substance

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Filler Functional additive  
**Uses advised against** None known.

### 1.3. Details of the supplier of the safety data sheet

**Company:** Huber Carbonates, LLC  
3100 Cumberland Boulevard, Suite 600  
Atlanta, GA 30339 USA

Tel: +1 678 247-7300

**Internet** [www.hubermaterials.com](http://www.hubermaterials.com)

**Contact E-Mail** [hubermaterials@huber.com](mailto:hubermaterials@huber.com)

**1.4. Emergency telephone number** CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

**OSHA Regulatory Status** Carcinogenicity category 1A

**GHS Classification** Carcinogenicity category 1A  
Specific target organ toxicity (STOT) - repeated exposure, category 1

**Physical Hazards** Not classified

# Safety Data Sheet

## Hubercarb® Q6-40

Issue Date 01/May/2024

Print Date 08/May/2024

Revision Number 1.3.1

Page 2 of 12

**Health Hazards**

Carcinogenicity category 1A  
Specific target organ toxicity (STOT) - repeated exposure, category 1  
Respiratory system

**Environmental Hazard**

Not classified

**2.2. Label elements**

**Symbols/Pictograms**



**Signal Word**

Danger

**Hazard Statements**

H350 - May cause cancer  
H372 - Causes damage to organs through prolonged or repeated exposure

**Precautionary Statements**

**Prevention**

Obtain special instructions before use  
Do not handle until all safety precautions have been read and understood  
Do not breathe dust  
Wash hands thoroughly after handling  
Do not eat, drink or smoke when using this product  
Wear protective gloves/protective clothing/eye protection/face protection

**Response**

Get medical advice/attention if you feel unwell

**Storage**

Store locked up

**Disposal**

Dispose of contents/containers in accordance with local regulations

**Additional Information:**

Not applicable.

**Hazards not otherwise classified (HNOC)** None known.

# Safety Data Sheet

Hubercarb® Q6-40

Issue Date 01/May/2024

Print Date 08/May/2024

Revision Number 1.3.1

Page 3 of 12

## SECTION 3: Composition/information on ingredients

Pure substance/mixture Substance

Chemical Name	CAS Number	Weight-%
Limestone	1317-65-3	97 - 100
Crystalline Silica, quartz (impurity)	14808-60-7	0.2 - 2

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>General Advice</b>	When in doubt or if symptoms are observed, get medical advice.
<b>Eye Contact</b>	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
<b>Skin Contact</b>	Wash with plenty of soap and water.
<b>Ingestion</b>	Rinse mouth thoroughly with water.
<b>Inhalation</b>	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
<b>Aspiration hazard</b>	Not an expected route of exposure.
<b>4.2. Most important symptoms and effects, both acute and delayed</b>	Signs and symptoms may include coughing, gasping, choking and difficulty breathing.
<b>4.3. Indication of any immediate medical attention and special treatment needed</b>	IF exposed or concerned: Get medical advice/attention. Treatment should be symptomatic and supportive. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable Extinguishing Media

Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO<sub>2</sub>).

#### Unsuitable Extinguishing Media

None known.

# Safety Data Sheet

Hubercarb® Q6-40

Issue Date 01/May/2024

Print Date 08/May/2024

Revision Number 1.3.1

Page 4 of 12

## 5.2. Special hazards arising from the substance or mixture

Do not breathe dust.

## 5.3. Advice for firefighters

### Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

### Fire-fighting measures

In case of fire and/or explosion do not breathe fumes.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Keep unauthorized personnel away. Use personal protection recommended in Section 8. Avoid dust formation. Ensure adequate ventilation.

For non-emergency personnel Keep unauthorized personnel away.

For emergency responders Keep unauthorized personnel away. Use personal protection recommended in Section 8.

6.2. Environmental precautions Avoid runoff to waterways and sewers.

6.3. Methods and material for containment and cleaning up Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a disposal container

6.4. Reference to other sections Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Avoid exposure - obtain special instructions before use. Ensure adequate ventilation. Do not breathe dust. Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities Keep container tightly closed and dry. Store away from incompatible materials.

## SECTION 8: Exposure controls/personal protection

# Safety Data Sheet

## Hubercarb® Q6-40

Issue Date 01/May/2024

Print Date 08/May/2024

Revision Number 1.3.1

Page 5 of 12

### 8.1. Control parameters

#### Occupational exposure limits

##### Limestone

OSHA	5 mg/m <sup>3</sup> TWA (respirable fraction) 15 mg/m <sup>3</sup> TWA (total dust)
OSHA - Final PELs -TWA	15 mg/m <sup>3</sup> TWA
ACGIH	10 mg/m <sup>3</sup> Total Dust, 3 mg/m <sup>3</sup> Respirable Dust
Canada	10 mg/m <sup>3</sup>
Canada - British Columbia - OEL- STELs	20 mg/m <sup>3</sup>

##### Crystalline Silica, quartz (impurity)

OSHA	TWA: 0.05 mg/m <sup>3</sup> OSHA Action level: 0.025 mg/m <sup>3</sup>
ACGIH	TWA: 0.025 mg/m <sup>3</sup> respirable fraction
Canada	0.025 mg/m <sup>3</sup> TWA (respirable particulate)
Canada - British Columbia - OEL - Designated Substances	ACGIH Category A2 - Suspected Human Carcinogen IARC Category 1 - Human Carcinogen
Canada - Ontario - OEL - TWA EVs	0.10 mg/m <sup>3</sup>
Canada - Manitoba - OEL - TWA	0.025 mg/m <sup>3</sup> TWA (respirable fraction)
Canada - Nova Scotia - OEL - TWA	0.025 mg/m <sup>3</sup> TWA (respirable fraction)
Canada - Prince Edward Island - OEL - TWA	0.025 mg/m <sup>3</sup> TWA (respirable fraction)
Mexico	Mexican Carcinogen Category: A2 (Suspected Human Carcinogen) TWA (VLE-PPT): 0.025 mg/m <sup>3</sup> .

**PNEC (Predicted No Effect Concentration)** No information available

**DNEL (Derived No Effect Level)** No information available

**Biological Limit Values** No information available

### 8.2. Exposure controls

**Engineering Measures** Provide a good standard of controlled ventilation (10 to 15 air changes per hour).

#### Personal protective equipment

<b>Eye/Face Protection</b>	Wear safety glasses with side shields (or goggles).
<b>Skin and Body Protection</b>	Wear suitable protective clothing.
<b>Hand Protection</b>	For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.
<b>Respiratory Protection</b>	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

**Thermal hazards** None known. Wear suitable protective clothing.

**Hygiene Measures** Follow general hygiene considerations recognized as common good workplace practices. The worker should wash daily at the end of each work shift, and prior to eating, drinking, smoking, etc.

**Environmental Exposure Controls** Dispose of in accordance with local regulations.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance:

Physical State	Solid
Color	White
Odor	Odorless
Odor Threshold	No information available
pH:	8.4-10.2 (5% water suspension)
Melting point / Freezing point	Not applicable
Boiling Point	Not applicable
Freezing Point	Not applicable
Flash Point	Not applicable
Evaporation Rate	Not applicable.
Flammability (solid, gas)	Not applicable
Upper flammability limit:	--
Lower flammability limit:	--
Vapor Pressure	Not applicable
Vapor Density	Not applicable
Density	No data available
Relative Density	2.7 g/cm <sup>3</sup> @ 20°C
Water Solubility	0.01 g/l (Practically insoluble) @ 20°C
Solubility in other solvents	No information available
Partition coefficient	Not applicable
Autoignition Temperature	Not applicable
Decomposition Temperature	1292 - 1652 °F (700 - 900 °C)
Viscosity	Not applicable.
Kinematic viscosity	Not applicable
Explosive Properties	Not applicable
Oxidizing Properties	Not applicable
Particle Size	No information available
VOC Content (%)	Not applicable

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

Not applicable

#### 9.2.2. Other safety characteristics

Not applicable

## SECTION 10: Stability and reactivity

10.1. Reactivity	None
10.2. Chemical stability	Stable
10.3. Possibility of hazardous	No specific hazard known

# Safety Data Sheet

## Hubercarb® Q6-40

Issue Date 01/May/2024

Print Date 08/May/2024

Revision Number 1.3.1

Page 7 of 12

### reactions

**10.4. Conditions to avoid** Incompatible materials

**10.5. Incompatible materials** Strong acids

**10.6. Hazardous decomposition products** None known

## SECTION 11: Toxicological information

**General Information** Users are advised to consider national Occupational Exposure Limits or other equivalent values.

### 11.1. Information on toxicological effects

#### Limestone

Oral LD50 6450 mg/kg Rat

#### Crystalline Silica, quartz (impurity)

LD50s and LC50s 500 mg/kg Oral LD50 Rat

Oral LD50 500 mg/kg Rat Mouse

ACGIH

IARC

Group 2A - Probably Carcinogenic to Humans

Group 1 - Carcinogenic to Humans

**Acute Toxicity** Users are advised to consider national Occupational Exposure Limits or other equivalent values

**Chronic Toxicity** Potential occupational carcinogen.

**Chronic Effects** Extended inhalation at levels above the workplace limit value can cause irreversible damage to the lungs (silicosis).

**Respiratory Sensitization** Based on available data, the classification criteria are not met

**Serious eye damage/eye irritation** Based on available data, the classification criteria are not met

**Skin Corrosion/Irritation** Based on available data, the classification criteria are not met

**Skin Sensitization** Based on available data, the classification criteria are not met

**Mutagenicity** Based on available data, the classification criteria are not met

**Reproductive Effects** Based on available data, the classification criteria are not met.

**Carcinogenicity** Crystalline silica (quartz) has been classified by the International Agency for

# Safety Data Sheet

## Hubercarb® Q6-40

Issue Date 01/May/2024

Print Date 08/May/2024

Revision Number 1.3.1

Page 8 of 12

Research on Cancer (IARC) as a known human carcinogen (Group 1).

### Target Organ Effects

Respiratory system.

### Specific target organ toxicity - Single exposure

No information available.

### Specific target organ toxicity - Repeated exposure

May cause damage to organs through prolonged or repeated exposure if inhaled. Lungs.

### Information on Likely Routes of Exposure

#### Inhalation

Extended inhalation at levels above the workplace limit value can cause irreversible damage to the lungs (silicosis)

#### Ingestion

Ingestion is not a likely route of exposure

#### Skin

Prolonged or repeated contact may dry skin and cause irritation

#### Eyes

Avoid contact with eyes  
Dust contact with the eyes can lead to mechanical irritation

#### Aspiration hazard

Not an expected route of exposure.

#### Symptoms related to the physical, chemical and toxicological characteristics

Contact with dust can cause mechanical irritation or drying of the skin. Dust may cause mechanical irritation to eyes. May cause irritation. Mucous Membrane. respiratory tract.

### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

This product does not contain any known or suspected endocrine disruptors

#### 11.2.2. Other information

Not applicable

## SECTION 12: Ecological information

### 12.1. Toxicity

Not considered to be harmful to aquatic life

#### Limestone

WGK Classification (AwSV) 317 WGK: nwg

#### Crystalline Silica, quartz (impurity)

WGK Classification (AwSV) 849 WGK: nwg

### 12.2. Persistence and degradability

Not readily biodegradable.

### 12.3. Bioaccumulative potential

None.



# Safety Data Sheet

Hubercarb® Q6-40

Issue Date 01/May/2024

Print Date 08/May/2024

Revision Number 1.3.1

Page 9 of 12

<b>Partition coefficient</b>	Not applicable
<b>Bioconcentration factor (BCF)</b>	Not available.
<b>12.4. Mobility in soil</b>	None.
<b>12.5. Results of PBT and vPvB assessment</b>	This substance does not meet the criteria for classification as PBT or vPvB.
<b>12.6. Endocrine disrupting properties</b>	This product does not contain any known or suspected endocrine disruptors

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

<b>Disposal Methods</b>	Disposal should be in accordance with applicable regional, national and local laws and regulations.
<b>Contaminated Packaging</b>	Empty containers should be taken to an approved waste handling site for recycling or disposal.
<b>Waste codes</b>	Waste codes should be assigned by the user based on the application for which the product was used
<b><u>Limestone</u></b>	
European Waste Catalog	10130414
WGK Classification (AwSV)	317 WGK: nwg
<b><u>Crystalline Silica, quartz (impurity)</u></b>	
WGK Classification (AwSV)	849 WGK: nwg

## SECTION 14: Transport information

### Mode of Transportation (Road, Water, Air, Rail)

<b>TDG -Canada</b>	Not regulated
<b>DOT</b>	Not regulated
<b>IATA</b>	Not regulated
<b>IMDG/IMO</b>	Not regulated
<b>ICAO</b>	Not regulated

# Safety Data Sheet

Hubercarb® Q6-40

Issue Date 01/May/2024

Print Date 08/May/2024

Revision Number 1.3.1

Page 10 of 12

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for user Not applicable

14.7. Maritime transport in bulk according to IMO instruments  
Not applicable

## SECTION 15: Regulatory information

### Global Inventories

Pure substance/mixture Substance

Chemical Name	CAS Number	EC No	EU REACH registration number	Australia (AIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Limestone	1317-65-3	215-279-6	Exempt	Y	Y (NDSL)	Y	(1)-122(ENCS)(ISHL)	KE-21996	Y	Y	Y	Y	A
Crystalline Silica, quartz (impurity)	14808-60-7	238-878-4	Exempt	Y	Y	Y	(1)-548(ENCS)(ISHL)	KE-29983	Y	Y	Y	Y	A

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

### US Federal Regulations

#### EPA

#### SARA 311/312 Hazardous Categorization

Carcinogenicity

#### CWA (Clean Water Act)

Not listed

#### CAA (Clean Air Act)

Not listed

### U.S. State Right-to-Know Regulations

Chemical Name	CAS Number	California Proposition 65	Massachusetts	Minnesota	New Jersey	Pennsylvania
Limestone	1317-65-3	N	Y	Y	sn 4001	Y
Crystalline Silica, quartz (impurity)	14808-60-7	Y	Y	Y	sn 1660	Y

# Safety Data Sheet

Hubercarb® Q6-40

Issue Date 01/May/2024

Print Date 08/May/2024

Revision Number 1.3.1

Page 11 of 12

Y: Listed ; N: Not Listed

## California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65)

This product can expose you to crystalline silica, which is known to the State of California to cause cancer.

## CANADA

### WHMIS

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR

### Limestone

H350; H372

### Crystalline Silica, quartz (impurity)

H350; H372

## SECTION 16: Other information

<b>Prepared by</b>	Huber Engineered Materials (HEM) Global Regulatory Affairs regulatory.affairs@huber.com
<b>Issue Date</b>	01/May/2024
<b>Print Date</b>	08/May/2024
<b>Revision Number</b>	1.3.1
<b>Reason for Version</b>	OSHA (Occupational Safety and Health Administration of the US Department of Labor).
<b>Training Advice</b>	Do not handle until all safety precautions have been read and understood.
<b>Abbreviations and acronyms</b>	<p>IARC (International Agency for Research on Cancer)  IATA (International Air Transport Association)  IMDG (International Maritime Dangerous Goods)  IUCLID (International Uniform Chemical Information Database)  WHMIS (Workplace Hazardous Materials Information System)  DOT (Department of Transportation)  OSHA (Occupational Safety and Health Administration of the US Department of Labor)  TWA (Time-Weighted Average)  CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008))  PPE (Personal Protection Equipment)  NIOSH (National Institute for Occupational Safety and Health)  TDG (Transport of Dangerous Goods) Canada  CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)  RQ (Reportable Quantity) (RQ/% in mixture)  STEL (Short Term Exposure Limit)  TLV® (Threshold Limit Value)  DNEL (Derived No Effect Level)  SVHC (Substances of Very High Concern)  BOD (Biochemical oxygen demand)  COD (Chemical oxygen demand)  ICAO (International Civil Aviation Organization)  IMDG (International Maritime Dangerous Goods)  ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)  SCBA (Self-Contained Breathing Apparatus) Positive Pressure  GHS (Globally Harmonized System)  SARA (Superfund Amendments and Reauthorization Act of 1986)</p>

HUBER

# Safety Data Sheet

Hubercarb® Q6-40

**Issue Date** 01/May/2024

**Print Date** 08/May/2024

**Revision Number** 1.3.1

**Page 12 of 12**

TSCA (Toxic Substances Control Act)

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**