



HYMOD® M632 SP

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006
COMMISSION REGULATION (EU) No. 2020/878

Issue Date 09/May/2024
Print Date 13/Feb/2025

Revision Number 1.4.1
Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: HYMOD® M632 SP
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Flame retardant
Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Manufacturer J.M. Huber Corporation
3100 Cumberland Boulevard, Suite 600
Atlanta, GA 30339 USA
Tel: +1 678 247-7300

Internet www.huberadvancedmaterials.com

Contact E-Mail www.huberadvancedmaterials.com/contact

1.4. Emergency telephone number CHEMTREC: +1 800 424 9300 or International 1+703-527-3887

Poison control center phone number National Anti-Poison Center UK: +44 844 892 0111 (National Poisons Information Service)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

(CLP) Regulation (EC 1272/2008) Not classified.

Hazards identification

Physical Hazard Not classified.
Health Hazards Not classified.
Environmental Hazard Not classified.

2.2. Label elements

Safety Data Sheet

HYMOD® M632 SP

Issue Date 09/May/2024

Print Date 13/Feb/2025

Revision Number 1.4.1

Page 2 of 11

Symbols/Pictograms None

Signal Word None

Hazard Statements None

Precautionary Statements

Prevention Employ good industrial hygiene practice
Wash hands thoroughly after handling

Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
IF ON SKIN: Wash with plenty of soap and water

Storage Keep in a dry place
Store away from incompatible materials

Disposal Disposal should be in accordance with applicable regional, national and local laws and regulations.

2.3. Other hazards No information available.

SECTION 3: Composition/information on ingredients

3.1. Substance Not applicable

3.2. Mixture Mixture

Chemical Name	CAS Number	EC No	(CLP) Regulation (EC 1272/2008)	Weight-%
Aluminum Hydroxide	21645-51-2	244-492-7	Not classified.	>99
Surface Treatment	Proprietary	*	Not classified.	<1

SECTION 4: First aid measures

4.1. Description of first aid measures

General Advice When in doubt or if symptoms are observed, get medical advice. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

Eye Contact In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Skin Contact Wash with plenty of soap and water.

Safety Data Sheet

HYMOD® M632 SP

Issue Date 09/May/2024

Print Date 13/Feb/2025

Revision Number 1.4.1

Page 3 of 11

Inhalation	Do not breathe dust. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
Ingestion	Rinse mouth thoroughly with water.
Aspiration hazard	Based on available data, the classification criteria are not met.
Notes to Physician	Treat symptomatically.
4.2. Most important symptoms and effects, both acute and delayed	Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin.
4.3. Indication of any immediate medical attention and special treatment needed	Treat symptomatically. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing agent suitable for type of surrounding fire. Water spray (fog). Dry chemical. Foam. Carbon dioxide (CO₂).

Unsuitable Extinguishing Media

None known.

5.2. Special hazards arising from the substance or mixture

Non-combustible.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

Water mist may be used to cool closed containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Ensure adequate ventilation. Use personal protection recommended in Section 8. Keep unauthorized personnel away.

Safety Data Sheet

HYMOD® M632 SP

Issue Date 09/May/2024

Print Date 13/Feb/2025

Revision Number 1.4.1

Page 4 of 11

For non-emergency personnel Keep unauthorized personnel away.

For emergency responders Keep unauthorized personnel away. Use personal protection recommended in Section 8.

6.2. Environmental precautions Avoid runoff to waterways and sewers.

6.3. Methods and material for containment and cleaning up Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a disposal container

6.4. Reference to other sections Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling Avoid exposure - obtain special instructions before use
Do not handle until all safety precautions have been read and understood.
Minimize dust generation and accumulation
Ensure adequate ventilation
Handle in accordance with good industrial hygiene and safety practice
Use personal protective equipment as required

7.2. Conditions for safe storage, including any incompatibilities Keep container tightly closed and dry
Store away from incompatible materials

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Aluminum Hydroxide

ACGIH	TLV/TWA 8-hr: 1 mg/m ³ (respirable fraction)
OSHA	TWA: 15 mg/m ³ (Total Dust) 5 mg/m ³ (Respirable Dust)
NIOSH	TWA: 5 mg/m ³ (respirable dust); 10 mg/m ³ TWA (total dust)
France	Not established (Non établi)
France	Not established (Non établi)
Poland	2.5 mg/m ³ (inhalable); 1.2 mg/m ³ (respirable)
Switzerland	TWA: 3 mg/m ³
United Kingdom	10 mg.m-3 (inhalable); 4 mg.m-3 (respirable)

Recommended monitoring procedures Refer also to national guidance documents for information on currently recommended monitoring procedures

Biological Limit Values None

Safety Data Sheet

HYMOD® M632 SP

Issue Date 09/May/2024

Print Date 13/Feb/2025

Revision Number 1.4.1

Page 5 of 11

8.2. Exposure controls

Engineering Measures

Do not handle until all safety precautions have been read and understood
 Ensure adequate ventilation, especially in confined areas
 Provide a good standard of controlled ventilation (10 to 15 air changes per hour)
 Use exhaust ventilation to keep airborne concentrations below exposure limits
 In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment

Eye/Face Protection

Wear safety glasses with side shields (or goggles).

Skin and Body Protection

Wear suitable protective clothing.

Thermal hazards

None known.

Hygiene Measures

No information available

Environmental Exposure Controls

Dispose of in accordance with local regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:

Physical State	Solid Powder
Color	White
Odor	Odorless
Odor Threshold	No information available
pH:	8.4 - 10.2 (5% water suspension)
Melting Point / Melting Range	Decomposition occurs prior to melting.
Melting point / Freezing point	Not applicable
Boiling Point	Decomposition occurs prior to boiling.
Freezing Point	Not applicable
Flash Point	Non-combustible
Evaporation Rate	Not applicable.
Flammability (solid, gas)	Not applicable
Upper flammability limit:	--
Lower flammability limit:	--
Vapor Pressure	Not applicable
Vapor Density	Not applicable
Vapor Density	Not applicable
Density	2.4 g/cm ³ , 20°C
Relative Density	
Water Solubility	Insoluble

Safety Data Sheet

HYMOD® M632 SP

Issue Date 09/May/2024

Print Date 13/Feb/2025

Revision Number 1.4.1

Page 6 of 11

Partition coefficient	Not applicable
Autoignition Temperature	Not applicable
Decomposition Temperature	200° C
Viscosity	No information available.
Kinematic viscosity	Not applicable
Explosive Properties	Not applicable
Oxidizing Properties	Not applicable
Particle Size	No information available
VOC Content (%)	Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity	Stable under normal conditions
10.2. Chemical stability	Stable under normal conditions
10.3. Possibility of hazardous reactions	No specific hazard known
10.4. Conditions to avoid	Incompatible materials Dust formation
10.5. Incompatible materials	None known
10.6. Hazardous decomposition products	None known

SECTION 11: Toxicological information

General Information Users are advised to consider national Occupational Exposure Limits or other equivalent values.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Aluminum Hydroxide

Oral LD50	> 2000 mg/kg Rat
IARC	Not Listed

Safety Data Sheet

HYMOD® M632 SP

Issue Date 09/May/2024

Print Date 13/Feb/2025

Revision Number 1.4.1

Page 7 of 11

Chronic Toxicity	Not classified.
Respiratory Sensitization	No data available
Serious eye damage/eye irritation	Dust may cause mechanical irritation to eyes
Skin Corrosion/Irritation	Prolonged or repeated contact may dry skin and cause irritation
Mutagenicity	No data available
Germ cell mutagenicity	No data available.
Reproductive Toxicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Not listed.
Specific target organ toxicity - Single exposure	No data available.
Specific target organ toxicity - Repeated exposure	No data available.

Information on Likely Routes of Exposure

Inhalation	Avoid inhalation of the product
Ingestion	Ingestion is not a likely route of exposure
Skin	Prolonged or repeated contact may dry skin and cause irritation
Eyes	Dust contact with the eyes can lead to mechanical irritation
Aspiration hazard	Not an expected route of exposure.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors

11.2.2. Other information Not applicable

SECTION 12: Ecological information

12.1. Toxicity Not considered to be harmful to aquatic life

Aluminum Hydroxide

WGK Classification (AwSV) 5220 WGK: nwg

Safety Data Sheet

HYMOD® M632 SP

Issue Date 09/May/2024

Print Date 13/Feb/2025

Revision Number 1.4.1

Page 8 of 11

12.2. Persistence and degradability	No data available.
12.3. Bioaccumulative potential	No data available.
Partition coefficient	Not applicable
Bioconcentration factor (BCF)	No data available.
12.4. Mobility in soil	No data available.
12.5. Results of PBT and vPvB assessment	No data available.
12.6. Endocrine disrupting properties	This product does not contain any known or suspected endocrine disruptors
12.7. Other Adverse Effects	None known

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal Methods	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Product residue may remain in empty containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.
Waste codes	Waste codes should be assigned by the user based on the application for which the product was used

Aluminum Hydroxide

European Waste Catalog	060299
WGK Classification (AwSV)	5220 WGK: nwg

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada	Not regulated
DOT	Not regulated
ADR	Not regulated
RID	Not regulated
ADN	Not regulated

Safety Data Sheet

HYMOD® M632 SP

Issue Date 09/May/2024

Print Date 13/Feb/2025

Revision Number 1.4.1

Page 9 of 11

IATA Not regulated
 IMDG/IMO Not regulated
 ICAO Not regulated

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for user Not applicable

14.7. Maritime transport in bulk according to IMO instruments
Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global Inventories

Pure substance/mixture

Mixture

Chemical Name	CAS Number	EC No	Australia (AIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	Thailand (TECI)	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Aluminum Hydroxide	21645-51-2	244-492-7	Y	Y	Y	(1)-17 (ENCS); ISHL	KE-00980	Y	55-1-02595	Y	Y	Y	A
Surface Treatment	Proprietary	*	Y	Y	Y	Y	Y	Y		-	Y	Y	A

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

REACH No.

Aluminum Hydroxide

EU REACH registration number 01-2119529246-39

Turkish KKDIK pre-registration 05-0000193352-73-0000

Surface Treatment

EU REACH registration number Registered

Germany

Aluminum Hydroxide

WGK Classification (AwSV) 5220 WGK: nwg

15.2. Chemical safety assessment

Safety Data Sheet

HYMOD® M632 SP

Issue Date 09/May/2024

Print Date 13/Feb/2025

Revision Number 1.4.1

Page 10 of 11

A Chemical Safety Assessment has been carried out for this substance

SECTION 16: Other information

Reason for Revision This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 & COMMISSION REGULATION (EU) No. 2020/878

Issue Date 09/May/2024

Print Date 13/Feb/2025

Revision Number 1.4.1

Prepared by Huber Engineered Materials Global Regulatory Affairs
(Email – HEM.HAMRegulatory@huber.com).

(CLP) Regulation (EC 1272/2008) Not classified.

Labeling

Symbols/Pictograms None

Signal Word None

Hazard Statements None.

Training Advice Do not handle until all safety precautions have been read and understood.

Abbreviations and acronyms

IARC (International Agency for Research on Cancer)
 IUCLID (International Uniform Chemical Information Database)
 WHMIS (Workplace Hazardous Materials Information System)
 OSHA (Occupational Safety and Health Administration of the US Department of Labor)
 TWA (Time-Weighted Average)
 CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008))
 PPE (Personal Protection Equipment)
 NIOSH (National Institute for Occupational Safety and Health)
 CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)
 RQ (Reportable Quantity) (RQ/% in mixture)
 STEL (Short Term Exposure Limit)
 TLV® (Threshold Limit Value)
 DNEL (Derived No Effect Level)
 SVHC (Substances of Very High Concern)
 BOD (Biochemical oxygen demand)
 COD (Chemical oxygen demand)
 ICAO (International Civil Aviation Organization)
 IMDG (International Maritime Dangerous Goods)
 ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)
 IATA (International Air Transport Association)
 IMDG (International Maritime Dangerous Goods)
 DOT (Department of Transportation)
 TDG (Transport of Dangerous Goods) Canada
 PNEC (Predicted No Effect Concentration)
 SCBA (Self-Contained Breathing Apparatus) Positive Pressure
 GHS (Globally Harmonized System)
 TSCA (Toxic Substances Control Act)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge,

HUBER

Safety Data Sheet

HYMOD® M632 SP

Issue Date 09/May/2024

Print Date 13/Feb/2025

Revision Number 1.4.1

Page 11 of 11

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet