



HUBER ENGINEERED MATERIALS

Safety Data Sheet

HYMOD® SB-336 HYFLEX; HYMOD® SB-432 HYFLEX

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03
Canadian Workplace Hazardous Material Information System (WHMIS) 2015
Mexico NOM-018-STPS-2000; NOM-018-STPS-2015
Globally Harmonized System (GHS)

Issue Date: 18/Jul/2019
Print Date: 18/Jul/2019

Revision Number: 1.3
Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: HYMOD® SB-336 HYFLEX; HYMOD® SB-432 HYFLEX

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company: J.M. Huber Corporation
3100 Cumberland Boulevard, Suite 600
Atlanta, GA 30339 USA
Tel: +1 678 247-7300

Internet www.hubermaterials.com

E-mail hubermaterials@huber.com

1.4. Emergency telephone number CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Physical Hazards	Not classified
Health Hazards	Not classified
Environmental Hazard	Not classified

2.2. Label elements

Symbols/Pictograms	None
Signal Word	None
Hazard Statements	None

Safety Data Sheet

HYMOD® SB-336 HYFLEX; HYMOD® SB-432 HYFLEX

Issue Date: 18/Jul/2019
Print Date: 18/Jul/2019

Revision Number: 1.3
Page 2 of 10

Precautionary Statements

Prevention	Do not handle until all safety precautions have been read and understood. Employ good industrial hygiene practice Do not breathe dust Wear protective gloves/protective clothing/eye protection/face protection
Response	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing IF ON SKIN: Wash with plenty of soap and water If swallowed, rinse mouth with water (only if the person is conscious) Drink plenty of water
Storage	Store away from incompatible materials Keep in a dry place
Disposal	Dispose of contents/containers in accordance with local regulations

Hazards not otherwise classified None known.
(HNOC)

SECTION 3: Composition/information on ingredients

Chemical Name	CAS Number	TSCA: United States	Canada (DSL)	Mexico	REACH registration number	OSHA Regulatory Status	WHMIS	Weight-%
Aluminum Trihydroxide Surface Treated	21645-51-2	A	Y	Y	01-211952924 6-39-0016	Not classified	--	97-99
Proprietary Surface Treatment	Proprietary	Y	Present (DSL)			Not classified	--	1-3

Legend

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

SECTION 4: First aid measures

4.1. Description of first aid measures

General Advice	Do not handle until all safety precautions have been read and understood. Employ good industrial hygiene practice. Wear suitable protective clothing, gloves and eye/face protection. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. When in doubt or if symptoms are observed, get medical advice.
Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

HUBER

Safety Data Sheet
HYMOD® SB-336 HYFLEX; HYMOD® SB-432 HYFLEX

Issue Date: 18/Jul/2019
Print Date: 18/Jul/2019

Revision Number: 1.3
Page 3 of 10

Skin Contact	Wash with plenty of soap and water.
Ingestion	Rinse mouth thoroughly with water.
Inhalation	Do not breathe dust. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Aspiration hazard	Based on available data, the classification criteria are not met.
4.2. Most important symptoms and effects, both acute and delayed	May cause irritation to mucous membranes and respiratory tract. Contact with dust can cause mechanical irritation or drying of the skin.
4.3. Indication of any immediate medical attention and special treatment needed	Treatment should be symptomatic and supportive. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO₂).

Unsuitable Extinguishing Media

None known.

5.2. Special hazards arising from the substance or mixture

None known.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

Water mist may be used to cool closed containers. No special fire protection measures are necessary. Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep unauthorized personnel away. Avoid dust formation. Ensure adequate ventilation. Use personal protection recommended in Section 8.

Safety Data Sheet

HYMOD® SB-336 HYFLEX; HYMOD® SB-432 HYFLEX

Issue Date: 18/Jul/2019
Print Date: 18/Jul/2019

Revision Number: 1.3
Page 4 of 10

- For non-emergency personnel** Keep unauthorized personnel away.
- For emergency responders** Keep unauthorized personnel away. Use personal protection recommended in Section 8.

- 6.2. Environmental precautions** Avoid runoff to waterways and sewers.
- 6.3. Methods and material for containment and cleaning up** Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a disposal container
- 6.4. Reference to other sections** Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

- 7.1. Precautions for safe handling** Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Do not breathe dust. Ensure adequate ventilation. Wear appropriate personal protective clothing to prevent skin contact. Handle in accordance with good industrial hygiene and safety practice.
- 7.2. Conditions for safe storage, including any incompatibilities** Keep container tightly closed and dry. Store away from incompatible materials.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Aluminum Trihydroxide Surface Treated

OSHA	TWA: 15 mg/m ³ Total Dust 5 mg/m ³ Respirable Dust
ACGIH	TLV/TWA 8-hr: 1 mg/m ³ (respirable fraction)
NIOSH	TWA: 5 mg/m ³ (respirable dust); 10 mg/m ³ TWA (total dust)
Canada - BC TWA	TWA: 1 mg/m ³ (respirable)
Canada - Manitoba - OEL - TWA	TWA: 1 mg/m ³ (respirable)
Canada - Newfoundland & Labrador - OEL - TWA	TWA: 1 mg/m ³ (respirable)
Canada - Nova Scotia - OEL - TWA	TWA: 1 mg/m ³ (respirable)
Canada - Prince Edward Island - OEL - TWA	TWA: 1 mg/m ³ (respirable)
Mexico	No se ha establecido

Biological Limit Values: No information available

Issue Date: 18/Jul/2019
 Print Date: 18/Jul/2019

Revision Number: 1.3
 Page 5 of 10

8.2. Exposure controls

Engineering Measures	Provide a good standard of controlled ventilation (5 to 10 air changes per hour). Use exhaust ventilation to keep airborne concentrations below exposure limits. In case of insufficient ventilation, wear suitable respiratory equipment.
Personal protective equipment	
Eye/Face Protection	Wear safety glasses with side shields (or goggles).
Skin and Body Protection	Wear suitable protective clothing.
Hand protection	For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.
Respiratory Protection	In case of inadequate ventilation wear respiratory protection.
Thermal hazards	None known. Wear suitable protective clothing.
Hygiene Measures	Follow general hygiene considerations recognized as common good workplace practices. The worker should wash daily at the end of each work shift, and prior to eating, drinking, smoking, etc.
Environmental Exposure Controls	Dispose of in accordance with local regulations.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:

Physical State	Solid Powder
Color	White
Odor	Odorless
Odor Threshold	No information available
pH:	8.4-10.2 (5% water suspension)
Melting Point / Melting Range	Not applicable
Initial boiling point	Not applicable
Boiling Point	Not applicable
Freezing Point	Not applicable
Flash Point:	Non-combustible.
Evaporation Rate	Not applicable.
Flammability (solid, gas)	Not applicable
Upper flammability limit:	
Lower flammability limit:	
Vapor Pressure	Not applicable
Vapor Density	Not applicable
Density	2.4 g/cm ³ , 20°C

Issue Date: 18/Jul/2019
Print Date: 18/Jul/2019

Revision Number: 1.3
Page 6 of 10

Relative Density
Water Solubility Insoluble
Solubility in other solvents
Partition coefficient
Autoignition Temperature
Decomposition Temperature 200° C

SECTION 10: Stability and reactivity

10.1. Reactivity Stable under normal conditions
10.2. Chemical stability Stable under normal conditions
10.3. Possibility of hazardous reactions No specific hazard known
10.4. Conditions to avoid Incompatible materials Dust formation
10.5. Incompatible materials None known
10.6. Hazardous decomposition products None known

SECTION 11: Toxicological information

General Information Users are advised to consider national Occupational Exposure Limits or other equivalent values.

Information on Likely Routes of Exposure

Inhalation Do not breathe dust
Inhalation of dust in high concentration may cause irritation of respiratory system

Skin Contact with dust can cause mechanical irritation or drying of the skin

Eyes Dust contact with the eyes can lead to mechanical irritation

Ingestion Ingestion is not a likely route of exposure

Aspiration hazard Not an expected route of exposure.

11.1. Information on toxicological effects

Aluminum Trihydroxide Surface Treated

Oral LD50 > 2000 mg/kg Rat
Inhalation LC50 Rat > 2.3 mg/l (Al₂O₃) Aerosol Maximum attainable concentration

HUBER

Safety Data Sheet

HYMOD® SB-336 HYFLEX; HYMOD® SB-432 HYFLEX

Issue Date: 18/Jul/2019
Print Date: 18/Jul/2019

Revision Number: 1.3
Page 9 of 10

CERCLA

Aluminum Trihydroxide Surface Treated

CERCLA	Not listed
SARA 311/312 Hazardous Categorization	Not listed
SARAH 302 RQ, lbs	Not listed

U.S. State Right-to-Know Regulations

Chemical Name	CAS Number	California Proposition 65	California CPR	Massachusetts	Minnesota	New Jersey	Pennsylvania
Aluminum Trihydroxide Surface Treated	21645-51-2	No		No	No	No	No
Proprietary Surface Treatment	Proprietary	No		No	No	No	No

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65)

This product does not contain any Proposition 65 chemicals

CANADA

WHMIS:

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR

SECTION 16: Other information

Prepared by Huber Engineered Materials (HEM) Global Regulatory Affairs
regulatory.affairs@huber.com

Issue Date: 18/Jul/2019
Print Date: 18/Jul/2019

Revision Number: 1.3

Reason for Version OSHA (Occupational Safety and Health Administration of the US Department of Labor).

Training Advice Do not handle until all safety precautions have been read and understood.

Abbreviations and acronyms International Agency for Research on Cancer (IARC)
International Air Transport Association (IATA)
International Maritime Dangerous Goods (IMDG)
International Uniform Chemical Information Database (IUCLID)
Workplace Hazardous Materials Information System (WHMIS) status and classification
EPA SARA Title III Section 312 (40 CFR 370) Hazard Classification
DOT (Department of Transportation)
OSHA (Occupational Safety and Health Administration of the US Department of Labor)
TWA - Time-Weighted Average
Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA)
The Classification, Labeling and Packaging of Substances and Mixtures (CLP) Regulation (EC 1272/2008)
PPE - Personal Protection Equipment
NIOSH - National Institute for Occupational Safety and Health
TDG (Transport of Dangerous Goods) Canada

HUBER

Safety Data Sheet
HYMOD® SB-336 HYFLEX; HYMOD® SB-432 HYFLEX

Issue Date: 18/Jul/2019
Print Date: 18/Jul/2019

Revision Number: 1.3
Page 10 of 10

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)
Reportable Quantity (RQ) (RQ/% in mixture)
STEL - Short Term Exposure Limit
TLV® - Threshold Limit Value
Derived No Effect Level (DNEL)
SVHC: Substances of Very High Concern for Authorization:
Land transport (ADR/RID)
Biochemical oxygen demand (BOD)
Chemical oxygen demand (COD)
ICAO (air)
(IMDG) International Maritime Dangerous Goods
Positive Pressure Self-Contained Breathing Apparatus (SCBA)
Predicted No Effect Concentration (PNEC)
Globally Harmonized System (GHS)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet