



HYMOD® SB-36 SG

Prepared in accordance with GB/T 16483-2008, GB/T 24774-2009, GB 13690 – 2009, GB/T 17519–2013
GHS (Globally Harmonized System)

Issue Date 24/Mar/2025
Print Date 25/Mar/2025

Revision Number 1.3.1
Page 1 of 10

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name: HYMOD® SB-36 SG

Chemical Name Aluminum Hydroxide

Pure substance/mixture Mixture

Aluminum Hydroxide

CAS Number 21645-51-2

Weight-% >99

Surface Treatment

CAS Number -

Weight-% 1-2

Recommended Use Flame retardant Smoke suppressant

Uses advised against None known

Company: J.M. Huber Corporation
3100 Cumberland Boulevard, Suite 600
Atlanta, GA 30339 USA
Tel: +1 678 247-7300

Emergency Telephone CHEMTREC: 1 800 424 9300 or International +1 703 527 3887

E-mail www.huberadvancedmaterials.com/contact

Internet www.huberadvancedmaterials.com

Section 2: HAZARDS IDENTIFICATION

GHS Classification Not classified.

Physical Hazard Not classified.

Health Hazard Not classified.

Environmental Hazard Not classified.

Label Elements

Symbols/Pictograms None

Signal Word None

Safety Data Sheet

HYMOD® SB-36 SG

Issue Date 24/Mar/2025

Print Date 25/Mar/2025

Revision Number 1.3.1

Page 2 of 10

Precautionary Statements

Prevention	Employ good industrial hygiene practice Wash hands thoroughly after handling
Response	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing IF ON SKIN: Wash with plenty of soap and water
Spills and Leaks	Collect spillage
Storage	Store in a dry place Store away from incompatible materials.
Disposal	Dispose in accordance with local, state and national regulations
General Advice	None When in doubt or if symptoms are observed, get medical advice Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves
Additional Information:	None.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture

Mixture

Chemical Name	CAS Number	China (IECSC)	China classification	TSCA: United States	EU REACH registration number	Weight-%
Aluminum Hydroxide	21645-51-2	Y	Not classified.	A	01-2119529246-39	>99
Surface Treatment	-	Y	Skin Irritant Category 2; H315	A	Registered	1-2

Section 4: FIRST AID MEASURES

General Advice	None When in doubt or if symptoms are observed, get medical advice Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If irritation persists, call a physician
Skin Contact	Wash skin with soap and water
Inhalation	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for

Safety Data Sheet

HYMOD® SB-36 SG

Issue Date 24/Mar/2025

Print Date 25/Mar/2025

Revision Number 1.3.1

Page 3 of 10

	breathing
Ingestion	Rinse mouth with water. Do not induce vomiting.
Notes to Physician	Treat symptomatically
Personal Protective Equipment For First Aid Responders	Wear suitable protective clothing IF exposed or concerned: Get medical advice/attention
Expected acute symptoms and delayed symptoms	None known

Section 5: FIRE FIGHTING MEASURES

Flammable Properties	None known
Suitable Extinguishing Media	Water spray (fog) Foam Dry chemical Carbon dioxide (CO2)
Unsuitable extinguishing media:	None known
Specific Hazards Arising from the Chemical	None known
Unusual fire & explosion hazards:	None
Protective measures:	Use protective equipment that is appropriate for surrounding materials.
Protective Equipment and Precautions for Firefighters	Wear self-contained breathing apparatus and protective suit

Section 6: SPILLAGE, ACCIDENTAL RELEASE MEASURES

Personal Precautions	Ensure adequate ventilation Use personal protection recommended in Section 8 Avoid dust formation Keep unauthorized personnel away
Environmental Precautions	Avoid runoff to waterways and sewers
Methods for cleaning up	Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a disposal container
Other Information:	None known

Safety Data Sheet

HYMOD® SB-36 SG

Issue Date 24/Mar/2025

Print Date 25/Mar/2025

Revision Number 1.3.1

Page 4 of 10

Section 7: HANDLING AND STORAGE

Handling	Minimize dust generation and accumulation. Provide local exhaust ventilation. Handle in accordance with good industrial hygiene and safety practice.
Storage	Store in a dry area. Keep containers closed and protect from physical damage.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits Provide adequate ventilation as well as local exhaustion at critical locations

Aluminum Hydroxide

ACGIH

NIOSH

OSHA

TLV/TWA 8-hr: 1 mg/m³ (respirable fraction)TWA: 5 mg/m³ (respirable dust); 10 mg/m³ TWA (total dust)TWA: 15 mg/m³ (Total Dust)5 mg/m³ (Respirable Dust)

Engineering Measures Ensure adequate ventilation, especially in confined areas
Provide a good standard of controlled ventilation (10 to 15 air changes per hour)

Personal Protective Equipment

Eye/Face Protection

Wear safety glasses with side shields (or goggles)

Skin and Body Protection

Wear suitable protective clothing

Hand Protection

Impervious gloves

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice Handle in accordance with good industrial hygiene and safety practice

Environmental Exposure Controls

Dispose of in accordance with local regulations

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance:

Physical State

Solid

Color

White

Odor

Odorless

Odor Threshold

No information available

pH:

8.4-10.2 (5% water suspension)

Melting point / Freezing point

Not applicable

Boiling Point

No information available

Safety Data Sheet

HYMOD® SB-36 SG

Issue Date 24/Mar/2025

Print Date 25/Mar/2025

Revision Number 1.3.1

Page 5 of 10

Flash Point	Non-combustible.
Evaporation Rate	Not applicable
Flammability (solid, gas)	Not applicable
Upper flammability limit:	
Lower flammability limit:	
Vapor Pressure	Not applicable
Vapor Density	Not applicable
Relative Density	2.4 g/cm ³ , 20° C
Water Solubility	Insoluble
Solubility in other solvents	No information available
Partition coefficient	Not applicable Not applicable Product/Substance is inorganic
Autoignition Temperature	Not applicable
Decomposition Temperature	392 °F (200 °C)
Viscosity	Not applicable.
Explosive Properties	Not applicable
Oxidizing Properties	Not oxidizing
VOC Content (%)	Not applicable

Section 10: STABILITY AND REACTIVITY

Stability	Stable under normal conditions
Conditions to avoid:	None known
Incompatible materials	Strong acids
Hazardous decomposition products	None under normal processing
Hazardous Reactions	None under normal processing
Hazardous polymerization:	None under normal processing

Section 11: TOXICOLOGICAL INFORMATION

General Information Users are advised to consider national Occupational Exposure Limits or other equivalent values.

Product Information

Information on Likely Routes of Exposure

Eyes Avoid contact with eyes
Dust contact with the eyes can lead to mechanical irritation

Safety Data Sheet

HYMOD® SB-36 SG

Issue Date 24/Mar/2025

Print Date 25/Mar/2025

Revision Number 1.3.1

Page 6 of 10

Skin	Avoid contact with skin and clothing Prolonged exposure may cause skin irritation
Inhalation	Avoid inhalation of the product
Ingestion	Ingestion is not a likely route of exposure
Aspiration hazard	Not an expected route of exposure.
Symptoms	Low hazard for usual industrial or commercial handling

11.1. Information on toxicological effects

Aluminum Hydroxide

Oral LD50

IARC

> 2000 mg/kg Rat

Not Listed

Acute Toxicity	Based on available data, the classification criteria are not met.
Chronic Toxicity	Based on available data, the classification criteria are not met.
Chronic Effects	Based on available data, the classification criteria are not met.
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.
Respiratory Sensitization	Based on available data, the classification criteria are not met.
Skin Corrosion/Irritation	Prolonged or repeated contact may dry skin and cause irritation
Skin Sensitization	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Reproductive Toxicity	Based on available data, the classification criteria are not met.
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Target Organ Effects	No information available.
Specific target organ toxicity - Single exposure	No information available.
Specific target organ toxicity - Repeated exposure	No information available.
Mixture versus substance information	No information available.

Safety Data Sheet

HYMOD® SB-36 SG

Issue Date 24/Mar/2025

Print Date 25/Mar/2025

Revision Number 1.3.1

Page 7 of 10

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity	Not considered to be harmful to aquatic life. Avoid release to the environment.
Persistence/Degradability:	Not readily biodegradable.
Bioaccumulative Potential	No data available.
Partition coefficient	Not applicable
Bioconcentration factor (BCF)	Not available.
Mobility in soil	None.
Results of PBT and vPvB assessment	This substance does not meet the criteria for classification as PBT or vPvB.
Other Adverse Effects	None known

Section 13: DISPOSAL CONSIDERATIONS

Waste from Residues/Unused Products	Dispose of in accordance with local regulations
Contaminated Packaging:	Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14: TRANSPORT INFORMATION

Mode of Transportation (Road, Water, Air, Rail)

DOT	Not regulated
ADR	Not regulated
RID	Not regulated
ADN	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

14.1. UN number None

14.2. UN proper shipping name None

Safety Data Sheet

HYMOD® SB-36 SG

Issue Date 24/Mar/2025

Print Date 25/Mar/2025

Revision Number 1.3.1

Page 8 of 10

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for user Not applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not applicable

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global Inventories

Chemical Name	CAS Number	EC No	EU REACH registration number	Australia (AIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Aluminum Hydroxide	21645-51-2	244-492-7	01-211952924-6-39	Y	Y	Y	(1)-17 (ENCS); ISHL	KE-00980	Y	Y	Y	Y	A
Surface Treatment	-	Y	Registered	Y	Y	Y	Y	Y	Y	Y	Y	Y	A

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

Compliance with the following
Chinese regulatory requirements

State Council Decree No. 591 on Safety Management of Dangerous Chemicals
 GB30000.1 ~ GB30000.29 chemical classification and labeling specifications
 GB / T17519 Guidance for the preparation of the SAFETY SAFETY DATA SHEET
 GB / T16483 Material Safety Data Sheet Content and order of items
 GB13690 General rules for classification and hazard classification of chemicals
 GB15258 chemical safety label preparation requirements

Safety Data Sheet

HYMOD® SB-36 SG

Issue Date 24/Mar/2025

Print Date 25/Mar/2025

Revision Number 1.3.1

Page 9 of 10

Section 16: OTHER INFORMATION

Prepared by	Huber Engineered Materials Global Regulatory Affairs email: regulatory.affairs@huber.com
Reason for Revision	GB/T 16483-2008 GB/T 24774-2009 GB 13690 – 2009 GB/T 17519–2013
GHS Classification	Not classified.
Physical Hazard	Not classified.
Health Hazard	Not classified.
Environmental Hazard	Not classified.
Label Elements	
Symbols/Pictograms	None
Signal Word	None
Abbreviations and acronyms	IARC (International Agency for Research on Cancer) IATA (International Air Transport Association) IMDG (International Maritime Dangerous Goods) IUCLID (International Uniform Chemical Information Database) WHMIS (Workplace Hazardous Materials Information System) DOT (Department of Transportation) OSHA (Occupational Safety and Health Administration of the US Department of Labor) TWA (Time-Weighted Average) CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008)) PPE (Personal Protection Equipment) NIOSH (National Institute for Occupational Safety and Health) TDG (Transport of Dangerous Goods) Canada CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act) RQ (Reportable Quantity) (RQ/% in mixture) STEL (Short Term Exposure Limit) TLV® (Threshold Limit Value) DNEL (Derived No Effect Level) SVHC (Substances of Very High Concern) BOD (Biochemical oxygen demand) COD (Chemical oxygen demand) ICAO (International Civil Aviation Organization) IMDG (International Maritime Dangerous Goods) SCBA (Self-Contained Breathing Apparatus) Positive Pressure GHS (Globally Harmonized System) ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail) SARA (Superfund Amendments and Reauthorization Act of 1986)

HUBER

Safety Data Sheet

HYMOD® SB-36 SG

Issue Date 24/Mar/2025

Print Date 25/Mar/2025

Revision Number 1.3.1

Page 10 of 10

TSCA (Toxic Substances Control Act)

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet