



HYMOD® SB-432 SP

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03
Canadian Workplace Hazardous Material Information System (WHMIS) 2015
Mexico NOM-018-STPS-2000; NOM-018-STPS-2015
GHS (Globally Harmonized System)

Issue Date 07/Sep/2023
Print Date 07/Sep/2023

Revision Number 1.3
Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: HYMOD® SB-432 SP
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Flame retardant
Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company: J.M. Huber Corporation
3100 Cumberland Boulevard, Suite 600
Atlanta, GA 30339 USA
Tel: +1 678 247-7300

Internet www.huberadvancedmaterials.com

Contact E-Mail www.huberadvancedmaterials.com/contact

1.4. Emergency telephone number CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Physical Hazards Not classified
Health Hazards Not classified
Environmental Hazard Not classified

2.2. Label elements

Symbols/Pictograms None

Safety Data Sheet

HYMOD® SB-432 SP

Issue Date 07/Sep/2023

Print Date 07/Sep/2023

Revision Number 1.3

Page 2 of 11

Signal Word None

Hazard Statements None

Precautionary Statements

Prevention Do not handle until all safety precautions have been read and understood
Employ good industrial hygiene practice
Do not breathe dust
Wear protective gloves/protective clothing/eye protection/face protection

Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
IF ON SKIN: Wash with plenty of soap and water

Storage Store away from incompatible materials
Keep in a dry place

Disposal Disposal should be in accordance with applicable regional, national and local laws and regulations

Hazards not otherwise classified (HNOC) None known.

SECTION 3: Composition/information on ingredients

Pure substance/mixture Mixture

Chemical Name	CAS Number	Weight-%
Aluminum Hydroxide	21645-51-2	>99
Proprietary Surface Treatment	Proprietary	<1

SECTION 4: First aid measures

4.1. Description of first aid measures

General Advice Do not handle until all safety precautions have been read and understood. Employ good industrial hygiene practice. Wear suitable protective clothing, gloves and eye/face protection. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. When in doubt or if symptoms are observed, get medical advice.

Eye Contact In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Skin Contact Wash with plenty of soap and water.

Safety Data Sheet

HYMOD® SB-432 SP

Issue Date 07/Sep/2023

Print Date 07/Sep/2023

Revision Number 1.3

Page 3 of 11

Ingestion	Rinse mouth thoroughly with water.
Inhalation	Do not breathe dust. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
Aspiration hazard	Not an expected route of exposure.
4.2. Most important symptoms and effects, both acute and delayed	Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin.
4.3. Indication of any immediate medical attention and special treatment needed	Treatment should be symptomatic and supportive. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray (fog). Dry chemical. Foam. Carbon dioxide (CO₂).

Unsuitable Extinguishing Media

None known.

5.2. Special hazards arising from the substance or mixture

None known.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

Water mist may be used to cool closed containers. No special fire protection measures are necessary. Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Ensure adequate ventilation. Use personal protection recommended in Section 8. Keep unauthorized personnel away.

Safety Data Sheet

HYMOD® SB-432 SP

Issue Date 07/Sep/2023

Print Date 07/Sep/2023

Revision Number 1.3

Page 4 of 11

- For non-emergency personnel** Keep unauthorized personnel away.
- For emergency responders** Keep unauthorized personnel away. Use personal protection recommended in Section 8.

- 6.2. Environmental precautions** Avoid runoff to waterways and sewers.
- 6.3. Methods and material for containment and cleaning up** Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a disposal container
- 6.4. Reference to other sections** Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

- 7.1. Precautions for safe handling** Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Do not breathe dust. Ensure adequate ventilation. Wear appropriate personal protective clothing to prevent skin contact. Handle in accordance with good industrial hygiene and safety practice.
- 7.2. Conditions for safe storage, including any incompatibilities** Keep container tightly closed and dry. Store away from incompatible materials.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Aluminum Hydroxide

OSHA

TWA: 15 mg/m³ Total Dust

5 mg/m³ Respirable Dust

ACGIH

TLV/TWA 8-hr: 1 mg/m³ (respirable fraction)

Canada - Nova Scotia - OEL - TWA

1 mg/m³ TWA (respirable fraction)

PNEC (Predicted No Effect Concentration) No information available

DNEL (Derived No Effect Level) No information available

Biological Limit Values No information available

8.2. Exposure controls

Safety Data Sheet

HYMOD® SB-432 SP

Issue Date 07/Sep/2023

Print Date 07/Sep/2023

Revision Number 1.3

Page 5 of 11

Engineering Measures	Provide a good standard of controlled ventilation (5 to 10 air changes per hour). Use exhaust ventilation to keep airborne concentrations below exposure limits. In case of insufficient ventilation, wear suitable respiratory equipment.
Personal protective equipment	
Eye/Face Protection	Wear safety glasses with side shields (or goggles).
Skin and Body Protection	Wear suitable protective clothing.
Hand Protection	For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.
Respiratory Protection	In case of inadequate ventilation wear respiratory protection.
Thermal hazards	None known. Wear suitable protective clothing.
Hygiene Measures	No information available.
Environmental Exposure Controls	Dispose of in accordance with local regulations.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:

Physical State	Solid Powder
Color	White
Odor	Odorless
Odor Threshold	No information available
pH:	8.4 - 10.2 (5% water suspension)
Melting Point / Melting Range	Decomposition occurs prior to melting.
Melting point / Freezing point	Not applicable
Boiling Point	Decomposition occurs prior to boiling.
Freezing Point	Not applicable
Flash Point	Non-combustible
Evaporation Rate	Not applicable.
Flammability (solid, gas)	Not applicable
Upper flammability limit:	--
Lower flammability limit:	--
Vapor Pressure	Not applicable
Vapor Density	Not applicable
Vapor Density	Not applicable
Density	2.4 g/cm ³ , 20°C
Relative Density	
Water Solubility	Insoluble
Partition coefficient	Not applicable
Autoignition Temperature	Not applicable
Decomposition Temperature	200° C
Viscosity	No information available.
Kinematic viscosity	Not applicable

Safety Data Sheet

HYMOD® SB-432 SP

Issue Date 07/Sep/2023

Print Date 07/Sep/2023

Revision Number 1.3

Page 6 of 11

Explosive Properties	Not applicable
Oxidizing Properties	Not applicable
Particle Size	No information available
VOC Content (%)	Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity	Stable under normal conditions
10.2. Chemical stability	Stable under normal conditions
10.3. Possibility of hazardous reactions	No specific hazard known
10.4. Conditions to avoid	Incompatible materials Dust formation
10.5. Incompatible materials	None known
10.6. Hazardous decomposition products	None known

SECTION 11: Toxicological information

General Information	Users are advised to consider national Occupational Exposure Limits or other equivalent values.
----------------------------	---

11.1. Information on toxicological effects

Aluminum Hydroxide

Oral LD50	> 2000 mg/kg Rat
Inhalation LC50	Rat > 2.3 mg/l (Al ₂ O ₃) Aerosol Maximum attainable concentration
IARC	Not Listed

Chronic Toxicity	Not classified.
Respiratory Sensitization	No data available
Serious eye damage/eye	Dust may cause mechanical irritation to eyes

Safety Data Sheet

HYMOD® SB-432 SP

Issue Date 07/Sep/2023

Print Date 07/Sep/2023

Revision Number 1.3

Page 7 of 11

irritation

Skin Corrosion/Irritation	Prolonged or repeated contact may dry skin and cause irritation
Mutagenicity	No data available
Germ cell mutagenicity	No data available.
Reproductive Toxicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Not listed.
Specific target organ toxicity - Single exposure	No data available.
Specific target organ toxicity - Repeated exposure	No data available.

Information on Likely Routes of Exposure

Inhalation	Avoid inhalation of the product
Ingestion	Ingestion is not a likely route of exposure
Skin	Prolonged or repeated contact may dry skin and cause irritation
Eyes	Dust contact with the eyes can lead to mechanical irritation
Aspiration hazard	Not an expected route of exposure.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties	This product does not contain any known or suspected endocrine disruptors
11.2.2. Other information	Not applicable

SECTION 12: Ecological information

12.1. Toxicity Not considered to be harmful to aquatic life

Aluminum Hydroxide

WGK Classification (AwSV) 5220 WGK: nwg

12.2. Persistence and degradability No data available.

12.3. Bioaccumulative potential No data available.

Safety Data Sheet

HYMOD® SB-432 SP

Issue Date 07/Sep/2023

Print Date 07/Sep/2023

Revision Number 1.3

Page 8 of 11

Partition coefficient	Not applicable
Bioconcentration factor (BCF)	No data available.
12.4. Mobility in soil	No data available.
12.5. Results of PBT and vPvB assessment	No data available.
12.6. Endocrine disrupting properties	This product does not contain any known or suspected endocrine disruptors

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal Methods	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Product residue may remain in empty containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.
Waste codes	Waste codes should be assigned by the user based on the application for which the product was used

Aluminum Hydroxide

European Waste Catalog	060299
WGK Classification (AwSV)	5220 WGK: nwg

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada	Not regulated
DOT	Not regulated
ADR	Not regulated
RID	Not regulated
ADN	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

Safety Data Sheet

HYMOD® SB-432 SP

Issue Date 07/Sep/2023

Print Date 07/Sep/2023

Revision Number 1.3

Page 9 of 11

- 14.1. UN number or ID number None
- 14.2. UN proper shipping name None
- 14.3. Transport hazard class(es) None
- 14.4. Packing group None
- 14.5. Environmental hazards No
- 14.6. Special precautions for user Not applicable
- 14.7. Maritime transport in bulk according to IMO instruments
Not applicable

SECTION 15: Regulatory information

Global Inventories

Pure substance/mixture Mixture

Chemical Name	CAS Number	EC No	EU REACH registration number	Australia (AIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Aluminum Hydroxide	21645-51-2	244-492-7	01-211952 9246-39	Y	Y	Y	(1)-17 (ENCS); ISHL	KE-00980	Y	Y	Y	Y	A
Proprietary Surface Treatment	Proprietary	*	Registered	Y	Y	Y	Y	Y	Y	-	Y	Y	A

US Federal Regulations

EPA

Aluminum Hydroxide

CERCLA

Not listed

SARA 302

Not listed

U.S. State Right-to-Know Regulations

Chemical Name	CAS Number	California Proposition 65	Massachusetts	Minnesota	New Jersey	Pennsylvania
Aluminum Hydroxide	21645-51-2	N	N	N	N	N
Proprietary Surface Treatment	Proprietary	-	N	N	N	N

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65)

This product does not contain any Proposition 65 chemicals

Safety Data Sheet

HYMOD® SB-432 SP

Issue Date 07/Sep/2023

Print Date 07/Sep/2023

Revision Number 1.3

Page 10 of 11

CANADA

WHMIS

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR

SECTION 16: Other information

Prepared by	Huber Engineered Materials (HEM) Global Regulatory Affairs regulatory.affairs@huber.com
Issue Date	07/Sep/2023
Print Date	07/Sep/2023
Revision Number	1.3
Reason for Version	New date. No change to data. Updated contact information. OSHA (Occupational Safety and Health Administration of the US Department of Labor).
Training Advice	Do not handle until all safety precautions have been read and understood.
Abbreviations and acronyms	<p>IARC (International Agency for Research on Cancer) IATA (International Air Transport Association) IMDG (International Maritime Dangerous Goods) IUCLID (International Uniform Chemical Information Database) WHMIS (Workplace Hazardous Materials Information System) DOT (Department of Transportation) OSHA (Occupational Safety and Health Administration of the US Department of Labor) TWA (Time-Weighted Average) CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008)) PPE (Personal Protection Equipment) NIOSH (National Institute for Occupational Safety and Health) TDG (Transport of Dangerous Goods) Canada CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act) RQ (Reportable Quantity) (RQ/% in mixture) STEL (Short Term Exposure Limit) TLV® (Threshold Limit Value) DNEL (Derived No Effect Level) SVHC (Substances of Very High Concern) BOD (Biochemical oxygen demand) COD (Chemical oxygen demand) ICAO (International Civil Aviation Organization) IMDG (International Maritime Dangerous Goods) ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail) SCBA (Self-Contained Breathing Apparatus) Positive Pressure GHS (Globally Harmonized System) SARA (Superfund Amendments and Reauthorization Act of 1986) TSCA (Toxic Substances Control Act)</p>
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

HUBER

Safety Data Sheet

HYMOD® SB-432 SP

Issue Date 07/Sep/2023

Print Date 07/Sep/2023

Revision Number 1.3

Page 11 of 11

End of Safety Data Sheet