



Kemgard® 911C

GHS (Globally Harmonized System)

Issue Date 01/Jan/2024
Print Date 13/Dec/2023

Revision Number 1.5.2
Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name:	Kemgard® 911C
Pure substance/mixture	Mixture
<u>Talc</u>	
CAS Number	14807-96-6
Weight-%	75 - 90
<u>Zinc Molybdenum Oxide</u>	
CAS Number	22914-58-5 61583-60-6
Weight-%	10 - 25

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Flame retardant Smoke suppressant
Uses advised against	None known.

1.3. Details of the supplier of the safety data sheet

Company:	J.M. Huber Corporation 3100 Cumberland Boulevard, Suite 600 Atlanta, GA 30339 USA Tel: +1 678 247-7300
Internet	www.huberadvancedmaterials.com
E-mail	hubermaterials@huber.com

1.4. Emergency telephone number	CHEMTREC: +1 800 424 9300 or International +1 703 527 3887
--	--

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS Classification	Considered a hazardous substance or mixture according to the Globally Harmonized System (GHS)
---------------------------	---

Hazards identification

Safety Data Sheet

Kemgard® 911C

Issue Date 01/Jan/2024

Print Date 13/Dec/2023

Revision Number 1.5.2

Page 2 of 10

Physical Hazard	Not classified
Health Hazards	Specific target organ toxicity (STOT) - repeated exposure, category 2
Environmental Hazard	Chronic Aquatic Toxicity Category 3

2.2. Label elements

Symbols/Pictograms



Signal Word	Warning
Hazard Statements	May cause damage to organs through prolonged or repeated exposure Harmful to aquatic life with long lasting effects

Precautionary Statements

Prevention	Do not breathe dust Avoid release to the environment Do not handle until all safety precautions have been read and understood Employ good industrial hygiene practice Wear protective gloves/protective clothing/eye protection/face protection
Response	Get medical advice/attention if you feel unwell IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing IF ON SKIN: Wash with plenty of soap and water
Storage	Keep in a dry place. Store away from incompatible materials.
Disposal	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Additional Information:	Crystalline silica (quartz) has been classified by the International Agency for Research on Cancer (IARC) as a known human carcinogen (Group 1).

2.3. Other hazards No information available.

SECTION 3: Composition/information on ingredients

Pure substance/mixture Mixture

Chemical Name	CAS Number	TSCA: United States	EC No	EU REACH	GHS Classificatio	Weight-%
---------------	------------	---------------------	-------	----------	-------------------	----------

Safety Data Sheet

Kemgard® 911C

Issue Date 01/Jan/2024

Print Date 13/Dec/2023

Revision Number 1.5.2

Page 3 of 10

				registration number	n	
Talc	14807-96-6	A	238-877-9	Exempt.	Not classified	75 - 90
Zinc Molybdenum Oxide	22914-58-5 61583-60-6	A	245-322-4	01-212080 0481-68-0 000.	Acute Tox. 4, H332 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 2, H411	10 - 25

SECTION 4: First aid measures

4.1. Description of first aid measures

Eye Contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Skin Contact	Wash with plenty of soap and water.
Ingestion	Rinse mouth thoroughly with water.
Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Aspiration hazard	Not an expected route of exposure.

4.2. Most important symptoms and effects, both acute and delayed Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing agent suitable for type of surrounding fire. Water spray (fog). Dry chemical. Foam. Carbon dioxide (CO₂).

Unsuitable Extinguishing Media

Do not use water jetstream.

5.2. Special hazards arising from the substance or mixture Heating can release hazardous gases.

Safety Data Sheet

Kemgard® 911C

Issue Date 01/Jan/2024

Print Date 13/Dec/2023

Revision Number 1.5.2

Page 4 of 10

Hazardous Combustion Products None known

5.3. Advice for firefighters

Special protective equipment for firefighters Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures Keep unauthorized personnel away. Use personal protection recommended in Section 8.

For non-emergency personnel Keep unauthorized personnel away.

For emergency responders Keep unauthorized personnel away. Use personal protection recommended in Section 8.

6.2. Environmental precautions Avoid runoff to waterways and sewers. Dispose of in accordance with federal, state and local regulations.

6.3. Methods and material for containment and cleaning up Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a disposal container

6.4. Reference to other sections Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling Minimize dust generation and accumulation. Ensure adequate ventilation. Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities Keep container tightly closed and dry. Store away from incompatible materials. See section 10.

SECTION 8: Exposure controls/personal protection

Safety Data Sheet

Kemgard® 911C

Issue Date 01/Jan/2024

Print Date 13/Dec/2023

Revision Number 1.5.2

Page 5 of 10

8.1. Control parameters

Occupational exposure limits

Talc

ACGIH

TWA: 2 mg/m³ (respirable dust)

OSHA

TWA: 20 mppcf

Zinc Molybdenum Oxide

India

TWA: Not established

ACGIH

TWA: 10 mg/m³ dust

0.5 mg/m³ Respirable fraction

OSHA

TWA: 5 mg/m³ (respirable); 10 mg/m³ (dust)

PEL: 5 mg/m³ (respirable)

Biological Limit Values

None

Recommended monitoring procedures

Refer also to national guidance documents for information on currently recommended monitoring procedures

DNEL (Derived No Effect Level)

No information available

PNEC (Predicted No Effect Concentration)

No information available

8.2. Exposure controls

Engineering Measures

Do not handle until all safety precautions have been read and understood
Ensure adequate ventilation, especially in confined areas
Provide a good standard of controlled ventilation (10 to 15 air changes per hour)
Use exhaust ventilation to keep airborne concentrations below exposure limits
In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment

Eye/Face Protection

Wear safety glasses with side shields (or goggles).

Skin and Body Protection

Wear suitable protective clothing.

Hand Protection

Wear suitable gloves.

Respiratory Protection

In case of inadequate ventilation wear respiratory protection.

Thermal hazards

Wear suitable protective clothing.

Hygiene Measures

Follow general hygiene considerations recognized as common good workplace practices.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Safety Data Sheet

Kemgard® 911C**Issue Date** 01/Jan/2024**Print Date** 13/Dec/2023**Revision Number** 1.5.2**Page** 6 of 10

Physical State	Solid. Powder.
Color	White
Odor	Odorless
Odor Threshold	No information available
pH:	6.5
Melting Point / Melting Range	No information available
Boiling Point	No information available
Freezing Point	No information available
Flash Point	No data available
Evaporation Rate	Not applicable
Flammability (solid, gas)	Not applicable
Vapor Pressure	No data available
Vapor Density	No data available
Solubility in other solvents	No information available
Water Solubility	Slightly soluble
Partition coefficient	No data available
Autoignition Temperature	No data available
Viscosity	No information available
Specific Gravity	2.8 (H ₂ O = 1)
Oxidizing Properties	Not applicable
VOC Content (%)	0%
Molecular Weight	Not available
Decomposition Temperature	No information available

SECTION 10: Stability and reactivity

10.1. Reactivity	Stable under normal conditions
10.2. Chemical stability	Stable under normal conditions
10.3. Possibility of hazardous reactions	None under normal processing

Safety Data Sheet

Kemgard® 911C

Issue Date 01/Jan/2024

Print Date 13/Dec/2023

Revision Number 1.5.2

Page 7 of 10

10.4. Conditions to avoid Incompatible materials. Dust formation.

10.5. Incompatible materials Strong oxidizing agents. Strong acids.

10.6. Hazardous decomposition products None known

SECTION 11: Toxicological information

General Information Users are advised to consider national Occupational Exposure Limits or other equivalent values.

Information on Likely Routes of Exposure

Inhalation Avoid inhalation of the product

Skin Prolonged or repeated contact may dry skin and cause irritation

Eyes Dust contact with the eyes can lead to mechanical irritation

Ingestion Ingestion is not a likely route of exposure

Aspiration hazard Not an expected route of exposure.

11.1. Information on toxicological effects

Zinc Molybdenum Oxide

Oral LD50 >10000 mg/kg Rat

IARC Not Listed

Specific target organ toxicity - Repeated exposure Kidney (based on tubular degeneration/regeneration of male Han Wistar rats at 125 mg/kg/day). NOAEL – 60 mg/kg Rat; Oral; 90-day.

Acute Toxicity Avoid inhalation of dust. Product dust may be irritating to eyes, skin and respiratory system

Reproductive Toxicity No data available.

Carcinogenicity Crystalline silica (quartz) has been classified by the International Agency for Research on Cancer (IARC) as a known human carcinogen (Group 1).

Target Organ Effects Skin. Eyes. Respiratory system.

Specific target organ toxicity - Single exposure No data available.

Specific target organ toxicity - Repeated exposure May cause damage to organs through prolonged or repeated exposure if inhaled. Kidney.

Safety Data Sheet

Kemgard® 911C

Issue Date 01/Jan/2024
Print Date 13/Dec/2023

Revision Number 1.5.2
Page 8 of 10

SECTION 12: Ecological information

12.1. Ecotoxicity Harmful to aquatic life with long lasting effects. Avoid release to the environment.

Talc - 14807-96-6

WGK Classification (AwSV) 1315 WGK: nwg

Germany - Water Classification (AwSV) - Annex 1: 1315 not considered hazardous to water

12.2. Persistence and degradability Not readily biodegradable.

12.3. Bioaccumulative potential No information available.

Partition coefficient No data available.

Bioconcentration factor (BCF) No data available.

12.4. Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment This substance does not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects No information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Contaminated Packaging Empty containers should be taken to an approved waste handling site for recycling or disposal

Waste codes Waste codes should be assigned by the user based on the application for which the product was used

Disposal Methods Dispose of waste product or used containers according to local regulations

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)

DOT Not regulated

IATA Not regulated

Safety Data Sheet

Kemgard® 911C

Issue Date 01/Jan/2024

Print Date 13/Dec/2023

Revision Number 1.5.2

Page 9 of 10

IMDG/IMO Not regulated

14.1. UN number None

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for user Not applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global Inventories

Chemical Name	CAS Number	EC No	EU REACH registration number	Australia (AIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Talc	14807-96-6	238-877-9	Exempt	Y	Y	Y	(1)-468 (ENCS)(IS HL)	KE-32773	Y	Y	Y	Y	A
Zinc Molybdenum Oxide	22914-58-5 61583-60-6	245-322-4	01-212080048 1-68-0000	N	Y	Y	(1)-781 (ENCS)(IS HL)	KE-11910	N	N	N	Y	A

SECTION 16: Other information

Prepared by Huber Engineered Materials Global Regulatory Affairs
(Email – HEM.FRAREgulatory@huber.com)

Reason for Revision GHS (Globally Harmonized System).

GHS Classification Considered a hazardous substance or mixture according to the Globally Harmonized System (GHS)

Labeling

Safety Data Sheet

Kemgard® 911C

Issue Date 01/Jan/2024
Print Date 13/Dec/2023

Revision Number 1.5.2
Page 10 of 10

Symbols/Pictograms



Signal Word

Warning

Hazard Statements

May cause damage to organs through prolonged or repeated exposure
 Harmful to aquatic life with long lasting effects

Training Advice

Do not handle until all safety precautions have been read and understood.

Abbreviations and acronyms

IARC (International Agency for Research on Cancer)
 IATA (International Air Transport Association)
 IMDG (International Maritime Dangerous Goods)
 IUCLID (International Uniform Chemical Information Database)
 WHMIS (Workplace Hazardous Materials Information System)
 DOT (Department of Transportation)
 OSHA (Occupational Safety and Health Administration of the US Department of Labor)
 TWA (Time-Weighted Average)
 CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008))
 PPE (Personal Protection Equipment)
 NIOSH (National Institute for Occupational Safety and Health)
 TDG (Transport of Dangerous Goods) Canada
 CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)
 RQ (Reportable Quantity) (RQ/% in mixture)
 STEL (Short Term Exposure Limit)
 TLV® (Threshold Limit Value)
 DNEL (Derived No Effect Level)
 SVHC (Substances of Very High Concern)
 BOD (Biochemical oxygen demand)
 COD (Chemical oxygen demand)
 ICAO (International Civil Aviation Organization)
 IMDG (International Maritime Dangerous Goods)
 ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)
 SCBA (Self-Contained Breathing Apparatus) Positive Pressure
 PNEC (Predicted No Effect Concentration)
 GHS (Globally Harmonized System)
 TSCA (Toxic Substances Control Act)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet