

Safety Data Sheet

Micral® 532

Japan-JIS Z 7253:2019
Occupational Safety and Health Act
GHS (Globally Harmonized System)

Issue Date 21/Feb/2023 Revision Number 1.3.1

Print Date 15/Oct/2024 Page 1 of 8

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Micral® 532

Pure substance/mixture Substance

Aluminum Hydroxide

CAS Number 21645-51-2

Weight-% 100

Recommended Use Flame retardant

Uses advised against None known

Company: J.M. Huber Corporation

3100 Cumberland Boulevard, Suite 600

Atlanta, GA 30339 USA Tel: +1 678 247-7300

Internet www.huberadvancedmaterials.com

E-mail www.huberadvancedmaterials.com/contact

Emergency Telephone Number CHEMTREC: +1 800 424 9300 or International 1+703-527-3887

+81 03-3560-7316

2. HAZARD IDENTIFICATION

Japan GHS Classification

Physical Hazards Not classified.

Health Hazard Not classified.

Environmental Hazards Not classified.

GHS label elements

Symbols/Pictograms None

Signal Word None

Hazard statements Based on available data, the classification criteria are not met.

Precautionary Statements

Prevention Do not handle until all safety precautions have been read and understood

Employ good industrial hygiene practice

Do not breathe dust

Response IF exposed or concerned: Get medical advice/attention

Safety Data Sheet

Micral® 532

Issue Date 21/Feb/2023 Revision Number 1.3.1

Print Date 15/Oct/2024 Page 2 of 8

Wash with plenty of soap and water

Store away from incompatible materials. Storage

Keep in a dry place

Disposal Dispose of contents/container to an approved waste disposal plant

Additional Information: None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture Substance

Chemical Name	CAS Number	Japan GHS Classification	Weight-%		
Aluminum Hydroxide	21645-51-2	Not classified.	100		

4. FIRST AID MEASURES

If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Wash with plenty of soap and water IF ON SKIN:

Take off contaminated clothing and wash before reuse

IF IN EYES: In case of eye contact, remove contact lens and rinse immediately with plenty of

> water, also under the eyelids, for at least 15 minutes Call a physician if irritation develops and persists

If swallowed: Rinse mouth thoroughly with water

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved and take

precautions to protect themselves

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Water spray (fog)

Media Foam

Dry chemical

Carbon dioxide (CO2)

Unsuitable Extinguishing Media Do not use water jetstream

Special hazards arising from the Avoid dust formation

substance or mixture

Safety Data Sheet

Micral® 532

Issue Date 21/Feb/2023 Revision Number 1.3.1

Print Date 15/Oct/2024 Page 3 of 8

Fire-fighting measures In case of fire and/or explosion do not breathe fumes

Water mist may be used to cool closed containers

Keep unauthorized personnel away

Special Protective Equipment for Wear self-contained breathing apparatus and protective suit **Firefighters**

6. ACCIDENTAL RELEASE MEASURES

Protective Equipment and Precautions for Firefighters Avoid dust formation

Ensure adequate ventilation

Use personal protection recommended in Section 8

Avoid contact with eyes and skin. Wear suitable personal protection equipment.

Keep unauthorized personnel away

Environmental Precautions

Keep out of drains, sewers, ditches and waterways

Disposal considerations

See section 13 for more information

Methods and material for containment and cleaning up Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a

vacuum to collect dust

Small Spill: Vacuum or sweep material and place in a disposal container Minimize

use of water during clean-up

Recommended filter type: High efficiency particulate air filter (HEPA filter)

Other Information Not applicable

7. HANDLING AND STORAGE

Handling

Technical measures Provide adequate ventilation as well as local exhaustion at critical locations

> Ensure adequate ventilation Use personal protection equipment

See section 8 for more information

Advice on safe handling Minimize dust generation and accumulation

Conditions for safe storage, Keep containers tightly closed in a cool, well-ventilated place

including any incompatibilities

Hygiene Measures Wash hands thoroughly after handling

Storage

Packaging compatibilities Keep/store only in original container

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Provide adequate ventilation as well as local exhaustion at critical locations **Exposure Limits**

Aluminum Hydroxide

TWA: 2 mg/m³ Japan

Safety Data Sheet

Micral® 532

Issue Date 21/Feb/2023 Revision Number 1.3.1

Print Date 15/Oct/2024 Page 4 of 8

Engineering Measures Ensure adequate ventilation, especially in confined areas

Personal Protective Equipment

Respiratory Protection In case of inadequate ventilation wear respiratory protection

Hand protection For operations where prolonged or repeated skin contact may occur, impervious

gloves should be worn

Eye Protection Wear safety glasses with side shields (or goggles)

Skin and Body Protection Wear suitable protective clothing.

Chemical resistant apron.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice

Wash thoroughly after handling Avoid contact with eyes and skin

Do not breathe dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Solid, Powder

Color White Odor Odorless

Odor Threshold No information available

Melting Point / Melting RangeNo data availableBoiling PointNo data availableFreezing PointNo information available

Autoignition Temperature

Evaporation Rate

Flammability (solid, gas)

Not applicable
Not applicable
No data available

Explosive Properties None

Vapor Pressure Not applicable Water Solubility Insoluble

Partition coefficient
Viscosity
Specific Gravity
Oxidizing Properties
Decomposition Temperature
Flash Point

No data available
Not applicable
392 °F (200 °C)
Not applicable.

pH: 8.0 - 9.0

Melting point / Freezing point ca 300 °C / 572 °F (101.3 kPa) Initial boiling point 5396 °F (2980 °C) 101.3 kPa

Flammability (solid, gas)
Vapor Density
Relative Density

Not applicable
Not applicable
2.4 g/cm3, 20° C

Solubility in other solvents
VOC Content (%)

No information available
Not applicable None

10. STABILITY AND REACTIVITY

Safety Data Sheet

Micral® 532

Issue Date 21/Feb/2023 Revision Number 1.3.1 Print Date 15/Oct/2024

Page 5 of 8

Stable under normal conditions Reactivity

Stable under normal conditions **Chemical stability**

Possibility of hazardous

reactions

None known

Incompatible materials Strong oxidizing agents

Hazardous decomposition

products

None known

11. TOXICOLOGICAL INFORMATION

Users are advised to consider national Occupational Exposure Limits or other **General Information**

equivalent values.

Information on Likely Routes of Exposure

Inhalation Do not breathe dust

Inhalation of dust may cause irritation of the respiratory system

Skin Contact with dust can cause mechanical irritation or drying of the skin

Ingestion Ingestion is not a likely route of exposure

Aspiration hazard Not an expected route of exposure.

Low hazard for usual industrial or commercial handling **Symptoms**

11.1. Information on toxicological effects

Aluminum Hydroxide

Oral LD50 > 2000 mg/kg Rat

Inhalation LC50 Rat > 2.3 mg/l (Al2O3) Aerosol Maximum attainable concentration

Not Listed **IARC**

Acute Toxicity Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. **Chronic Toxicity**

Chronic Effects Based on available data, the classification criteria are not met.

Serious eye damage/eye

irritation

Non-irritant Rabbit

No information available **Respiratory Sensitization**

Skin Corrosion/Irritation Non-irritant Rabbit

Skin Sensitization Based on available data, the classification criteria are not met. Not a skin sensitizer

Guinea pig

Safety Data Sheet

Micral® 532

Issue Date 21/Feb/2023 Revision Number 1.3.1 Print Date 15/Oct/2024

Page 6 of 8

Mutagenicity in vitro. Not genotoxic in bacteria and mammalian cell systems.

in vivo. Mutagenicity (micronucleus test). Rat. Negative. (weight of evidence

approach).

No information available. Germ cell mutagenicity

Based on available data, the classification criteria are not met. **Reproductive Effects**

Reproductive Toxicity Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Carcinogenicity

Specific target organ toxicity -

Single exposure

Not classified.

Specific target organ toxicity -

Repeated exposure

No information available.

Mixture versus substance

information

No information available.

12. ECOLOGICAL INFORMATION

Based on available data, the classification criteria are not met. **Ecotoxicity**

Persistence and degradability No data available

No data available. Bioaccumulation

Mobility in soil No data available

Hazardous to the ozone layer No data available

13. DISPOSAL CONSIDERATIONS

Disposal Dispose of in accordance with federal, state and local regulations

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling

or disposal

14. TRANSPORT INFORMATION

Mode of Transportation (Road, Water, Air, Rail)

ADR Not regulated RID Not regulated ADN Not regulated **IATA** Not regulated Not regulated IMDG/IMO Not regulated **ICAO**

Safety Data Sheet

Micral® 532

Issue Date 21/Feb/2023 Revision Number 1.3.1 Print Date 15/Oct/2024

Page 7 of 8

14.1. UN number None

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for Not applicable

user

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

15. REGULATORY INFORMATION

Global Inventories

Pure substance/mixture Substance

Chemical Name	CAS Number	EC No	EU REACH registrati on number	Australia (AIIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	-	Philippine s (PICCS)	Taiwan	TSCA: United States
Aluminum Hydroxide	21645-51- 2	244-492-7	01-211952 9246-39	Y	Y	Y	(1)-17 (ENCS); ISHL	KE-00980	Y	Y	Y	Υ	Α

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

Legend-Inventories

KECL - Korean Existing and Evaluated Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

TSCA (Toxic Substances Control Act)

DSL (Domestic Substance List)

NDSL (Non-Domestic Substances List)

Japan - ISHL Notifiable Substances

ENCS - Japan Existing and New Chemical Substances

16. OTHER INFORMATION

Prepared by Huber Engineered Materials Global Regulatory Affairs

email: regulatory.affairs@huber.com

Reason for Revision This SDS complies with the requirements of JIS Z 7250:2010 and JIS Z 7252:2009 (Japan)

Bibliography NITE GHS Classified list

Japan Society for occupational health (2015) recommendation of allowable concentrations,

etc.

Safety Data Sheet

Micral® 532

Issue Date 21/Feb/2023 Print Date 15/Oct/2024 Revision Number 1.3.1 Page 8 of 8

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit

Abbreviations and acronyms

IARC (International Agency for Research on Cancer)
IATA (International Air Transport Association)

IMDG (International Maritime Dangerous Goods)

IUCLID (International Uniform Chemical Information Database) WHMIS (Workplace Hazardous Materials Information System)

DOT (Department of Transportation)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

TWA (Time-Weighted Average)

CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC

1272/2008))

PPE (Personal Protection Equipment)

NIOSH (National Institute for Occupational Safety and Health)

TDG (Transport of Dangerous Goods) Canada

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)

RQ (Reportable Quantity) (RQ/% in mixture)

STEL (Short Term Exposure Limit)
TLV® (Threshold Limit Value)

DNEL (Derived No Effect Level)

SVHC (Substances of Very High Concern) BOD (Biochemical oxygen demand)

COD (Chemical oxygen demand)

ICAO (International Civil Aviation Organization)

IMDG (International Maritime Dangerous Goods)

ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)

SCBA (Self-Contained Breathing Apparatus) Positive Pressure

PNEC (Predicted No Effect Concentration)
GHS (Globally Harmonized System)
TSCA (Toxic Substances Control Act)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet