



HUBER ENGINEERED MATERIALS

Safety Data Sheet

MOLDX® S45

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006
COMMISSION REGULATION (EU) No. 2020/878

Issue Date 10/Mar/2022
Print Date 10/Mar/2022

Revision Number 1.3.1
Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: MOLDX® S45
Chemical Name Aluminum Hydroxide

Chemical Name	CAS Number	EC No	EU REACH registration number	(CLP) Regulation (EC 1272/2008)	Weight-%
Aluminum Hydroxide	21645-51-2	244-492-7	01-2119529246-39	Not classified	>99
Surface Treatment	--	--	Registered	Not classified	0.5

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Flame retardant Smoke suppressant
Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Internet www.hubermaterials.com
E-mail hubermaterials@huber.com

1.4. Emergency telephone number CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

Poison control center phone number National Anti-Poison Center UK: +44 844 892 0111 (National Poisons Information Service)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

(CLP) Regulation (EC 1272/2008) Not classified

Hazards identification
Physical Hazard Not classified
Health Hazards Not classified

Issue Date 10/Mar/2022
Print Date 10/Mar/2022

Revision Number 1.3.1
Page 2 of 10

Environmental Hazard Not classified

2.2. Label elements

Symbols/Pictograms None

Signal Word None

Hazard Statements None

Precautionary Statements

Prevention Employ good industrial hygiene practice
Wash hands thoroughly after handling

Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
IF ON SKIN: Wash with plenty of soap and water

Storage Keep in a dry place
Store away from incompatible materials

Disposal Disposal should be in accordance with applicable regional, national and local laws and regulations.

2.3. Other hazards No information available.

SECTION 3: Composition/information on ingredients

Chemical Name	CAS Number	EC No	EU REACH registration number	(CLP) Regulation (EC 1272/2008)	Annex	Weight-%
Aluminum Hydroxide	21645-51-2	244-492-7	01-2119529246-39	Not classified	--	>99
Surface Treatment	--	--	Registered	Not classified	--	0.5

SECTION 4: First aid measures

4.1. Description of first aid measures

General Advice When in doubt or if symptoms are observed, get medical advice. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

Eye Contact In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Skin Contact Wash with plenty of soap and water.

Inhalation Do not breathe dust. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

Issue Date 10/Mar/2022
Print Date 10/Mar/2022

Revision Number 1.3.1
Page 3 of 10

Ingestion	Rinse mouth thoroughly with water.
Aspiration hazard	Based on available data, the classification criteria are not met.
Notes to Physician	Treat symptomatically.
4.2. Most important symptoms and effects, both acute and delayed	Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin.
4.3. Indication of any immediate medical attention and special treatment needed	Treat symptomatically. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing agent suitable for type of surrounding fire. Water spray (fog). Dry chemical. Foam. Carbon dioxide (CO₂).

Unsuitable Extinguishing Media

None known.

5.2. Special hazards arising from the substance or mixture

Non-combustible.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

Water mist may be used to cool closed containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Ensure adequate ventilation. Use personal protection recommended in Section 8. Keep unauthorized personnel away.

For non-emergency personnel Keep unauthorized personnel away.

For emergency responders Keep unauthorized personnel away. Use personal protection recommended in

Issue Date 10/Mar/2022
Print Date 10/Mar/2022

Revision Number 1.3.1
Page 4 of 10

Section 8.

- 6.2. Environmental precautions** Avoid runoff to waterways and sewers.
- 6.3. Methods and material for containment and cleaning up** Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a disposal container
- 6.4. Reference to other sections** Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

- 7.1. Precautions for safe handling** Avoid exposure - obtain special instructions before use
Do not handle until all safety precautions have been read and understood.
Minimize dust generation and accumulation
Ensure adequate ventilation
Handle in accordance with good industrial hygiene and safety practice
Use personal protective equipment as required
- 7.2. Conditions for safe storage, including any incompatibilities** Keep container tightly closed and dry
Store away from incompatible materials

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Aluminum Hydroxide

ACGIH	TLV/TWA 8-hr: 1 mg/m ³ (respirable fraction)
OSHA	TWA: 15 mg/m ³ Total Dust 5 mg/m ³ Respirable Dust
NIOSH	TWA: 5 mg/m ³ (respirable dust); 10 mg/m ³ TWA (total dust)
France	Not established (Non établi)
France	Not established (Non établi)
Poland	2.5 mg/m ³ (inhalable); 1.2 mg/m ³ (respirable)
Russia	6 mg/m ³ TWA (aerosol)
Switzerland	TWA: 3 mg/m ³
United Kingdom	10 mg.m-3 (inhalable); 4 mg.m-3 (respirable)

Recommended monitoring procedures Refer also to national guidance documents for information on currently recommended monitoring procedures

Biological Limit Values None

8.2. Exposure controls

Issue Date 10/Mar/2022
Print Date 10/Mar/2022

Revision Number 1.3.1
Page 5 of 10

Engineering Measures	Do not handle until all safety precautions have been read and understood Ensure adequate ventilation, especially in confined areas Provide a good standard of controlled ventilation (10 to 15 air changes per hour) Use exhaust ventilation to keep airborne concentrations below exposure limits In case of insufficient ventilation, wear suitable respiratory equipment
Personal protective equipment	
Eye/Face Protection	Wear safety glasses with side shields (or goggles).
Skin and Body Protection	Wear suitable protective clothing.
Thermal hazards	None known.
Hygiene Measures	Follow general hygiene considerations recognized as common good workplace practices
Environmental Exposure Controls	Dispose of in accordance with local regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:

Physical State	Solid Powder
Color	White
Odor	Odorless
Odor Threshold	No information available
pH:	8.4-10.2 (5% water suspension)
Melting Point / Melting Range	Not applicable
Boiling Point	Not applicable
Freezing Point	Not applicable
Flash Point	Non-combustible
Evaporation Rate	Not determined.
Flammability (solid, gas)	Not applicable
Upper flammability limit:	
Lower flammability limit:	
Vapor Pressure	Not applicable
Vapor Density	Not applicable
Relative Density	Not applicable
Water Solubility	Insoluble
Partition coefficient	Not applicable
Autoignition Temperature	Not applicable
Decomposition Temperature	392 °F (200 °C)
Viscosity	Not applicable.
Specific Gravity	2.4 g/cm ³ , 20° C

SECTION 10: Stability and reactivity

10.1. Reactivity	Stable under normal conditions
10.2. Chemical stability	Stable under normal conditions
10.3. Possibility of hazardous reactions	No specific hazard known
10.4. Conditions to avoid	Incompatible materials Dust formation
10.5. Incompatible materials	Strong acids
10.6. Hazardous decomposition products	None known

SECTION 11: Toxicological information

General Information Users are advised to consider national Occupational Exposure Limits or other equivalent values.

Information on Likely Routes of Exposure

Inhalation	Avoid inhalation of the product
Skin	Prolonged or repeated contact may dry skin and cause irritation
Eyes	Dust contact with the eyes can lead to mechanical irritation
Ingestion	Ingestion is not a likely route of exposure
Aspiration hazard	Not an expected route of exposure.

11.1. Information on toxicological effects

Aluminum Hydroxide

Oral LD50	> 2000 mg/kg Rat
Inhalation LC50	Rat > 2.3 mg/l (Al ₂ O ₃) Aerosol Maximum attainable concentration
IARC	Not Listed

SECTION 12: Ecological information

12.1. Ecotoxicity Not considered to be harmful to aquatic life.

Issue Date 10/Mar/2022
Print Date 10/Mar/2022Revision Number 1.3.1
Page 7 of 10**Aluminum Hydroxide****WGK Classification (AwSV)** 5220 WGK: nwg**12.2. Persistence and degradability** No data available.**12.3. Bioaccumulative potential** No data available.**Partition coefficient** Not applicable**Bioconcentration factor (BCF)** No data available.**12.4. Mobility in soil** No data available.**12.5. Results of PBT and vPvB assessment** No data available.**12.6. Other adverse effects** No information available**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal Methods** Disposal should be in accordance with applicable regional, national and local laws and regulations.**Contaminated Packaging** Product residue may remain in empty containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.**Waste codes** Waste codes should be assigned by the user based on the application for which the product was used**Aluminum Hydroxide****European Waste Catalog** 060299
WGK Classification (AwSV) 5220 WGK: nwg**SECTION 14: Transport information****Mode of Transportation (Road, Water, Air, Rail)****DOT** Not regulated
IATA Not regulated
IMDG/IMO Not regulated
ICAO Not regulated

Issue Date 10/Mar/2022
Print Date 10/Mar/2022

Revision Number 1.3.1
Page 8 of 10

- 14.1. UN number None
- 14.2. UN proper shipping name None
- 14.3. Transport hazard class(es) None
- 14.4. Packing group None
- 14.5. Environmental hazards No
- 14.6. Special precautions for user Not applicable
- 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global Inventories

Chemical Name	CAS Number	EC No	Australia (AIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	Thailand (TECI)	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Aluminum Hydroxide	21645-51-2	244-492-7	Y	Y	Y	(1)-17 (ENCS); ISHL	KE-00980	Y	55-1-02594	Y	Y	Y	A
Surface Treatment	--	--	Y	Y	Y	Y	Y	Y		Y	Y	Y	A

Legend X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

REACH No.

Aluminum Hydroxide

EU REACH registration number 01-2119529246-39
Turkish KKDIK pre-registration 05-0000193352-73-0000

Surface Treatment

EU REACH registration number Registered

Germany

Not considered to be harmful to aquatic life

Aluminum Hydroxide

WGK Classification (AwSV) 5220 WGK: nwg

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were carried out

SECTION 16: Other information

HUBER

Safety Data Sheet

MOLDX® S45

Issue Date 10/Mar/2022
Print Date 10/Mar/2022

Revision Number 1.3.1
Page 9 of 10

Reason for Revision This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 & COMMISSION REGULATION (EU) No. 2020/878

Issue Date 10/Mar/2022
Print Date 10/Mar/2022
Revision Number 1.3.1

Prepared by Huber Engineered Materials Global Regulatory Affairs
email: regulatory.affairs@huber.com.

(CLP) Regulation (EC 1272/2008) Not classified

Labeling

Symbols/Pictograms None

Signal Word None

Hazard Statements None.

Training Advice Do not handle until all safety precautions have been read and understood.

Abbreviations and acronyms

IARC (International Agency for Research on Cancer)
IUCLID (International Uniform Chemical Information Database)
WHMIS (Workplace Hazardous Materials Information System)
OSHA (Occupational Safety and Health Administration of the US Department of Labor)
TWA (Time-Weighted Average)
CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008))
PPE (Personal Protection Equipment)
NIOSH (National Institute for Occupational Safety and Health)
CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)
RQ (Reportable Quantity) (RQ/% in mixture)
STEL (Short Term Exposure Limit)
TLV® (Threshold Limit Value)
DNEL (Derived No Effect Level)
SVHC (Substances of Very High Concern)
BOD (Biochemical oxygen demand)
COD (Chemical oxygen demand)
ICAO (International Civil Aviation Organization)
IMDG (International Maritime Dangerous Goods)
ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)
IATA (International Air Transport Association)
IMDG (International Maritime Dangerous Goods)
DOT (Department of Transportation)
TDG (Transport of Dangerous Goods) Canada
PNEC (Predicted No Effect Concentration)
SCBA (Self-Contained Breathing Apparatus) Positive Pressure
GHS (Globally Harmonized System)
TSCA (Toxic Substances Control Act)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

HUBER

Safety Data Sheet
MOLDX® S45

Issue Date 10/Mar/2022
Print Date 10/Mar/2022

Revision Number 1.3.1
Page 10 of 10