



# Safety Data Sheet

FIRE RETARDANT ADDITIVES

## MOLDX® S45

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03  
Canadian Workplace Hazardous Material Information System (WHMIS) 2015  
Mexico NOM-018-STPS-2000; NOM-018-STPS-2015  
GHS (Globally Harmonized System)

Issue Date 10/Mar/2022

Print Date 10/Mar/2022

Revision Number 1.3.1

Page 1 of 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product Name: MOLDX® S45

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Flame retardant Smoke suppressant

Uses advised against None known.

### 1.3. Details of the supplier of the safety data sheet

Company: J.M. Huber Corporation  
3100 Cumberland Boulevard, Suite 600  
Atlanta, GA 30339 USA  
Tel: +1 678 247-7300

Internet [www.hubermaterials.com](http://www.hubermaterials.com)

E-mail [hubermaterials@huber.com](mailto:hubermaterials@huber.com)

1.4. Emergency telephone number CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Physical Hazards Not classified

Health Hazards Not classified

Environmental Hazard Not classified

### 2.2. Label elements

Symbols/Pictograms None

# Safety Data Sheet

## MOLDX® S45

Issue Date 10/Mar/2022  
Print Date 10/Mar/2022

Revision Number 1.3.1  
Page 2 of 10

**Signal Word** None

**Hazard Statements** None

### Precautionary Statements

**Prevention** Do not handle until all safety precautions have been read and understood  
Employ good industrial hygiene practice  
Do not breathe dust  
Wear protective gloves/protective clothing/eye protection/face protection

**Response** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
IF ON SKIN: Wash with plenty of soap and water

**Storage** Store away from incompatible materials  
Keep in a dry place

**Disposal** Disposal should be in accordance with applicable regional, national and local laws and regulations

**Hazards not otherwise classified** None known.  
(HNOC)

## SECTION 3: Composition/information on ingredients

Chemical Name	CAS Number	TSCA: United States	Canada (DSL)	Mexico	EU REACH registration number	OSHA Regulatory Status	WHMIS	Weight-%
Aluminum Hydroxide	21645-51-2	A	Y	Y	01-211952924-6-39	Not classified	--	>99
Surface Treatment	--	A	Y	Y	Registered	This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)	--	0.5

**Legend**

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

**General Advice**

Do not handle until all safety precautions have been read and understood. Employ good industrial hygiene practice. Wear suitable protective clothing, gloves and eye/face protection. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. When in doubt or if symptoms are observed, get medical advice.

Issue Date 10/Mar/2022  
Print Date 10/Mar/2022

Revision Number 1.3.1  
Page 3 of 10

<b>Eye Contact</b>	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
<b>Skin Contact</b>	Wash with plenty of soap and water.
<b>Ingestion</b>	Rinse mouth thoroughly with water.
<b>Inhalation</b>	Do not breathe dust. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
<b>Aspiration hazard</b>	Not an expected route of exposure.
<b>4.2. Most important symptoms and effects, both acute and delayed</b>	Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin.
<b>4.3. Indication of any immediate medical attention and special treatment needed</b>	Treatment should be symptomatic and supportive. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable Extinguishing Media

Water spray (fog). Dry chemical. Foam. Carbon dioxide (CO<sub>2</sub>).

#### Unsuitable Extinguishing Media

None known.

### 5.2. Special hazards arising from the substance or mixture

None known.

### 5.3. Advice for firefighters

#### Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

#### Fire-fighting measures

Water mist may be used to cool closed containers. No special fire protection measures are necessary. Standard procedure for chemical fires.

## SECTION 6: Accidental release measures

**6.1. Personal precautions,** Avoid dust formation. Ensure adequate ventilation. Use personal protection

<b>protective equipment and emergency procedures</b>	recommended in Section 8. Keep unauthorized personnel away.
<b>For non-emergency personnel</b>	Keep unauthorized personnel away.
<b>For emergency responders</b>	Keep unauthorized personnel away. Use personal protection recommended in Section 8.
<b>6.2. Environmental precautions</b>	Avoid runoff to waterways and sewers.
<b>6.3. Methods and material for containment and cleaning up</b>	Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a disposal container
<b>6.4. Reference to other sections</b>	Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

**SECTION 7: Handling and storage**

<b>7.1. Precautions for safe handling</b>	Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Do not breathe dust. Ensure adequate ventilation. Wear appropriate personal protective clothing to prevent skin contact. Handle in accordance with good industrial hygiene and safety practice.
<b>7.2. Conditions for safe storage, including any incompatibilities</b>	Keep container tightly closed and dry. Store away from incompatible materials.

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Occupational exposure limits**

**Aluminum Hydroxide**

OSHA	TWA: 15 mg/m <sup>3</sup> Total Dust
	5 mg/m <sup>3</sup> Respirable Dust
ACGIH	TLV/TWA 8-hr: 1 mg/m <sup>3</sup> (respirable fraction)
Canada - Nova Scotia - OEL - TWA	1 mg/m <sup>3</sup> TWA (respirable fraction)

<b>PNEC (Predicted No Effect Concentration)</b>	No information available
<b>DNEL (Derived No Effect Level)</b>	No information available
<b>Biological Limit Values</b>	No information available

Issue Date 10/Mar/2022  
 Print Date 10/Mar/2022

Revision Number 1.3.1  
 Page 5 of 10

## 8.2. Exposure controls

### Engineering Measures

Provide a good standard of controlled ventilation (5 to 10 air changes per hour). Use exhaust ventilation to keep airborne concentrations below exposure limits. In case of insufficient ventilation, wear suitable respiratory equipment.

### Personal protective equipment

#### Eye/Face Protection

Wear safety glasses with side shields (or goggles).

#### Skin and Body Protection

Wear suitable protective clothing.

#### Hand Protection

For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.

#### Respiratory Protection

In case of inadequate ventilation wear respiratory protection.

### Thermal hazards

None known. Wear suitable protective clothing.

### Hygiene Measures

Follow general hygiene considerations recognized as common good workplace practices. The worker should wash daily at the end of each work shift, and prior to eating, drinking, smoking, etc.

### Environmental Exposure Controls

Dispose of in accordance with local regulations.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance:

Physical State	Solid Powder
Color	White
Odor	Odorless
Odor Threshold	No information available
pH:	8.4-10.2 (5% water suspension)
Melting Point / Melting Range	Not applicable
Boiling Point	Not applicable
Freezing Point	Not applicable
Flash Point	Non-combustible
Evaporation Rate	Not determined.
Flammability (solid, gas)	Not applicable
Upper flammability limit:	
Lower flammability limit:	
Vapor Pressure	Not applicable
Vapor Density	Not applicable
Relative Density	Not applicable
Water Solubility	Insoluble
Partition coefficient	Not applicable
Autoignition Temperature	Not applicable
Decomposition Temperature	392 °F (200 °C)
Viscosity	Not applicable.
Specific Gravity	2.4 g/cm <sup>3</sup> , 20° C

**SECTION 10: Stability and reactivity**

<b>10.1. Reactivity</b>	Stable under normal conditions
<b>10.2. Chemical stability</b>	Stable under normal conditions
<b>10.3. Possibility of hazardous reactions</b>	No specific hazard known
<b>10.4. Conditions to avoid</b>	Incompatible materials Dust formation
<b>10.5. Incompatible materials</b>	Strong acids
<b>10.6. Hazardous decomposition products</b>	None known

**SECTION 11: Toxicological information**

**General Information** Users are advised to consider national Occupational Exposure Limits or other equivalent values.

**Information on Likely Routes of Exposure**

<b>Inhalation</b>	Avoid inhalation of the product
<b>Skin</b>	Prolonged or repeated contact may dry skin and cause irritation
<b>Eyes</b>	Dust contact with the eyes can lead to mechanical irritation
<b>Ingestion</b>	Ingestion is not a likely route of exposure
<b>Aspiration hazard</b>	Not an expected route of exposure.

**11.1. Information on toxicological effects****Aluminum Hydroxide**

<b>Oral LD50</b>	> 2000 mg/kg Rat
<b>Inhalation LC50</b>	Rat > 2.3 mg/l (Al <sub>2</sub> O <sub>3</sub> ) Aerosol Maximum attainable concentration
<b>IARC</b>	Not Listed

**SECTION 12: Ecological information**

**12.1. Ecotoxicity** Not considered to be harmful to aquatic life.

Issue Date 10/Mar/2022  
Print Date 10/Mar/2022

Revision Number 1.3.1  
Page 7 of 10

### Aluminum Hydroxide

**WGK Classification (AwSV)** 5220 WGK: nwg

<b>12.2. Persistence and degradability</b>	No data available.
<b>12.3. Bioaccumulative potential</b>	No data available.
<b>Partition coefficient</b>	Not applicable
<b>Bioconcentration factor (BCF)</b>	No data available.
<b>12.4. Mobility in soil</b>	No data available.
<b>12.5. Results of PBT and vPvB assessment</b>	No data available.
<b>12.6. Other adverse effects</b>	No information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

<b>Disposal Methods</b>	Disposal should be in accordance with applicable regional, national and local laws and regulations.
<b>Contaminated Packaging</b>	Product residue may remain in empty containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.
<b>Waste codes</b>	Waste codes should be assigned by the user based on the application for which the product was used

### Aluminum Hydroxide

**European Waste Catalog** 060299  
**WGK Classification (AwSV)** 5220 WGK: nwg

## SECTION 14: Transport information

### Mode of Transportation (Road, Water, Air, Rail)

<b>DOT</b>	Not regulated
<b>IATA</b>	Not regulated
<b>IMDG/IMO</b>	Not regulated

HUBER

# Safety Data Sheet

MOLDX® S45

Issue Date 10/Mar/2022  
 Print Date 10/Mar/2022

Revision Number 1.3.1  
 Page 8 of 10

ICAO Not regulated

- 14.1. UN number None
- 14.2. UN proper shipping name None
- 14.3. Transport hazard class(es) None
- 14.4. Packing group None
- 14.5. Environmental hazards No
- 14.6. Special precautions for user Not applicable
- 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code  
 Not applicable

## SECTION 15: Regulatory information

### Global Inventories

Chemical Name	CAS Number	EC No	EU REACH registration number	Australia (AIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Aluminum Hydroxide	21645-51-2	244-492-7	01-211952 9246-39	Y	Y	Y	(1)-17 (ENCS); ISHL	KE-00980	Y	Y	Y	Y	A
Surface Treatment	--	--	Registered	Y	Y	Y	Y	Y	Y	Y	Y	Y	A

**Legend**  
 X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

### US Federal Regulations

#### EPA

Aluminum Hydroxide  
 CERCLA Not listed  
 SARA 302 Not listed

### U.S. State Right-to-Know Regulations

Chemical Name	CAS Number	California Proposition 65	Massachusetts	Minnesota	New Jersey	Pennsylvania
Aluminum Hydroxide	21645-51-2	N	N	N	N	N
Surface Treatment	--					

**Legend** Y: Listed ; N: Not Listed

**California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65)**  
 This product does not contain any Proposition 65 chemicals



# Safety Data Sheet

## MOLDX® S45

Issue Date 10/Mar/2022  
Print Date 10/Mar/2022

Revision Number 1.3.1  
Page 9 of 10

**CANADA****WHMIS**

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR

### SECTION 16: Other information

<b>Prepared by</b>	Huber Engineered Materials (HEM) Global Regulatory Affairs regulatory.affairs@huber.com
<b>Issue Date</b>	10/Mar/2022
<b>Print Date</b>	10/Mar/2022
<b>Revision Number</b>	1.3.1
<b>Reason for Version</b>	OSHA (Occupational Safety and Health Administration of the US Department of Labor).
<b>Training Advice</b>	Do not handle until all safety precautions have been read and understood.
<b>Abbreviations and acronyms</b>	<p>IARC (International Agency for Research on Cancer)            IATA (International Air Transport Association)            IMDG (International Maritime Dangerous Goods)            IUCLID (International Uniform Chemical Information Database)            WHMIS (Workplace Hazardous Materials Information System)            DOT (Department of Transportation)            OSHA (Occupational Safety and Health Administration of the US Department of Labor)            TWA (Time-Weighted Average)            CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008))            PPE (Personal Protection Equipment)            NIOSH (National Institute for Occupational Safety and Health)            TDG (Transport of Dangerous Goods) Canada            CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)            RQ (Reportable Quantity) (RQ/% in mixture)            STEL (Short Term Exposure Limit)            TLV® (Threshold Limit Value)            DNEL (Derived No Effect Level)            SVHC (Substances of Very High Concern)            BOD (Biochemical oxygen demand)            COD (Chemical oxygen demand)            ICAO (International Civil Aviation Organization)            IMDG (International Maritime Dangerous Goods)            ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)            RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)            SCBA (Self-Contained Breathing Apparatus) Positive Pressure            GHS (Globally Harmonized System)            SARA (Superfund Amendments and Reauthorization Act of 1986)            TSCA (Toxic Substances Control Act)</p>
<b>Disclaimer</b>	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**

HUBER

**Safety Data Sheet**  
MOLDX® S45

**Issue Date** 10/Mar/2022  
**Print Date** 10/Mar/2022

**Revision Number** 1.3.1  
**Page 10 of 10**