

SAFETY DATA SHEET

Martinal® OL-104 LEO

MoEL's Public Notice No. 2016-19 Standards for Classification and Labeling of Chemical Substances and Safety Data Sheet (SDS)

Issue Date 23/Dec/2024 Revision Number 1.3.3

Print Date 23/Dec/2024 Page 1 of 8

Section 1: PRODUCT AND COMPANY IDENTIFICATION

A. Product name Martinal® OL-104 LEO

Pure substance/mixture Substance

Aluminum Hydroxide

CAS Number 21645-51-2

Weight-% >99

B. Recommended use and Limitations on use

Recommended Use Additive: Flame retardant

C. Supplier information

Company Name MARTINSWERK GmbH

Kölner Strasse 110 50127 Bergheim

Germany

Tel.: +49-2271-90.22.78 Fax.: +49-2271-90.27.17

E-mail www.huberadvancedmaterials.com/contact

Internet www.huberadvancedmaterials.com

Contact person CHEMTREC

Emergency phone number +1 800 424 9300 International +1 703 527 3887

Section 2: HAZARDS IDENTIFICATION

A. Hazard category/Classification

Physical Hazards Not classified.

Health Hazards Not classified.

Environmental Hazards Not classified.

B. Warning label items including precautionary statement

Label Elements

Symbols/Pictograms None

Martinal® OL-104 LEO

Issue Date 23/Dec/2024 Revision Number 1.3.3

Print Date 23/Dec/2024 Page 2 of 8

Signal Words None

Hazard Statements None

Precautionary statement

Prevention Employ good industrial hygiene practice

Do not handle until all safety precautions have been read and understood

Do not breathe dust

Wear protective gloves/protective clothing/eye protection/face protection

Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing IF ON SKIN: Wash with plenty of soap and water

Storage Keep in a dry place

Store away from incompatible materials

Disposal Dispose of contents/containers in accordance with local regulations

Additional Information: None.

C. Other hazards not included in the hazard category criteria (e.g. dust explosion hazard)

None known

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture Substance

Chemical Name	Chemical Name CAS Number		Korean GHS Classification	Weight-%	
Aluminum Hydroxide	21645-51-2	KE-00980	Not classified.	>99	

Section 4: FIRST AID MEASURES

A. In case of eye contactRinse with water. Get medical attention if irritation develops and persists.

B. In case of skin contact Wash off with soap and water. Get medical attention if irritation develops and

persists.

C. In case of inhalation Move to fresh air. Call a physician if symptoms develop or persist.

D. In case of swallowing Rinse mouth. Get medical attention if symptoms occur.

E. Note to physician Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

Martinal® OL-104 LEO

Issue Date 23/Dec/2024 Revision Number 1.3.3 Print Date 23/Dec/2024

Page 3 of 8

A. Suitable (and unsuitable) extinguishing media

Suitable extinguishing

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

media

Unsuitable extinguishing

None known

media

B. Specific hazards arising from the chemical (example: hazardous combustion products)

Explosion hazard: None known

C. Specific methods of fire-fighting

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. In the event of fire and/or explosion do not breathe fumes. Move container from fire area if it can be done without risk.

Section 6: SPILLAGE, ACCIDENTAL RELEASE MEASURES

- A. Personal precautions, protective equipment and emergency measures Ensure adequate ventilation. Avoid dust formation. See section 8 for more information.
- B. Environmental precautions Not considered to be harmful to aquatic life. Avoid discharge into drains, water courses or onto the ground.
- C. Methods and materials for containment and cleaning up Vacuum or sweep material and place in a disposal container.

Section 7: HANDLING AND STORAGE

A. Precautions for safe handling

In case of exposure to environments exceeding the occupational exposure limit, wear a respirator in compliance with national legislation.

B. Conditions for safe storage (including any incompatibilities)

Keep container tightly closed in a dry and well-ventilated place

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

A. Exposure limit values, biological limit values, etc

Aluminum Hydroxide

ACGIH TLV/TWA 8-hr: 1 mg/m3 (respirable fraction) **OSHA** TWA: 15 mg/m³ (Total Dust)

5 mg/m³ (Respirable Dust)

Martinal® OL-104 LEO

Issue Date 23/Dec/2024 Revision Number 1.3.3

Print Date 23/Dec/2024 Page 4 of 8

B. Engineering Controls

Engineering Measures Do not handle until all safety precautions have been read and understood

Ensure adequate ventilation, especially in confined areas

Provide a good standard of controlled ventilation (10 to 15 air changes per hour) Use exhaust ventilation to keep airborne concentrations below exposure limits

In case of insufficient ventilation, wear suitable respiratory equipment

C. Personal protective equipment

Eye protection
 Hand protection
 If contact is likely, safety glasses with side shields are recommended.
 For prolonged or repeated skin contact use suitable protective gloves.

• Body protection Wear suitable protective clothing.

Hygiene Measures Always observe good personal hygiene measures, such as washing after handling

the material and before eating, drinking, and/or smoking. Routinely wash work

clothing and protective equipment to remove contaminants.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State Solid

Powder White

Odor Odorless
Odor Threshold No information available

pH: +/- 9 (10% Water) **Melting point / Freezing point** ~ 300 °C / 572 °F (101.3 hPa)

Melting point / Freezing point

Color

Initial boiling point and boiling

range
Flash Point
Not applicable

Product/Substance is inorganic

> 2900 °C / 5252 °F (101.3 hPa)

Solid

Evaporation Rate
Flammability (solid, gas)
Upper flammability limit:
Lower flammability limit:
Vapor Pressure
Vapor Density
Not applicable
Not applicable
Not applicable
Not applicable

Relative Density +/- 2.42 g/cm³ (20 °C)

Water Solubility Insoluble

Solubility in other solventsNo information available Not applicable Product/Substance is inorganic

Decomposition Temperature 200 °C (392 °F)
Kinematic viscosity No data available.

Dynamic viscosity Not applicable. Solid.

Explosive Properties None Oxidizing Properties None

9.2. Other information

No data available

Martinal® OL-104 LEO

Issue Date 23/Dec/2024 Revision Number 1.3.3

Print Date 23/Dec/2024 Page 5 of 8

Section 10: STABILITY AND REACTIVITY

A. Stability and hazardous reaction potential

Stability Stable under normal conditions

Hazardous reaction

potential

None known

B. Conditions to avoid (e.g. static discharge, shock or Vibration, etc) Avoid creating dust. Incompatible materials.

C. Incompatible materials Strong oxidizing agents

D. Hazardous decomposition products No hazardous decomposition products are known.

Section 11: TOXICOLOGICAL INFORMATION

A. Information on likely routes of exposure

Mouth Not an expected route of exposure

Eyes
 Skin
 Dust contact with the eyes can lead to mechanical irritation
 Prolonged skin contact may cause temporary irritation.

B. Information on health hazards

Aluminum Hydroxide

Oral LD50 > 2000 mg/kg Rat

Inhalation LC50 Rat > 2.3 mg/l (Al2O3) Aerosol Maximum attainable concentration

Aluminum Hydroxide

IARC Not Listed

Reproductive Toxicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Section 12: ECOLOGICAL INFORMATION

A. Ecotoxicity

Hazardous to the aquatic Not classified.

environment, acute hazard Avoid runoff to waterways and sewers

Hazardous to the aquatic Not classified.

environment, long-term Avoid runoff to waterways and sewers

Martinal® OL-104 LEO

Issue Date 23/Dec/2024 Print Date 23/Dec/2024

Revision Number 1.3.3

Page 6 of 8

hazard

- B. Persistence/degradability No data available
- C. Bioaccumulative potential No data available
- D. Mobility in soil No data available
- E. Other adverse effects No data available

Section 13: DISPOSAL CONSIDERATIONS

A. Method of disposal

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in accordance with all applicable regulations.

B. Disposal considerations (including disposal of contaminated containers or packaging) Disposal should be in accordance with applicable regional, national and local laws and regulations

Section 14: TRANSPORT INFORMATION

Mode of Transportation (Road, Water, Air, Rail)

Not regulated **IATA** IMDG/IMO Not regulated **ICAO** Not regulated

14.1. UN number None

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for Not applicable

user

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

Martinal® OL-104 LEO

Issue Date 23/Dec/2024 Revision Number 1.3.3

Print Date 23/Dec/2024 Page 7 of 8

A. Method of disposal

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in accordance with all applicable regulations.

B. Disposal considerations (including disposal of contaminated containers or packaging) Disposal should be in accordance with applicable regional, national and local laws and regulations

Section 15: REGULATORY INFORMATION

National Regulations

Aluminum Hydroxide

CAS Number 21645-51-2

Weight-% >99

Korean GHS Classification Not classified.

Other domestic and foreign regulations

Global Inventories

Chemical Name	CAS Number	EC No	EU REACH registrati on number	Australia (AIIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico		Philippine s (PICCS)	Taiwan	TSCA: United States
Aluminum Hydroxide	21645-51- 2	244-492-7	01-211952 9246-39	Ý	Ÿ	Ý	(1)-17 (ENCS); ISHL	KE-00980	Y	Y	Ý	Ý	Ä

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

Section 16: OTHER INFORMATION

A. Source of Information

Abbreviations and acronyms IARC (International Agency for Research on Cancer)

IATA (International Air Transport Association)
IMDG (International Maritime Dangerous Goods)

IUCLID (International Uniform Chemical Information Database)

WHMIS (Workplace Hazardous Materials Information System)

DOT (Department of Transportation)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

TWA (Time-Weighted Average)

CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC

1272/2008))

PPE (Personal Protection Equipment)

NIOSH (National Institute for Occupational Safety and Health)

TDG (Transport of Dangerous Goods) Canada

Martinal® OL-104 LEO

Issue Date 23/Dec/2024 Print Date 23/Dec/2024 Revision Number 1.3.3 Page 8 of 8

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)

RQ (Reportable Quantity) (RQ/% in mixture)

STEL (Short Term Exposure Limit)
TLV® (Threshold Limit Value)
DNEL (Derived No Effect Level)

SVHC (Substances of Very High Concern) BOD (Biochemical oxygen demand)

COD (Chemical oxygen demand)

ICAO (International Civil Aviation Organization)
IMDG (International Maritime Dangerous Goods)

ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)

SCBA (Self-Contained Breathing Apparatus) Positive Pressure

PNEC (Predicted No Effect Concentration) TSCA (Toxic Substances Control Act) GHS (Globally Harmonized System)

B. Issue Date 23/Dec/2024 Print Date 23/Dec/2024

C. Number of revisions and Date 1.3.3 of most recent revision

D. Other

Prepared by Huber Engineered Materials Global Regulatory Affairs

email: regulatory.affairs@huber.com

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet