

Safety Data Sheet

Martinal® ON-310S; Martinal® ON-313S; Martinal® ON-320; Martinal®, ON-904; Martinal® ON-906; Martinal® ON-908; Martinal® ON-921; Martinal® ON-935

This material safety datasheet has been prepared according to Brazilian legislation and ABNT NBR 14725:2014 GHS (Globally Harmonized System)

Issue Date 07/Mar/2024 Print Date 18/Feb/2025

Revision Number 1.3.4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name:	Martinal® ON-310S; Martinal® ON-313S; Martinal® ON-320; Martinal®, ON-904; Martinal® ON-906; Martinal® ON-908; Martinal® ON-921; Martinal® ON-935
Pure substance/mixture	Substance
Aluminum Hydroxide CAS Number Weight-%	21645-51-2 >99
1.2. Relevant identified uses of t	he substance or mixture and uses advised against
Recommended Use	Additive : Flame retardant
1.3. Details of the supplier of the	e safety data sheet
Company:	MARTINSWERK GmbH Kölner Strasse 110 50127 Bergheim Germany Tel. : +49-2271-90.22.78 Fax. : +49-2271-90.27.17
Internet	www.huberadvancedmaterials.com

Contact E-Mailwww.huberadvancedmaterials.com/contact1.4. Emergency telephoneCHEMTREC: +1 800 424 9300 or International 1+703-527-3887

1.4. Emergency telephone number

SECTION 2: Hazards identification

Brazil Ministry of Transport

This product is not part of the Hazardous Products Classification established by the Brazilian Federal Department of Transportation's Administrative Ruling 204 from 5/20/1997.

Safety Data Sheet

Martinal® ON-310S; Martinal® ON-313S; Martinal® ON-320; Martinal®, ON-904; Martinal® ON-906; Martinal® ON-908; Martinal® ON-921; Martinal® ON-935

Issue Date07/Mar/2024Print Date18/Feb/2025

Revision Number 1.3.4 Page 2 of 11

2.1. Classification of the substance or mixture

Physical Hazards	Not classified.
Health Hazards	Not classified.
Environmental Hazard	Not classified.
2.2. Label elements	
Symbols/Pictograms	None.
Signal Word	None.
Hazard Statements	None
Precautionary Statements	
Prevention	Employ good industrial hygiene practice Wash hands thoroughly after handling
Response	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing IF ON SKIN: Wash with plenty of soap and water
Storage	Keep in a dry place Store away from incompatible materials
Disposal	Dispose of contents/containers in accordance with local regulations
Additional Information:	None.
Hazards not otherwise classifie (HNOC)	d Not classified.

SECTION 3: Composition/information on ingredients

Pure substance/mixture

Substance

Chemical Name	CAS Number	TSCA: United States	EU REACH registration number	GHS Classification	Weight-%
Aluminum Hydroxide	21645-51-2	A	01-2119529246-39	Not classified.	>99

Additional information

TSCA A: Component is listed on Inventory as Active

Safety Data Sheet

Martinal® ON-310S; Martinal® ON-313S; Martinal® ON-320; Martinal®, ON-904; Martinal® ON-906; Martinal® ON-908; Martinal® ON-921; Martinal® ON-935

Issue Date 07/Mar/2024 Print Date 18/Feb/2025 Revision Number 1.3.4 Page 3 of 11

SECTION 4: First aid measures

4.1. Description of first aid measures

General Advice	When in doubt or if symptoms are observed, get medical advice. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Eye Contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Skin Contact	Wash with plenty of soap and water.
Ingestion	Rinse mouth thoroughly with water.
Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Aspiration hazard	Not an expected route of exposure.
4.2. Most important symptoms and effects, both acute and delayed	May cause skin, eye, and respiratory tract irritation.
4.3. Indication of any immediate medical attention and special treatment needed	 Treatment should be symptomatic and supportive.

SECTION 5: Firefighting measures

Fla	ammable Properties	None known
5.1	. Extinguishing media	
	Suitable Extinguishing Media	Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO2).
	Unsuitable Extinguishing Media	None known.
	2. Special hazards arising from e substance or mixture	None known.
5.3	8. Advice for firefighters	
	Special protective	Wear a self-contained breathing apparatus and chemical protective clothing.

Safety Data Sheet

Martinal® ON-310S; Martinal® ON-313S; Martinal® ON-320; Martinal®, ON-904; Martinal® ON-906; Martinal® ON-908; Martinal® ON-921; Martinal® ON-935

Issue Date07/Mar/2024Print Date18/Feb/2025

Revision Number 1.3.4 Page 4 of 11

equipment for firefighters

Fire-fighting measures In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures	Ensure adequate ventilation Use personal protection recommended in Section 8 Avoid dust formation Keep unauthorized personnel away
For non-emergency personnel	Keep unauthorized personnel away.
For emergency responders	Keep unauthorized personnel away Use personal protection recommended in Section 8
6.2. Environmental precautions	Avoid runoff to waterways and sewers.
6.3. Methods and material for containment and cleaning up	Methods for Containment : Prevent further leakage or spillage if safe to do so Methods for Clean-up : Sweep up and shovel into suitable containers for disposal
6.4. Reference to other sections	Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling	Minimize dust generation and accumulation Provide local exhaust ventilation Handle in accordance with good industrial hygiene and safety practice
7.2. Conditions for safe storage	e, Store away from incompatible materials. Keep container tightly closed and

7.2. Conditions for safe storage, Store away from incompatible materials. Keep container tightly closed and dry. **including any incompatibilities**

7.3. Specific end use(s) No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Aluminum Hydroxide - 21645-51-2

 OSHA
 TWA: 15 mg/m³ (Total Dust)

 5 mg/m³ (Respirable Dust)

 NIOSH
 TWA: 5 mg/m³ (respirable dust); 10 mg/m³ TWA (total dust)

Safety Data Sheet

Martinal® ON-310S; Martinal® ON-313S; Martinal® ON-320; Martinal®, ON-904; Martinal® ON-906; Martinal® ON-908; Martinal® ON-921; Martinal® ON-935

Issue Date07/Mar/2024Print Date18/Feb/2025	Revision Number 1.3.4 Page 5 of 11
ACGIH Mexico	TLV/TWA 8-hr: 1 mg/m ³ (respirable fraction) Not established
PNEC (Predicted No Effect Concentration)	No information available
Biological Limit Values	None
8.2. Exposure controls	
Engineering Measures	Do not handle until all safety precautions have been read and understood Ensure adequate ventilation, especially in confined areas Provide a good standard of controlled ventilation (10 to 15 air changes per hour) Use exhaust ventilation to keep airborne concentrations below exposure limits In case of insufficient ventilation, wear suitable respiratory equipment
Personal protective equipment	
Eye/Face Protection	Wear safety glasses with side shields (or goggles).
Skin and Body Protection	Wear suitable protective clothing.
Hand Protection	For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.
Respiratory Protection	In case of inadequate ventilation wear respiratory protection.
Thermal hazards	None known.
Hygiene Measures	Follow general hygiene considerations recognized as common good workplace practices. The worker should wash daily at the end of each work shift, and prior to eating, drinking, smoking, etc.
Environmental Exposure Controls	Dispose of in accordance with local regulations.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical State	Solid.
Color	White
Odor	Odorless
Odor Threshold	No information available
pH:	+/- 9 (10% Water)

Safety Data Sheet

Martinal® ON-310S; Martinal® ON-313S; Martinal® ON-320; Martinal®, ON-904; Martinal® ON-906; Martinal® ON-908; Martinal® ON-921; Martinal® ON-935

Issue Date 07/Mar/2024 Print Date 18/Feb/2025		Revision Number 1.3.4 Page 6 of 11
Melting point / Freezing point	~ 300 °C / 572 °F (101.3 hPa)	
Initial boiling point	Not available	
Flash Point	Not applicable Product/Substance is inorganic Solid	
Evaporation Rate	Not applicable	
Flammability (solid, gas)	Not flammable	
Vapor Pressure	Not applicable	
Relative Density	+/- 2.42 g/cm ³ (20 °C)	
Water Solubility	Insoluble	
Partition coefficient	Not available	
Decomposition Temperature	200 °C (392 °F)	
Viscosity	Not applicable	
Explosive Properties	None	
Oxidizing Properties	None	
VOC Content (%) Solubility in other solvents	Not applicable No information available	
9.2. Other information	No data available	

SECTION 10: Stability and reactivity

10.1. Reactivity	No data available.
10.2. Chemical stability	Stable under normal conditions.
10.3. Possibility of hazardous reactions	None under normal processing.
10.4. Conditions to avoid	Decomposition Temperature. < / =0.3%. :. Al ₂ O ₃ . Water.
10.5. Incompatible materials	None known
10.6. Hazardous decomposition products	None known.

Safety Data Sheet

Martinal® ON-310S; Martinal® ON-313S; Martinal® ON-320; Martinal®, ON-904; Martinal® ON-906; Martinal® ON-908; Martinal® ON-921; Martinal® ON-935

Issue Date 07/Mar/2024 Print Date 18/Feb/2025 Revision Number 1.3.4 Page 7 of 11

SECTION 11: Toxicological information

General Information	Users are advised to consider national Occupational Exposure Limits or other equivalent values.
Information on Likely Routes of	Exposure
Inhalation	Do not breathe dust.
Skin	Avoid prolonged or repeated contact with skin. Contact with dust can cause mechanical irritation or drying of the skin.
Eyes	Avoid contact with eyes. Dust contact with the eyes can lead to mechanical irritation.
Ingestion	Ingestion is not a likely route of exposure.
Aspiration hazard	Not an expected route of exposure.
Symptoms related to the physical, chemical and toxicological characteristics	Signs and symptoms may include coughing, gasping, choking and difficulty breathing. Contact with eyes may cause irritation.
Symptoms	Low hazard for usual industrial or commercial handling
11.1. Information on toxicologic	al effects
Aluminum Hydroxide - 21645-	<u>51-2</u>
-	
Aluminum Hydroxide - 21645- Oral LD50	<u>51-2</u> > 2000 mg/kg Rat
<u>Aluminum Hydroxide - 21645-</u> Oral LD50 IARC	51-2 > 2000 mg/kg Rat Not Listed
Aluminum Hydroxide - 21645- Oral LD50 IARC Acute Toxicity	51-2 > 2000 mg/kg Rat Not Listed Based on available data, the classification criteria are not met.
Aluminum Hydroxide - 21645- Oral LD50 IARC Acute Toxicity Chronic Toxicity	 51-2 > 2000 mg/kg Rat Not Listed Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.
Aluminum Hydroxide - 21645- Oral LD50 IARC Acute Toxicity Chronic Toxicity Chronic Effects Serious eye damage/eye	 51-2 > 2000 mg/kg Rat Not Listed Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.
Aluminum Hydroxide - 21645- Oral LD50 IARC Acute Toxicity Chronic Toxicity Chronic Effects Serious eye damage/eye irritation	 51-2 > 2000 mg/kg Rat Not Listed Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.
Aluminum Hydroxide - 21645- Oral LD50 IARC Acute Toxicity Chronic Toxicity Chronic Effects Serious eye damage/eye irritation Respiratory Sensitization	 51-2 > 2000 mg/kg Rat Not Listed Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.
Aluminum Hydroxide - 21645- Oral LD50 IARC Acute Toxicity Chronic Toxicity Chronic Effects Serious eye damage/eye irritation Respiratory Sensitization Skin Sensitization	 51-2 > 2000 mg/kg Rat Not Listed Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Safety Data Sheet

Martinal® ON-310S; Martinal® ON-313S; Martinal® ON-320; Martinal®, ON-904; Martinal® ON-906; Martinal® ON-908; Martinal® ON-921; Martinal® ON-935

Issue Date 07/Mar/2024 Print Date 18/Feb/2025	Revision Number 1.3.4 Page 8 of 11
Specific target organ toxicity - Single exposure	Based on available data, the classification criteria are not met.
Specific target organ toxicity - Repeated exposure	Based on available data, the classification criteria are not met.
Mixture versus substance information	No information available.

SECTION 12: Ecological information

12.1. Ecotoxicity	Not considered to be harmful to aquatic life. Avoid release to the environment.					
<u>Aluminum Hydroxide - 21645-</u> WGK Classification (AwSV)						
12.2. Persistence and degradability	The methods for determining biodegradability are not applicable to inorganic substances.					
12.3. Bioaccumulative potential	Not likely to bioaccumulate.					
Partition coefficient	Not available.					
Bioconcentration factor (BCF)	No data available.					
12.4. Mobility in soil	No information available.					
12.5. Results of PBT and vPvB assessment	This substance does not meet the criteria for classification as PBT or vPvB.					
12.6. Other adverse effects	No information available					

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Contaminated Packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not reuse container.
Waste codes	Waste codes should be assigned by the user based on the application for which the product was used

Safety Data Sheet

Martinal® ON-310S; Martinal® ON-313S; Martinal® ON-320; Martinal®, ON-904; Martinal® ON-906; Martinal® ON-908; Martinal® ON-921; Martinal® ON-935

Issue Date 07/Mar/2024 Print Date 18/Feb/2025 Revision Number 1.3.4 Page 9 of 11

Disposal Methods Disposal should be in accordance with applicable regional, national and local laws and regulations

Aluminum Hydroxide - 21645-51-2

European Waste Catalog 060299

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)

ΙΑΤΑ	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated
14.1. UN number	None
14.2. UN proper shipping name	None
14.3. Transport hazard class(es)	None
14.4. Packing group	None
14.5. Environmental hazards	No
14.6. Special precautions for user	Not applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global Inventories

Chemical Name	CAS Number	EC No	EU REACH registrati on number	Australia (AIIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico		Philippine s (PICCS)		TSCA: United States
Aluminum Hydroxide	21645-51- 2	244-492-7	01-211952 9246-39	Ŷ	Ŷ	Ŷ	(1)-17 (ENCS); ISHL	KE-00980	Ŷ	Ŷ	Ŷ	Ŷ	A


X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

Safety Data Sheet

Martinal® ON-310S; Martinal® ON-313S; Martinal® ON-320; Martinal®, ON-904; Martinal® ON-906; Martinal® ON-908; Martinal® ON-921; Martinal® ON-935

Issue Date 07/Mar/2024 Print Date 18/Feb/2025 Revision Number 1.3.4 Page 10 of 11

Information on risks and safety as written on the label Health - Blue Flammability - Red Physical Hazard - Yellow Special - White



- 4- Extreme
- 3- High
- 2- Moderate
- 1- Low
- 0- Minimum

SECTION 16: Other information

Prepared by	Huber Engineered Materials (HEM) Global Regulatory Affairs regulatory.affairs@huber.com
Reason for Version	Brasil: ABNT NRB 14725-4: 2014.
Training Advice	Do not handle until all safety precautions have been read and understood.
Abbreviations and acronyms	 IARC (International Agency for Research on Cancer) IATA (International Air Transport Association) IMDG (International Maritime Dangerous Goods) IUCLID (International Uniform Chemical Information Database) WHMIS (Workplace Hazardous Materials Information System) DOT (Department of Transportation) OSHA (Occupational Safety and Health Administration of the US Department of Labor) TWA (Time-Weighted Average) CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008)) PPE (Personal Protection Equipment) NIOSH (National Institute for Occupational Safety and Health) TDG (Transport of Dangerous Goods) Canada CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act) RQ (Reportable Quantity) (RQ/% in mixture) STEL (Short Term Exposure Limit)

Safety Data Sheet

Martinal® ON-310S; Martinal® ON-313S; Martinal® ON-320; Martinal®, ON-904; Martinal® ON-906; Martinal® ON-908; Martinal® ON-921; Martinal® ON-935

Issue Date 07/Mar/2024 Print Date 18/Feb/2025 Revision Number 1.3.4 Page 11 of 11

	TLV® (Threshold Limit Value) DNEL (Derived No Effect Level) SVHC (Substances of Very High Concern) BOD (Biochemical oxygen demand) COD (Chemical oxygen demand) ICAO (International Civil Aviation Organization) IMDG (International Maritime Dangerous Goods) SCBA (Self-Contained Breathing Apparatus) Positive Pressure PNEC (Predicted No Effect Concentration) GHS (Globally Harmonized System) TSCA (Toxic Substances Control Act)
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet