



# Safety Data Sheet

FIRE RETARDANT ADDITIVES

**Martoxid® TM-1250; Martoxid® TM-1320; Martoxid® TM-1410; Martoxid® TM-1420**

Japan-JIS Z 7253:2012  
Occupational Safety and Health Act  
Globally Harmonized System (GHS)

Issue Date: 18/Sep/2020  
Print Date: 18/Sep/2020

Revision Number: 1.3.1  
Page 1 of 9

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Martoxid® TM-1250; Martoxid® TM-1320; Martoxid® TM-1410; Martoxid® TM-1420

**Pure substance/mixture** Substance

**Aluminum oxide**  
**CAS Number** 1344-28-1  
**Weight-%** -

**Recommended Use** Abrasive Adsorbent(s) Catalyst Filler Chemical industry (raw material for the production of other aluminium compounds), etc.

**Company:** J.M. Huber Corporation  
3100 Cumberland Boulevard, Suite 600  
Atlanta, GA 30339 USA  
Tel: +1 678 247-7300

**Internet** [www.hubermaterials.com](http://www.hubermaterials.com)

**E-mail** [hubermaterials@huber.com](mailto:hubermaterials@huber.com)

**Emergency Telephone Number** CHEMTREC: +1 800 424 9300 or International +1 703 527 3887  
+81 03-3560-7316

## 2. HAZARD IDENTIFICATION

**Japan GHS Classification**

**Physical Hazards** Not classified

**Health Hazard** Specific target organ toxicity (STOT) - single exposure, category 3 respiratory tract irritation  
Specific target organ toxicity (STOT) - repeated exposure, category 1 Lungs

**Environmental Hazards** Not classified

**GHS label elements**  
**Symbols/Pictograms**

**Safety Data Sheet**

Martoxid® TM-1250; Martoxid® TM-1320; Martoxid® TM-1410; Martoxid® TM-1420

Issue Date: 18/Sep/2020

Print Date: 18/Sep/2020

Revision Number: 1.3.1

Page 2 of 9

**Signal Word**

None

**Hazard statements**

H372 - Causes damage to organs through prolonged or repeated exposure

H335 - May cause respiratory irritation

**Precautionary Statements****Prevention**

Do not handle until all safety precautions have been read and understood

Employ good industrial hygiene practice

Do not breathe dust

Wash hands thoroughly after handling

**Response**

IF exposed or concerned: Get medical advice/attention

Wash with plenty of soap and water

**Storage**

Store away from incompatible materials.

Keep in a dry place

**Disposal**

Dispose of contents/container to an approved waste disposal plant

**Additional Information:**

None

**3. COMPOSITION/INFORMATION ON INGREDIENTS****Pure substance/mixture**

Substance

Chemical Name	CAS Number	Japan	Japan GHS Classification	TSCA: United States	REACH registration number	Weight-%
Aluminum oxide	1344-28-1	(1)-23 (ENCS)(ISHL)	STOT - single exposure Category 3 respiratory tract irritation STOT (Repeat Exposure):1. Target organ: lung	A	01-2119529248-35 -xxxx  01-2119529248-35 -0017	-

**4. FIRST AID MEASURES****If inhaled:**Remove victim to fresh air and keep at rest in a position comfortable for breathing  
If symptoms persist, call a physician**IF ON SKIN:**

Wash off with soap and water. Get medical attention if irritation develops and persists.

**Safety Data Sheet**

Martoxid® TM-1250; Martoxid® TM-1320; Martoxid® TM-1410; Martoxid® TM-1420

Issue Date: 18/Sep/2020

Print Date: 18/Sep/2020

Revision Number: 1.3.1

Page 3 of 9

**IF IN EYES:** In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes  
Call a physician if irritation develops and persists

**If swallowed:** Rinse mouth thoroughly with water  
If swallowed, call a poison control center or physician immediately

**Self-Protection of the First Aider** Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves

**Notes to Physician** Treat symptomatically.

**5. FIRE-FIGHTING MEASURES**

**Suitable Extinguishing Media** Water spray (fog)  
Foam  
Dry chemical  
Carbon dioxide (CO<sub>2</sub>)

**Unsuitable Extinguishing Media** Do not use water jetstream

**Special hazards arising from the substance or mixture** Avoid dust formation

**Fire-fighting measures** In case of fire and/or explosion do not breathe fumes  
Water mist may be used to cool closed containers  
Keep unauthorized personnel away

**Special Protective Equipment for Firefighters** Wear self-contained breathing apparatus and protective suit

**6. ACCIDENTAL RELEASE MEASURES**

**Protective Equipment and Precautions for Firefighters** Avoid dust formation  
Ensure adequate ventilation  
Use personal protection recommended in Section 8  
Avoid contact with eyes and skin. Wear suitable personal protection equipment.  
Keep unauthorized personnel away

**Environmental Precautions** Keep out of drains, sewers, ditches and waterways  
Disposal considerations  
See section 13 for more information

**Methods and material for containment and cleaning up** Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust  
Small Spill: Vacuum or sweep material and place in a disposal container Minimize use of water during clean-up  
Recommended filter type: High efficiency particulate air filter (HEPA filter)

**Other Information** Not applicable

**7. HANDLING AND STORAGE**

Issue Date: 18/Sep/2020

Print Date: 18/Sep/2020

Revision Number: 1.3.1

Page 4 of 9

**Handling**

**Technical measures** Provide adequate ventilation as well as local exhaust at critical locations  
 Ensure adequate ventilation  
 Use personal protection equipment  
 See section 8 for more information

**Advice on safe handling** Minimize dust generation and accumulation

**Conditions for safe storage, including any incompatibilities** Keep containers tightly closed in a cool, well-ventilated place

**Hygiene Measures** Wash hands thoroughly after handling

**Storage**

**Packaging compatibilities** Keep/store only in original container

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Exposure Limits** Provide adequate ventilation as well as local exhaust at critical locations

**Aluminum oxide**

Japan

TWA: 0.5 mg/m<sup>3</sup> (respirable dust)  
 2 mg/m<sup>3</sup> (total dust)

**Engineering Measures** Ensure adequate ventilation, especially in confined areas

**Personal Protective Equipment**

**Respiratory Protection** In case of inadequate ventilation wear respiratory protection

**Hand protection** For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn

**Eye Protection** Wear safety glasses with side shields (or goggles)

**Skin and Body Protection** Wear suitable protective clothing.  
 Chemical resistant apron.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice  
 Wash thoroughly after handling  
 Avoid contact with eyes and skin  
 Do not breathe dust

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:****Physical State**

Solid  
 Powder

**Color**

White

**Odor**

Odorless

**Odor Threshold**

No information available

**pH:**

Not available

**Melting point / Freezing point**

2000 °C (3632 °F) (1013 hPa)

**Initial boiling point and boiling range**

2980 °C (5396 °F) (1013 hPa)

**Flash Point:**

Not applicable. Product/Substance is inorganic. Solid.

Issue Date: 18/Sep/2020

Print Date: 18/Sep/2020

Revision Number: 1.3.1

Page 5 of 9

Evaporation Rate	Not applicable Melting Point : > 300°C
Flammability (solid, gas)	No information available
Upper flammability limit:	
Lower flammability limit:	
Vapor Pressure	1 hPa (2158 °C)
Vapor Density	Not applicable Melting Point : > 300°C
Relative Density	4 (20 °C)
Water Solubility	Insoluble
Solubility in other solvents	No information available Not applicable Product/Substance is inorganic
Autoignition Temperature	Aluminum oxide has no potential to explode.
Decomposition Temperature	~2000 °C (> 2050 °C)
Kinematic viscosity	Not applicable Solid
Dynamic viscosity	Not applicable Solid
Explosive Properties	None
Oxidizing Properties	None

## 10. STABILITY AND REACTIVITY

Reactivity	Stable under normal conditions
Chemical stability	Stable under normal conditions
Possibility of hazardous reactions	None known
Incompatible materials	Strong oxidizing agents
Hazardous decomposition products	None known

## 11. TOXICOLOGICAL INFORMATION

**General Information** Users are advised to consider national Occupational Exposure Limits or other equivalent values.

### Information on Likely Routes of Exposure

Inhalation	Do not breathe dust
Skin	Avoid prolonged or repeated contact with skin Contact with dust can cause mechanical irritation or drying of the skin
Eyes	Avoid contact with eyes Dust contact with the eyes can lead to mechanical irritation
Ingestion	Ingestion is not a likely route of exposure
Aspiration hazard	Not an expected route of exposure.
Symptoms	Low hazard for usual industrial or commercial handling

### 11.1. Information on toxicological effects

Issue Date: 18/Sep/2020

Print Date: 18/Sep/2020

Revision Number: 1.3.1

Page 6 of 9

**Aluminum oxide****Serious eye damage/eye irritation**

Non-irritant : Rabbit

**Skin Corrosion/Irritation**

Non-irritant : Rabbit

**Mutagenicity**

Based on available data, the classification criteria are not met

**Reproductive Effects**

No indication of effects on fertility.

No indication of effects on developmental toxicity.

**Target Organ Effects**

Lungs

**Specific target organ toxicity**

May cause respiratory irritation

**- Single exposure****Specific target organ toxicity**

May cause damage to organs through prolonged or repeated exposure if inhaled

**- Repeated exposure**

Lungs

**Acute Toxicity**

Based on available data, the classification criteria are not met

**Chronic Toxicity**

Based on available data, the classification criteria are not met.

**Chronic Effects**

Based on available data, the classification criteria are not met.

**Serious eye damage/eye irritation**

Based on available data, the classification criteria are not met

**Respiratory Sensitization**

Based on available data, the classification criteria are not met

**Skin Corrosion/Irritation**

Based on available data, the classification criteria are not met

**Skin Sensitization**

Based on available data, the classification criteria are not met

**Mutagenicity**

Based on available data, the classification criteria are not met.

**Reproductive Effects**

This product does not contain any known or suspected reproductive hazards.

**Reproductive Toxicity**

Based on available data, the classification criteria are not met.

**Carcinogenicity**

This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

**Specific target organ toxicity - Single exposure**

Based on available data, the classification criteria are not met.

**Specific target organ toxicity - Repeated exposure**

Based on available data, the classification criteria are not met.

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

Based on available data, the classification criteria are not met

**Persistence and degradability**

No data available

**Bioaccumulation**

No data available.

**Mobility in soil**

No data available

HUBER

# Safety Data Sheet

Martoxid® TM-1250; Martoxid® TM-1320; Martoxid® TM-1410; Martoxid® TM-1420

Issue Date: 18/Sep/2020

Revision Number: 1.3.1

Print Date: 18/Sep/2020

Page 7 of 9

Hazardous to the ozone layer No data available

## 13. DISPOSAL CONSIDERATIONS

**Disposal** Dispose of in accordance with federal, state and local regulations

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal

## 14. TRANSPORT INFORMATION

Mode of Transportation (Road, Water, Air, Rail)

ADR	Not regulated
RID	Not regulated
ADN	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

14.1. UN number None

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for user Not applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code  
Not applicable

## 15. REGULATORY INFORMATION

Global Inventories

Pure substance/mixture Substance

Chemical Name	CAS Number	EC No	REACH registration number	Australia (AICS)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Aluminum oxide	1344-28-1	215-691-6	01-211952 9248-35-x xxx  01-211952 9248-35-0	Y	Y	Y	(1)-23 (ENCS)(ISHL)	KE-01012	Y	Y	Y	Y	A

Issue Date: 18/Sep/2020

Print Date: 18/Sep/2020

Revision Number: 1.3.1

Page 8 of 9

			017																	
--	--	--	-----	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

**Legend**

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

**KECL** - Korean Existing and Evaluated Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances  
**TSCA** (Toxic Substances Control Act)  
**DSL** (Domestic Substance List)  
**NDSL** (Non-Domestic Substances List)  
**Japan** - ISHL Notifiable Substances  
**ENCS** - Japan Existing and New Chemical Substances

Occupational Safety and Health Act (Industrial Safety and Health Act): This product, labor hazardous material should be notified of the names and the monitoring chemicals.

PRTR and Promotion of Chemical Management Law (PRTR Law): This like the Safety and Health Act and harmful substances, the component corresponding to the dangerous goods and hazardous substances should be displayed the name, etc.,

It does not include the range (wt%).

Law Concerning the Examination and Regulation of Manufacture, etc. of Chemical Substances (CSCL): This product is a priority assessment substance of Chemical Substances Control Law, does not contain a specific chemical substance, the appropriate component in product is not a component corresponding to the first Class I Designated Chemical Substance and the second Class I Designated Chemical Substance PRTR law, within the target range (wt%) as a .

Poisonous and Deleterious Substances Control Act: This product, contains a component corresponding to the Poisonous and Deleterious Substances Control Law, but is does below the range (wt%) as a target.

Fire Service Act: This product does not contain substances at a level for restriction is not due to the Fire Defense Law.  
Ship Safety Act: Not applicable.

Aviation Law: Not applicable.

## 16. OTHER INFORMATION

**Prepared by**

Huber Engineered Materials Global Regulatory Affairs  
email: regulatory.affairs@huber.com

**Reason for Revision**

This SDS complies with the requirements of JIS Z 7250:2010 and JIS Z 7252:2009 (Japan)

**Bibliography**

NITE GHS Classified list  
 Japan Society for occupational health (2015) recommendation of allowable concentrations, etc.  
 ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value

**Abbreviations and acronyms**

International Agency for Research on Cancer (IARC)  
 International Air Transport Association (IATA)  
 International Maritime Dangerous Goods (IMDG)  
 International Uniform Chemical Information Database (IUCLID)  
 Workplace Hazardous Materials Information System (WHMIS) status and classification  
 EPA SARA Title III Section 312 (40 CFR 370) Hazard Classification  
 DOT (Department of Transportation)  
 OSHA (Occupational Safety and Health Administration of the US Department of Labor)  
 TWA - Time-Weighted Average  
 The Classification, Labeling and Packaging of Substances and Mixtures (CLP) Regulation (EC 1272/2008)  
 PPE - Personal Protection Equipment  
 NIOSH - National Institute for Occupational Safety and Health  
 TDG (Transport of Dangerous Goods) Canada  
 CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)



HUBER

## Safety Data Sheet

Martoxid® TM-1250; Martoxid® TM-1320; Martoxid® TM-1410; Martoxid® TM-1420

Issue Date: 18/Sep/2020

Print Date: 18/Sep/2020

Revision Number: 1.3.1

Page 9 of 9

Reportable Quantity (RQ) (RQ/% in mixture)  
STEL - Short Term Exposure Limit  
TLV® - Threshold Limit Value  
Derived No Effect Level (DNEL)  
SVHC: Substances of Very High Concern for Authorization:  
Land transport (ADR/RID)  
Biochemical oxygen demand (BOD)  
Chemical oxygen demand (COD)  
ICAO (air)  
(IMDG) International Maritime Dangerous Goods  
Positive Pressure Self-Contained Breathing Apparatus (SCBA)  
Predicted No Effect Concentration (PNEC)  
Globally Harmonized System (GHS)

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**