



Safety Data Sheet

FIRE RETARDANT ADDITIVES

Martoxid® TM-4410; Martoxid® TM-4220; Martoxid® TM-4240; Martoxid® TM-4250

Prepared in accordance with GB/T 16483-2008, GB/TGB/T 24774-2009, GB 13690 – 2009, GB/T 17519–2013
Globally Harmonized System (GHS)

Issue Date: 18/Oct/2017

Print Date: 24/Jan/2019

Revision Number: 1.2.1

Page 1 of 10

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name:	Martoxid® TM-4410; Martoxid® TM-4220; Martoxid® TM-4240; Martoxid® TM-4250
Chemical Name	Al ₂ O ₃ (surface modified)
Pure substance/mixture	Mixture
Aluminum oxide	
CAS Number	1344-28-1
Weight-%	>99
Recommended Use	Thermally conductive filler
Company:	MARTINSWERK GmbH Kölner Strasse 110 50127 Bergheim Germany Tel. : +49-2271-90.22.78 Fax. : +49-2271-90.27.17
Emergency Telephone	CHEMTREC: 1 800 424 9300 or International +1 703 527 3887
E-mail	hubermaterials@huber.com
Internet	www.hubermaterials.com

Section 2: HAZARDS IDENTIFICATION

GHS Classification	Not classified
Physical Hazard	Not classified
Health Hazard	Not classified
Environmental Hazard	Not classified
Label Elements	
Symbols/Pictograms	None
Signal Word	None

Safety Data Sheet

Martoxid® TM-4410; Martoxid® TM-4220; Martoxid® TM-4240; Martoxid® TM-4250

Issue Date: 18/Oct/2017

Print Date: 24/Jan/2019

Revision Number: 1.2.1

Page 2 of 10

Precautionary Statements

Prevention	Do not handle until all safety precautions have been read and understood. Observe good industrial hygiene practices. Wear protective gloves/protective clothing/eye protection/face protection. Use mechanical ventilation (dilution and local exhaust) to control exposure Avoid breathing dust.
Response	None
Spills and Leaks	Collect spillage
Storage	Store in a dry place
Disposal	Dispose of in accordance with federal, state and local regulations
General Advice	In case of doubt or when symptoms persist, seek medical attention.
Additional Information:	None.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture

Mixture

Chemical Name	CAS Number	China (IECSC)	China classification	TSCA: United States	REACH registration number	Weight-%
Aluminum oxide	1344-28-1	Y	Not classified	Y	01-2119529248-35 -xxxx 01-2119529248-35 -0017	>99

Section 4: FIRST AID MEASURES

General Advice	In case of doubt or when symptoms persist, seek medical attention.
Eye Contact	Hold eyelids apart and flush eyes with a steady, gentle stream of water for several minutes.
Skin Contact	Wash skin with soap and water
Inhalation	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing
Ingestion	Rinse mouth with water. Do not induce vomiting.

Issue Date: 18/Oct/2017

Print Date: 24/Jan/2019

Revision Number: 1.2.1

Page 3 of 10

Notes to Physician	Treat symptomatically
Personal Protective Equipment For First Aid Responders	Wear suitable protective clothing IF exposed or concerned: Get medical advice/attention
Expected acute symptoms and delayed symptoms	None known

Section 5: FIRE FIGHTING MEASURES

Flammable Properties	None known
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media:	None known
Specific Hazards Arising from the Chemical	None known
Unusual fire & explosion hazards:	None
Protective measures:	Use protective equipment that is appropriate for surrounding materials.
Protective Equipment and Precautions for Firefighters	Wear self-contained breathing apparatus and protective suit

Section 6: SPILLAGE, ACCIDENTAL RELEASE MEASURES

Personal Precautions	Avoid dust formation. When exposed to high concentrations of airborne dust, wear a SCBA in accordance with national legislation
Environmental Precautions	This product does not present any particular risk to the environment. Refer to applicable national, state and local regulations prior to washing in drain.
Methods for cleaning up	Pick up mechanically and / or by rinsing with water. Avoid dry sweeping and use a sprinkler system or exhaust ventilation to prevent dust formation.
Other Information:	None known

Section 7: HANDLING AND STORAGE

Handling	Avoid dust formation. Avoid breathing dust. Handle in accordance with good industrial hygiene and safety practice.
Storage	Store in a dry area. Keep containers closed and protect from physical damage.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits	Provide adequate ventilation as well as local exhaust at critical locations
Aluminum oxide	
China	TWA: 4 mg/m ³ total dust
China	STEL: 8 mg/m ³ total dust
ACGIH	TWA: 10 mg/m ³
ACGIH TLV	TWA: 1 mg/m ³ respirable fraction
NIOSH	Not established
OSHA	TWA: 15 mg/m ³ total dust
	TWA: 5 mg/m ³ respirable fraction
	(vacated) TWA: 10 mg/m ³ total dust
	(vacated) TWA: 5 mg/m ³ respirable fraction
Engineering Measures	Do not handle until all safety precautions have been read and understood Ensure adequate ventilation, especially in confined areas Provide a good standard of controlled ventilation (10 to 15 air changes per hour) Use exhaust ventilation to keep airborne concentrations below exposure limits In case of insufficient ventilation, wear suitable respiratory equipment
Personal Protective Equipment	
Eye/Face Protection	Wear safety glasses with side shields (or goggles)
Skin and Body Protection	Wear suitable protective clothing
Hand Protection	Impervious gloves
Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice Handle in accordance with good industrial hygiene and safety practice
Environmental Exposure Controls	Dispose of in accordance with local regulations

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance:

Physical State	Solid Powder
Color	White
Odor	Odorless
Odor Threshold	No information available
pH:	8.8 11% Water
Melting point / Freezing point	2000 °C (3632 °F) (1013 hPa)
Initial boiling point and boiling range	2980 °C (5396 °F) (1013 hPa)
Flash Point:	Not applicable. Product/Substance is inorganic. Solid.

Issue Date: 18/Oct/2017

Print Date: 24/Jan/2019

Revision Number: 1.2.1

Page 5 of 10

Evaporation Rate	Not applicable Melting Point : > 300°C
Flammability (solid, gas)	No information available
Upper flammability limit:	
Lower flammability limit:	
Vapor Pressure	1 hPa (2158 °C)
Vapor Density	Not applicable Melting Point : > 300°C
Relative Density	0.85
Water Solubility	Insoluble
Solubility in other solvents	No information available
Partition coefficient	Not applicable Product/Substance is inorganic
Autoignition Temperature	No information available
Decomposition Temperature	~2000 °C (> 2050 °C)
Kinematic viscosity	Not applicable Solid
Dynamic viscosity	Not applicable Solid
Explosive Properties	None
Oxidizing Properties	None

No data available

Section 10: STABILITY AND REACTIVITY

Stability	Stable under normal conditions
Conditions to avoid:	Incompatible materials Decomposition Temperature ~ 2000 °C (>2050 °C) </= 0.3% : Al ₂ O ₃ , Water
Incompatible materials	Strong acids
Hazardous decomposition products	None under normal processing
Hazardous Reactions	None under normal processing
Hazardous polymerization:	None under normal processing

Section 11: TOXICOLOGICAL INFORMATION

General Information Users are advised to consider national Occupational Exposure Limits or other equivalent values.

Product Information

Information on Likely Routes of Exposure

Eyes	Avoid contact with eyes Dust contact with the eyes can lead to mechanical irritation
Skin	Avoid prolonged or repeated contact with skin Contact with dust can cause mechanical irritation or drying of the skin

Issue Date: 18/Oct/2017

Print Date: 24/Jan/2019

Revision Number: 1.2.1

Page 6 of 10

Inhalation	Do not breathe dust
Ingestion	Ingestion is not a likely route of exposure
Aspiration hazard	Not an expected route of exposure.
Symptoms	Low hazard for usual industrial or commercial handling

11.1. Information on toxicological effects

Aluminum oxide

Serious eye damage/eye irritation	Non-irritant : Rabbit
Skin Corrosion/Irritation	Non-irritant : Rabbit
Mutagenicity	in vitro in vivo Based on available data, the classification criteria are not met
Reproductive Effects	No indication of effects on fertility. No indication of effects on developmental toxicity.
Target Organ Effects	Lungs
Specific target organ toxicity - Single exposure	No information available
Specific target organ toxicity - Repeated exposure	Repeated dose toxicity Inhalation 28-d Rat NOAEL (No observed adverse effect level) 70 mg(Al)/m ³ Repeated dose toxicity 1- Year Rat NOAEL (No observed adverse effect level) >=30 mg Al/kg bw
Acute Toxicity	Based on available data, the classification criteria are not met
Chronic Toxicity	Based on available data, the classification criteria are not met.
Chronic Effects	Based on available data, the classification criteria are not met.
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met
Respiratory Sensitization	Based on available data, the classification criteria are not met
Skin Corrosion/Irritation	Based on available data, the classification criteria are not met
Skin Sensitization	Based on available data, the classification criteria are not met
Mutagenicity	Based on available data, the classification criteria are not met.
Reproductive Effects	This product does not contain any known or suspected reproductive hazards.
Reproductive Toxicity	Based on available data, the classification criteria are not met.
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Specific target organ toxicity - Single exposure	Not classified.
Specific target organ toxicity -	Not classified.

Repeated exposure

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity	Very low solubility. Not considered to be harmful to aquatic life.
Persistence/Degradability:	The methods for determining biodegradability are not applicable to inorganic substances.
Bioaccumulative Potential	Not likely to bioaccumulate.
Partition coefficient	Not available
Bioconcentration factor (BCF)	No data available.
Mobility in soil	None.
Results of PBT and vPvB assessment	This substance does not meet the criteria for classification as PBT or vPvB.
Other Adverse Effects	None known

Section 13: DISPOSAL CONSIDERATIONS

Waste from Residues/Unused Products	Dispose of in accordance with local regulations
Contaminated Packaging:	Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14: TRANSPORT INFORMATION

Mode of Transportation (Road, Water, Air, Rail)

DOT	Not regulated
ADR	Not regulated
RID	Not regulated
ADN	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

14.1. UN number None

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

HUBER

Safety Data Sheet

Martoxid® TM-4410; Martoxid® TM-4220; Martoxid® TM-4240; Martoxid® TM-4250

Issue Date: 18/Oct/2017

Print Date: 24/Jan/2019

Revision Number: 1.2.1

Page 8 of 10

- 14.4. Packing group None
- 14.5. Environmental hazards No
- 14.6. Special precautions for user Not applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not applicable

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global Inventories

Chemical Name	CAS Number	EC No	REACH registration number	Australia (AICS)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Aluminum oxide	1344-28-1	215-691-6	01-211952924-8-35-xxxx 01-211952924-8-35-0017	Y	Y	Y	(1)-23 (ENCS)(IS HL)	Y	Y	Y	Y	Y	Y

Legend

X / Y: Complies - / N: Not Listed Exempt

Section 16: OTHER INFORMATION

Prepared by	Huber Engineered Materials Global Regulatory Affairs email: regulatory.affairs@huber.com
Reason for Revision	GB/T 16483-2008 GB/T 24774-2009 GB 13690 – 2009 GB/T 17519–2013
GHS Classification	Not classified
Physical Hazard	Not classified
Health Hazard	Not classified
Environmental Hazard	Not classified
Label Elements	
Symbols/Pictograms	None
Signal Word	None
Abbreviations and acronyms	International Agency for Research on Cancer (IARC) International Air Transport Association (IATA) International Maritime Dangerous Goods (IMDG) International Uniform Chemical Information Database (IUCLID) Workplace Hazardous Materials Information System (WHMIS) status and classification EPA SARA Title III Section 312 (40 CFR 370) Hazard Classification DOT (Department of Transportation) OSHA (Occupational Safety and Health Administration of the US Department of Labor) TWA - Time-Weighted Average Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) The Classification, Labeling and Packaging of Substances and Mixtures (CLP) Regulation (EC 1272/2008) PPE - Personal Protection Equipment NIOSH - National Institute for Occupational Safety and Health TDG (Transport of Dangerous Goods) Canada CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act) Reportable Quantity (RQ) (RQ/% in mixture) STEL - Short Term Exposure Limit TLV® - Threshold Limit Value Derived No Effect Level (DNEL) SVHC: Substances of Very High Concern for Authorization: Land transport (ADR/RID) Biochemical oxygen demand (BOD) Chemical oxygen demand (COD) ICAO (air) (IMDG) International Maritime Dangerous Goods Positive Pressure Self-Contained Breathing Apparatus (SCBA) Predicted No Effect Concentration (PNEC) Globally Harmonized System (GHS)

HUBER

Safety Data Sheet

Martoxid® TM-4410; Martoxid® TM-4220; Martoxid® TM-4240; Martoxid® TM-4250

Issue Date: 18/Oct/2017

Print Date: 24/Jan/2019

Revision Number: 1.2.1

Page 10 of 10

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet